



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	223	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	103	PM ₁₀	6
3	Ahmedabad	Moderate	169	PM _{2.5}	6
4	Aizawl	Good	29	PM ₁₀	1
5	Ajmer	Moderate	193	PM _{2.5}	1
6	Alwar	Moderate	120	PM _{2.5}	1
7	Amaravati	Satisfactory	97	PM ₁₀	1
8	Ambala	Satisfactory	85	PM _{2.5}	1
9	Amritsar	Satisfactory	67	PM _{2.5}	1
10	Araria	Very Poor	373	PM _{2.5}	1
11	Arrah	Very Poor	333	PM _{2.5}	1
12	Asansol	Very Poor	343	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhail, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Very Poor	371	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Moderate	150	PM ₁₀	1
15	Baddi	Moderate	163	PM _{2.5}	1
16	Bagalkot	Good	50	PM ₁₀	1
17	Bahadurgarh	Moderate	171	PM _{2.5}	1
18	Ballabgarh	Moderate	168	CO	1
19	Bareilly	Moderate	131	PM ₁₀	2
20	Belgaum	Moderate	137	PM ₁₀	1
21	Bengaluru	Satisfactory	77	CO	8
22	Bettiah	Severe	426	PM _{2.5}	1
23	Bhagalpur	Very Poor	382	PM _{2.5}	2
24	Bhiwadi	Poor	255	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhail, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	139	PM _{2.5}	1
26	Bhopal	Poor	234	PM _{2.5}	2
27	Bidar	Satisfactory	81	CO	1
28	Brajrajnagar	Moderate	128	PM ₁₀	1
29	Bulandshahr	Poor	255	PM _{2.5}	1
30	Chamarajanagar	Good	42	PM ₁₀	1
31	Chandigarh	Poor	214	PM _{2.5}	2
32	Chandrapur	Moderate	112	PM _{2.5}	2
33	Charkhi Dadri	Moderate	138	PM _{2.5}	1
34	Chennai	Moderate	126	PM _{2.5}	8
35	Chhapra	Very Poor	356	PM _{2.5}	1
36	Chikkaballapur	Moderate	123	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhail, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
38	Coimbatore	Moderate	142	PM _{2.5}	1
39	Damoh	Satisfactory	81	PM _{2.5}	1
40	Davanagere	Satisfactory	69	PM ₁₀	1
41	Delhi	Poor	294	PM _{2.5}	36
42	Dewas	Moderate	129	PM ₁₀	1
43	Dharuhera	Poor	236	PM _{2.5}	1
44	Durgapur	Poor	262	PM _{2.5}	1
45	Faridabad	Poor	279	PM _{2.5}	4
46	Fatehabad	Moderate	158	PM _{2.5}	1
47	Firozabad	Moderate	149	PM _{2.5}	2
48	Gadag	Good	44	O ₃	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	179	PM _{2.5} , PM ₁₀	3
50	Gangtok	Satisfactory	70	PM _{2.5}	1
51	Gaya	Very Poor	321	PM _{2.5}	3
52	Ghaziabad	Moderate	178	PM ₁₀	4
53	Gorakhpur	Moderate	117	PM ₁₀	1
54	Greater Noida	Poor	268	PM ₁₀ , PM _{2.5}	2
55	Gummidipoondi	Moderate	154	PM _{2.5}	1
56	Gurugram	Poor	224	PM _{2.5}	4
57	Guwahati	Very Poor	302	PM _{2.5}	4
58	Gwalior	Very Poor	378	PM _{2.5}	3
59	Hajipur	Poor	299	PM ₁₀	1
60	Haldia	Poor	209	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilsapur, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhala, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Satisfactory	90	PM _{2.5}	1
62	Haveri	Moderate	103	PM ₁₀	1
63	Hisar	Moderate	130	PM _{2.5}	1
64	Howrah	Very Poor	333	PM _{2.5}	3
65	Hubballi	Satisfactory	88	PM ₁₀	2
66	Hyderabad	Satisfactory	97	PM _{2.5} , PM ₁₀	12
67	Imphal	Moderate	110	PM _{2.5} , SO ₂	2
68	Indore	Moderate	138	PM ₁₀	1
69	Jabalpur	Moderate	155	PM _{2.5}	1
70	Jaipur	Moderate	140	PM _{2.5} , PM ₁₀	3
71	Jalandhar	Satisfactory	68	PM _{2.5}	1
72	Jhansi	Moderate	134	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhail, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	158	PM _{2.5}	1
74	Jorapokhar	Poor	274	PM ₁₀	1
75	Kaithal	Moderate	154	PM _{2.5}	1
76	Kalaburgi	Satisfactory	74	PM _{2.5}	1
77	Kalyan	Moderate	182	PM ₁₀	1
78	Kannur	Satisfactory	93	PM _{2.5}	1
79	Kanpur	Moderate	182	PM _{2.5}	3
80	Karnal	Moderate	133	PM _{2.5}	1
81	Katihar	Severe	418	PM _{2.5}	1
82	Khanna	Satisfactory	61	PM ₁₀	1
83	Kishanganj	Very Poor	374	PM _{2.5}	1
84	Kochi	Moderate	136	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhail, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	84	PM _{2.5}	1
86	Kolar	Moderate	167	SO ₂	1
87	Kolkata	Very Poor	302	PM _{2.5}	7
88	Kollam	Moderate	109	PM ₁₀	1
89	Koppal	Moderate	119	O ₃	1
90	Kota	Poor	216	PM _{2.5}	1
91	Kozhikode	Satisfactory	75	PM _{2.5}	1
92	Kurukshetra	Moderate	132	PM _{2.5}	1
93	Lucknow	Moderate	185	PM _{2.5}	6
94	Ludhiana	Satisfactory	92	PM _{2.5}	1
95	Madikeri	Good	35	O ₃	1
96	Maihar	Moderate	113	PM ₁₀	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhail, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Satisfactory	56	CO	1
98	Mandideep	Satisfactory	87	NO ₂	1
99	Mandikhera	Satisfactory	91	PM ₁₀	1
100	Manesar	Poor	235	PM _{2.5}	1
101	Mangalore	Moderate	113	PM ₁₀	1
102	Meerut	Poor	285	PM ₁₀ , PM _{2.5}	3
103	Moradabad	Moderate	146	PM _{2.5}	6
104	Motihari	Very Poor	324	PM ₁₀	1
105	Mumbai	Moderate	175	PM _{2.5} , PM ₁₀	18
106	Munger	Very Poor	332	PM ₁₀	1
107	Muzaffarnagar	Poor	296	PM _{2.5}	1
108	Muzaffarpur	Very Poor	386	PM _{2.5}	2

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhail, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Good	35	O ₃	1
110	Naharlagun	Good	50	PM _{2.5}	1
111	Narnaul	Poor	217	PM _{2.5}	1
112	Nashik	Satisfactory	95	PM _{2.5}	1
113	Navi Mumbai	Poor	214	PM _{2.5}	2
114	Noida	Poor	228	PM _{2.5}	4
115	Pali	Moderate	143	PM _{2.5}	1
116	Palwal	Satisfactory	66	PM ₁₀	1
117	Panchkula	Good	50	PM _{2.5}	1
118	Panipat	Moderate	118	PM ₁₀	1
119	Patiala	Moderate	108	PM ₁₀	1
120	Patna	Very Poor	354	PM _{2.5}	6

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhail, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	123	PM ₁₀	1
122	Prayagraj	Moderate	136	PM ₁₀	3
123	Puducherry	Moderate	112	PM _{2.5}	1
124	Pune	Moderate	140	PM _{2.5} , CO	3
125	Purnia	Severe	423	PM _{2.5}	1
126	Rajamahendravaram	Moderate	135	PM _{2.5}	1
127	Rajgir	Very Poor	383	PM _{2.5}	1
128	Ramanagara	Satisfactory	83	PM ₁₀	1
129	Ratlam	Moderate	120	PM ₁₀	1
130	Rupnagar	Moderate	171	PM ₁₀	1
131	Saharsa	Severe	415	PM _{2.5}	1
132	Samastipur	Severe	418	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhail, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Very Poor	344	PM _{2.5}	1
134	Satna	Satisfactory	86	PM _{2.5}	1
135	Shillong	Moderate	127	PM _{2.5}	1
136	Shivamogga	Good	40	O ₃	1
137	Siliguri	Moderate	149	PM _{2.5}	1
138	Singrauli	Very Poor	321	PM _{2.5}	1
139	Sirsa	Satisfactory	87	PM _{2.5}	1
140	Siwan	Severe	414	PM _{2.5}	1
141	Solapur	Moderate	116	PM ₁₀	1
142	Srinagar	Good	28	PM ₁₀	1
143	Talcher	Moderate	186	PM _{2.5}	1
144	Thane	Poor	220	O ₃	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhail, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Satisfactory	96	PM _{2.5}	2
146	Thoothukudi	Satisfactory	92	O ₃	1
147	Thrissur	Moderate	126	PM ₁₀	1
148	Tirupati	Satisfactory	96	PM _{2.5}	2
149	Udaipur	Poor	270	PM _{2.5}	1
150	Udupi	Moderate	107	CO	1
151	Ujjain	Poor	224	PM _{2.5}	1
152	Vapi	Very Poor	311	PM _{2.5}	1
153	Varanasi	Satisfactory	74	PM ₁₀ , PM _{2.5}	4
154	Vatva	Moderate	165	PM _{2.5}	1
155	Vijayapura	Good	46	PM ₁₀	1
156	Visakhapatnam	Moderate	187	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilipada, Buxar, Byrnihat, Chengalpattu, Chhail, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jan 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vrindavan	Moderate	110	PM _{2.5}	1
158	Yadgir	Satisfactory	74	PM ₁₀	1
159	Yamunanagar	Poor	208	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Baghpat, Baripada, Bathinda, Begusarai, Bhilai, Bihar Sharif, Bilaspur, Bilaspada, Buxar, Byrnihat, Chengalpattu, Chhna, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Jind, Kanchipuram, Katni, Keonjhar, Khurja, Korba, Kunjemura, Manguraha, Nagpur, Nalbari, Nandesari, Nayagarh, Ooty, Raichur, Raipur, Rairangpur, Ramanathapuram, Rohtak, Rourkela, Sagar, Salem, Silchar, Sivasagar, Sonapat, Suakati, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases