

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	103	PM _{2.5}	1
2	Ahmedabad	Moderate	103	PM _{2.5}	1
3	Ajmer	Satisfactory	74	PM ₁₀	1
4	Alwar	Satisfactory	63	OZONE	1
5	Amaravati	Moderate	112	PM _{2.5}	1
6	Ambala	Satisfactory	75	PM ₁₀	1
7	Amritsar	Satisfactory	61	PM ₁₀	1
8	Ankleshwar	Poor	230	PM ₁₀	1
9	Asanol	Poor	234	PM _{2.5}	1
10	Aurangabad	Satisfactory	99	OZONE	1
11	Baghpat	Moderate	109	PM _{2.5}	1
12	Bahadurgarh	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Chikkaballapur, Durgapur, Hubballi, Ratlam, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	71	PM ₁₀	1
14	Bengaluru	Moderate	165	OZONE, PM _{2.5}	8
15	Bhiwadi	Poor	276	PM ₁₀	1
16	Bhiwani	Satisfactory	82	PM ₁₀	1
17	Brajrajnagar	Moderate	118	PM _{2.5}	1
18	Bulandshahr	Moderate	126	PM ₁₀	1
19	Chandrapur	Moderate	151	PM ₁₀	1
20	Chennai	Satisfactory	53	PM _{2.5}	2
21	Damoh	Moderate	103	PM ₁₀	1
22	Delhi	Moderate	158	PM ₁₀ , PM _{2.5}	34
23	Dewas	Moderate	161	PM ₁₀	1
24	Dharuhera	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Chikkaballapur, Durgapur, Hubballi, Ratlam, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Moderate	110	NO ₂	1
26	Fatehabad	Moderate	125	PM ₁₀	1
27	GandhiNagar	Moderate	120	PM ₁₀	1
28	Gaya	Moderate	181	PM _{2.5}	1
29	Ghaziabad	Moderate	142	PM _{2.5}	1
30	Greater_Noida	Moderate	134	PM ₁₀	1
31	Gurugram	Moderate	119	PM ₁₀	1
32	Haldia	Moderate	172	PM ₁₀	1
33	Hapur	Moderate	110	PM ₁₀	1
34	Hisar	Moderate	114	PM ₁₀	1
35	Howrah	Poor	244	PM _{2.5}	2
36	Hyderabad	Moderate	132	NO ₂ , PM ₁₀ , PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Chikkaballapur, Durgapur, Hubballi, Ratlam, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jaipur	Moderate	112	CO, PM ₁₀	3
38	Jalandhar	Moderate	113	PM ₁₀	1
39	Jind	Satisfactory	89	PM ₁₀	1
40	Jodhpur	Moderate	162	PM _{2.5}	1
41	Jorapokhar	Moderate	116	PM ₁₀	1
42	Kalaburgi	Moderate	160	PM ₁₀	1
43	Kanpur	Moderate	107	PM _{2.5}	1
44	Karnal	Satisfactory	92	PM ₁₀	1
45	Khanna	Good	46	PM ₁₀	1
46	Kolkata	Poor	262	PM _{2.5}	2
47	Kota	Satisfactory	85	PM ₁₀	1
48	Kurushketra	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Chikkaballapur, Durgapur, Hubballi, Ratlam, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Lucknow	Moderate	188	PM _{2.5}	3
50	Ludhiana	Satisfactory	55	PM ₁₀	1
51	Mandi Gobindgarh	Moderate	108	PM ₁₀	1
52	Mandideep	Moderate	145	PM ₁₀	1
53	Mandikhera	Satisfactory	80	PM ₁₀	1
54	Manesar	Moderate	103	PM ₁₀	1
55	Moradabad	Moderate	128	PM ₁₀	1
56	Mumbai	Moderate	159	PM ₁₀	1
57	Muzaffarnagar	Moderate	122	PM _{2.5}	1
58	Muzaffarpur	Moderate	156	PM _{2.5}	1
59	Nagpur	Poor	257	OZONE	1
60	Narnaul	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ballabgarh, Chikkaballapur, Durgapur, Hubballi, Ratlam, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nashik	Moderate	132	PM ₁₀	1
62	Navi Mumbai	Moderate	118	со	1
63	Noida	Moderate	130	PM _{2.5} , PM ₁₀	2
64	Pali	Moderate	158	PM _{2.5}	1
65	Palwal	Satisfactory	88	PM ₁₀	1
66	Panchkula	Good	34	OZONE	1
67	Panipat	Satisfactory	77	PM ₁₀	1
68	Patiala	Satisfactory	97	PM ₁₀	1
69	Patna	Poor	215	PM _{2.5}	1
70	Pithampur	Moderate	182	PM ₁₀	1
71	Pune	Moderate	148	PM ₁₀	1
72	Rajamahendravaram	Moderate	115	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Chikkaballapur, Durgapur, Hubballi, Ratlam, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rohtak	Satisfactory	66	PM _{2.5}	1
74	Rupnagar	Satisfactory	70	PM ₁₀	1
75	Satna	Satisfactory	96	со	1
76	Singrauli	Moderate	199	PM _{2.5}	1
77	Sirsa	Satisfactory	89	PM ₁₀	1
78	Solapur	Moderate	146	PM ₁₀	1
79	Sonipat	Satisfactory	98	PM _{2.5}	1
80	Talcher	Poor	244	PM ₁₀	1
81	Thane	Moderate	144	PM ₁₀	1
82	Thiruvananthapuram	Moderate	115	PM _{2.5}	1
83	Tirupati	Satisfactory	71	PM ₁₀	1
84	Udaipur	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Chikkaballapur, Durgapur, Hubballi, Ratlam, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ujjain	Moderate	164	PM ₁₀	1
86	Varanasi	Poor	280	PM _{2.5}	1
87	Vatva	Moderate	190	PM ₁₀	1
88	Vijayawada	Satisfactory	77	PM ₁₀	1
89	Visakhapatnam	Moderate	146	PM _{2.5}	1
90	Yamunanagar	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ballabgarh, Chikkaballapur, Durgapur, Hubballi, Ratlam, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.