

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	319	PM _{2.5}	1
2	Ahmedabad	Satisfactory	96	NO ₂	1
3	Ajmer	Satisfactory	94	OZONE	1
4	Alwar	Satisfactory	80	NO ₂	1
5	Amaravati	Moderate	130	PM _{2.5}	1
6	Ambala	Moderate	152	PM ₁₀	1
7	Amritsar	Moderate	136	PM _{2.5}	1
8	Ankleshwar	Moderate	184	PM _{2.5}	1
9	Asanol	Moderate	125	PM _{2.5}	1
10	Aurangabad	Satisfactory	80	PM _{2.5}	1
11	Baghpat	Very Poor	301	PM _{2.5}	1
12	Bahadurgarh	Poor	247	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Maihar, Moradabad, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	267	PM _{2.5}	1
14	Bathinda	Moderate	104	PM ₁₀	1
15	Bengaluru	Satisfactory	83	PM _{2.5} , PM ₁₀	8
16	Bhiwadi	Poor	287	PM _{2.5}	1
17	Bhiwani	Moderate	103	PM ₁₀	1
18	Brajrajnagar	Poor	203	PM _{2.5}	1
19	Bulandshahr	Very Poor	333	PM _{2.5}	1
20	Chandrapur	Moderate	114	PM ₁₀ , PM _{2.5}	2
21	Chennai	Satisfactory	68	OZONE	2
22	Damoh	Satisfactory	88	PM ₁₀	1
23	Delhi	Very Poor	342	PM _{2.5} , PM ₁₀	35
24	Dewas	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Maihar, Moradabad, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Poor	286	PM _{2.5}	1
26	Faridabad	Very Poor	334	PM _{2.5}	1
27	Fatehabad	Moderate	154	PM _{2.5}	1
28	GandhiNagar	Satisfactory	95	PM ₁₀	1
29	Gaya	Poor	282	PM _{2.5}	1
30	Ghaziabad	Very Poor	393	PM _{2.5}	1
31	Greater_Noida	Very Poor	356	PM _{2.5}	1
32	Gurugram	Poor	296	NO ₂ , PM _{2.5}	2
33	Haldia	Moderate	131	PM ₁₀	1
34	Hapur	Very Poor	305	PM _{2.5}	1
35	Hisar	Poor	214	PM _{2.5}	1
36	Howrah	Poor	242	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Maihar, Moradabad, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hyderabad	Moderate	128	PM _{2.5} , PM ₁₀	6
38	Jaipur	Moderate	105	PM _{2.5} , OZONE, PM ₁₀	3
39	Jalandhar	Poor	208	PM ₁₀	1
40	Jind	Poor	210	PM _{2.5}	1
41	Jodhpur	Moderate	134	PM ₁₀	1
42	Jorapokhar	Moderate	127	PM ₁₀	1
43	Kalaburgi	Moderate	103	PM ₁₀	1
44	Kanpur	Very Poor	348	PM _{2.5}	1
45	Karnal	Poor	252	PM _{2.5}	1
46	Khanna	Satisfactory	87	PM ₁₀	1
47	Kolkata	Poor	248	PM _{2.5}	2
48	Kota	Moderate	131	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Maihar, Moradabad, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kurushketra	Moderate	152	PM _{2.5}	1
50	Lucknow	Poor	223	PM _{2.5}	4
51	Ludhiana	Satisfactory	79	PM ₁₀	1
52	Mandi Gobindgarh	Poor	210	PM _{2.5}	1
53	Mandideep	Moderate	164	OZONE	1
54	Mandikhera	Poor	206	PM _{2.5}	1
55	Manesar	Poor	283	PM _{2.5}	1
56	Mumbai	Poor	219	PM _{2.5}	1
57	Muzaffarnagar	Poor	274	PM _{2.5}	1
58	Muzaffarpur	Poor	274	OZONE	1
59	Nagpur	Moderate	194	OZONE	1
60	Narnaul	Moderate	194	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Maihar, Moradabad, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nashik	Moderate	154	OZONE	1
62	Navi Mumbai	Moderate	166	PM ₁₀	1
63	Noida	Very Poor	336	PM _{2.5}	2
64	Pali	Moderate	107	PM ₁₀	1
65	Palwal	Poor	262	PM _{2.5}	1
66	Panchkula	Satisfactory	82	OZONE	1
67	Panipat	Moderate	177	PM _{2.5}	1
68	Patiala	Moderate	136	PM ₁₀	1
69	Patna	Poor	254	PM _{2.5}	1
70	Pithampur	Moderate	131	PM ₁₀	1
71	Pune	Moderate	179	PM _{2.5}	1
72	Rajamahendravaram	Moderate	123	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Maihar, Moradabad, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ratlam	Moderate	119	PM ₁₀	1
74	Rupnagar	Satisfactory	96	PM _{2.5}	1
75	Satna	Moderate	107	со	1
76	Siliguri	Moderate	152	PM ₁₀	1
77	Singrauli	Poor	270	PM _{2.5}	1
78	Sirsa	Moderate	135	PM ₁₀	1
79	Solapur	Moderate	121	PM ₁₀	1
80	Sonipat	Poor	257	PM _{2.5}	1
81	Talcher	Very Poor	315	PM ₁₀	1
82	Thane	Poor	246	PM _{2.5}	1
83	Thiruvananthapuram	Satisfactory	70	OZONE	1
84	Tirupati	Satisfactory	72	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Maihar, Moradabad, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Udaipur	Moderate	187	PM ₁₀	1
86	Ujjain	Moderate	122	PM ₁₀	1
87	Varanasi	Very Poor	311	PM _{2.5}	1
88	Vatva	Moderate	134	PM ₁₀	1
89	Vijayawada	Satisfactory	81	PM ₁₀	1
90	Visakhapatnam	Moderate	116	PM ₁₀	1
91	Yamunanagar	Moderate	178	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Maihar, Moradabad, Rohtak as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.