

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	219	PM ₁₀ , PM _{2.5}	2
2	Agra	Satisfactory	64	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Moderate	150	PM _{2.5}	5
4	Aizawl	Good	44	PM ₁₀	1
5	Ajmer	Moderate	193	PM _{2.5}	1
6	Alwar	Moderate	183	PM _{2.5}	1
7	Amaravati	Moderate	148	PM _{2.5}	1
8	Ambala	Satisfactory	91	PM ₁₀	1
9	Amritsar	Moderate	110	PM _{2.5}	1
10	Anantapur	Good	50	03	1
11	Araria	Very Poor	371	PM _{2.5}	1
12	Ariyalur	Satisfactory	87	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	296	PM _{2.5}	1
14	Asansol	Very Poor	332	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	323	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	124	PM ₁₀	1
17	Baddi	Moderate	156	O ₃	1
18	Bagalkot	Good	49	PM ₁₀	1
19	Bahadurgarh	Poor	276	PM _{2.5}	1
20	Ballabgarh	Moderate	146	со	1
21	Bareilly	Moderate	116	PM _{2.5} , PM ₁₀	2
22	Baripada	Moderate	200	PM _{2.5}	1
23	Begusarai	Severe	415	PM _{2.5}	1
24	Belgaum	Moderate	150	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	68	PM ₁₀ , PM _{2.5}	6
26	Bettiah	Severe	446	PM _{2.5}	1
27	Bhagalpur	Severe	409	PM _{2.5}	2
28	Bhilai	Satisfactory	92	03	2
29	Bhiwadi	Very Poor	325	PM ₁₀	1
30	Bhiwani	Moderate	170	PM _{2.5}	1
31	Bhopal	Poor	212	PM _{2.5}	2
32	Bidar	Satisfactory	82	со	1
33	Bileipada	Poor	277	PM _{2.5}	1
34	Brajrajnagar	Moderate	114	PM ₁₀	1
35	Bulandshahr	Moderate	194	PM _{2.5}	1
36	Byrnihat	Very Poor	373	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik, Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	38	PM ₁₀	1
38	Chandigarh	Poor	211	PM _{2.5}	3
39	Chandrapur	Moderate	119	PM _{2.5}	2
40	Charkhi Dadri	Very Poor	303	PM _{2.5}	1
41	Chennai	Satisfactory	97	PM _{2.5} , PM ₁₀	8
42	Chhapra	Very Poor	320	PM _{2.5}	1
43	Chikkaballapur	Moderate	113	PM ₁₀	1
44	Chikkamagaluru	Good	48	PM ₁₀	1
45	Coimbatore	Satisfactory	97	PM ₁₀	1
46	Damoh	Satisfactory	69	PM _{2.5}	1
47	Delhi	Very Poor	335	PM _{2.5}	38
48	Dewas	Moderate	139	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Very Poor	318	PM _{2.5}	1
50	Durgapur	Poor	268	PM _{2.5}	1
51	Faridabad	Very Poor	328	PM _{2.5}	4
52	Fatehabad	Moderate	131	PM _{2.5}	1
53	Firozabad	Moderate	106	PM _{2.5}	2
54	Gadag	Good	48	03	1
55	Gandhinagar	Moderate	156	PM _{2.5} , PM ₁₀	3
56	Gangtok	Moderate	106	PM _{2.5}	1
57	Gaya	Very Poor	336	PM _{2.5}	3
58	Ghaziabad	Poor	265	PM _{2.5}	4
59	Gorakhpur	Moderate	116	PM ₁₀	1
60	Greater Noida	Very Poor	311	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gummidipoondi	Moderate	192	PM _{2.5}	1
62	Gurugram	Poor	296	PM _{2.5}	3
63	Guwahati	Poor	290	PM _{2.5}	4
64	Gwalior	Poor	231	PM _{2.5}	3
65	Hajipur	Poor	262	PM ₁₀	1
66	Haldia	Moderate	149	PM ₁₀	1
67	Hapur	Moderate	105	PM _{2.5}	1
68	Haveri	Moderate	109	PM ₁₀	1
69	Hisar	Moderate	111	PM _{2.5}	1
70	Hosur	Moderate	119	со	1
71	Howrah	Very Poor	324	PM _{2.5}	3
72	Hubballi	Satisfactory	94	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Moderate	112	PM _{2.5} , PM ₁₀	12
74	Imphal	Moderate	151	PM _{2.5}	1
75	Indore	Moderate	159	PM ₁₀	1
76	Jabalpur	Moderate	111	PM _{2.5}	1
77	Jaipur	Moderate	178	PM _{2.5}	3
78	Jalandhar	Moderate	124	PM _{2.5}	1
79	Jhansi	Satisfactory	88	PM ₁₀	1
80	Jind	Moderate	115	PM _{2.5}	1
81	Jodhpur	Moderate	168	PM _{2.5}	1
82	Jorapokhar	Poor	242	PM ₁₀	1
83	Kaithal	Moderate	142	PM _{2.5}	1
84	Kalaburgi	Satisfactory	85	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	163	PM ₁₀	1
86	Kanchipuram	Satisfactory	68	PM ₁₀	1
87	Kannur	Satisfactory	94	PM _{2.5}	1
88	Kanpur	Satisfactory	75	PM ₁₀	4
89	Katihar	Severe	465	PM _{2.5}	1
90	Keonjhar	Poor	269	PM _{2.5}	1
91	Khanna	Satisfactory	62	PM ₁₀	1
92	Khurja	Poor	206	PM _{2.5}	1
93	Kishanganj	Very Poor	379	PM _{2.5}	1
94	Kochi	Moderate	160	PM _{2.5}	1
95	Kohima	Moderate	105	PM _{2.5}	1
96	Kolar	Moderate	166	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Poor	242	PM _{2.5}	7
98	Kollam	Moderate	102	PM ₁₀	1
99	Koppal	Moderate	160	03	1
100	Korba	Poor	214	PM ₁₀	1
101	Kota	Moderate	193	PM _{2.5}	1
102	Kozhikode	Satisfactory	75	PM _{2.5}	1
103	Kurukshetra	Moderate	122	PM _{2.5}	1
104	Lucknow	Moderate	142	PM _{2.5}	5
105	Ludhiana	Moderate	106	PM _{2.5}	1
106	Madikeri	Good	46	03	1
107	Maihar	Satisfactory	100	PM ₁₀	1
108	Mandi Gobindgarh	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik, Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Moderate	119	PM ₁₀	1
110	Mandikhera	Moderate	177	PM ₁₀	1
111	Mangalore	Moderate	104	PM ₁₀	1
112	Manguraha	Very Poor	302	PM _{2.5}	1
113	Meerut	Very Poor	310	PM ₁₀ , PM _{2.5}	3
114	Moradabad	Moderate	138	PM _{2.5}	6
115	Motihari	Very Poor	345	PM ₁₀	1
116	Mumbai	Moderate	170	PM _{2.5} , NO ₂	19
117	Munger	Poor	290	PM _{2.5}	1
118	Muzaffarnagar	Poor	267	PM _{2.5}	1
119	Muzaffarpur	Very Poor	367	PM _{2.5}	3
120	Mysuru	Good	46	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagpur	Moderate	185	PM _{2.5}	1
122	Nalbari	Poor	280	PM _{2.5}	1
123	Narnaul	Very Poor	317	PM _{2.5}	1
124	Navi Mumbai	Poor	208	PM _{2.5}	3
125	Nayagarh	Poor	232	PM _{2.5}	1
126	Noida	Poor	293	PM _{2.5}	4
127	Ooty	Good	50	PM _{2.5}	1
128	Palwal	Moderate	123	PM _{2.5}	1
129	Panchkula	Good	43	PM _{2.5}	1
130	Panipat	Moderate	145	PM ₁₀	1
131	Patiala	Moderate	101	PM ₁₀	1
132	Patna	Very Poor	366	PM ₁₀ , PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pithampur	Moderate	179	PM _{2.5}	1
134	Prayagraj	Satisfactory	92	PM ₁₀	3
135	Puducherry	Satisfactory	87	PM _{2.5}	1
136	Pune	Moderate	141	PM _{2.5} , CO	3
137	Purnia	Severe	435	PM _{2.5}	1
138	Raipur	Satisfactory	89	PM ₁₀	3
139	Rairangpur	Poor	270	PM _{2.5}	1
140	Rajamahendravaram	Poor	202	PM _{2.5}	1
141	Rajgir	Very Poor	334	PM _{2.5}	1
142	Ramanagara	Satisfactory	72	PM ₁₀	1
143	Ramanathapuram	Satisfactory	74	PM ₁₀	1
144	Ratlam	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik, Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rohtak	Moderate	172	PM _{2.5}	1
146	Rourkela	Moderate	179	PM _{2.5}	3
147	Rupnagar	Poor	217	PM ₁₀	1
148	Sagar	Poor	238	PM _{2.5}	1
149	Saharsa	Severe	425	PM _{2.5}	1
150	Samastipur	Very Poor	389	PM _{2.5}	1
151	Sasaram	Very Poor	305	PM _{2.5}	1
152	Satna	Satisfactory	55	PM ₁₀	1
153	Shillong	Moderate	127	PM _{2.5}	1
154	Shivamogga	Good	47	O ₃	1
155	Siliguri	Moderate	163	PM _{2.5}	1
156	Singrauli	Poor	297	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sirsa	Satisfactory	74	PM ₁₀	1
158	Sivasagar	Good	42	PM _{2.5}	1
159	Siwan	Very Poor	331	PM _{2.5}	1
160	Solapur	Moderate	122	PM ₁₀	1
161	Sonipat	Poor	210	PM ₁₀	1
162	Srinagar	Good	41	PM ₁₀	1
163	Suakati	Poor	233	PM _{2.5}	1
164	Surat	Moderate	155	PM _{2.5}	1
165	Talcher	Moderate	187	PM _{2.5}	1
166	Tensa	Moderate	155	PM _{2.5}	1
167	Thane	Moderate	197	O ₃	1
168	Thiruvananthapuram	Satisfactory	91	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thoothukudi	Moderate	148	O ₃	1
170	Tirupati	Satisfactory	88	NO ₂ , PM _{2.5}	2
171	Tirupur	Satisfactory	64	PM ₁₀	1
172	Udaipur	Poor	259	PM _{2.5}	1
173	Ujjain	Moderate	200	PM _{2.5}	1
174	Vapi	Poor	251	PM _{2.5}	1
175	Varanasi	Satisfactory	73	CO, PM ₁₀	4
176	Vatva	Moderate	143	PM _{2.5}	1
177	Vijayapura	Good	46	PM ₁₀	1
178	Visakhapatnam	Moderate	189	PM _{2.5}	1
179	Vrindavan	Satisfactory	82	со	1
180	Yadgir	Satisfactory	81	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam,
 Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik,
 Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi,
 Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Yamunanagar	Moderate	154	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Karnal, Katni, Kunjemura, Manesar, Naharlagun, Nandesari, Nashik, Pali, Raichur, Salem, Silchar, Thrissur, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.