

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	60	PM ₁₀	1
2	Agra	Satisfactory	82	PM _{2.5}	1
3	Ahmedabad	Satisfactory	96	03	1
4	Aizawl	Good	41	PM ₁₀	1
5	Ajmer	Moderate	120	PM ₁₀	1
6	Alwar	Satisfactory	51	PM ₁₀	1
7	Amaravati	Satisfactory	62	03	1
8	Ambala	Satisfactory	78	PM ₁₀	1
9	Amritsar	Moderate	139	PM ₁₀	1
10	Ankleshwar	Moderate	133	03	1
11	Asansol	Satisfactory	66	PM ₁₀	1
12	Baghpat	Moderate	151	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Notes: Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gandhinagar, Hajipur, Hisar, Jodhpur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Panchkula, Ramanagara, Rohtak, Shillong, Solapur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	103	PM ₁₀	1
14	Bengaluru	Good	38	CO, PM ₁₀ , O ₃	8
15	Bhiwadi	Moderate	113	PM ₁₀	1
16	Bhiwani	Moderate	104	PM ₁₀	1
17	Bhopal	Satisfactory	84	03	1
18	Bulandshahr	Moderate	130	PM ₁₀	1
19	Chamarajanagar	Good	42	O ₃	1
20	Chandigarh	Satisfactory	74	PM ₁₀	1
21	Chandrapur	Good	39	PM ₁₀	1
22	Charkhi Dadri	Good	45	PM ₁₀	1
23	Chennai	Satisfactory	60	SO ₂ , PM ₁₀	3
24	Chikkaballapur	Good	30	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Notes: Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gandhinagar, Hajipur, Hisar, Jodhpur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Panchkula, Ramanagara, Rohtak, Shillong, Solapur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	27	03	1
26	Damoh	Good	31	PM _{2.5}	1
27	Davanagere	Good	27	со	1
28	Delhi	Moderate	135	O ₃ , PM ₁₀	30
29	Dewas	Satisfactory	68	PM ₁₀	1
30	Dharuhera	Moderate	106	PM ₁₀	1
31	Durgapur	Satisfactory	97	PM ₁₀	1
32	Eloor	Satisfactory	60	со	1
33	Faridabad	Moderate	146	PM _{2.5} , PM ₁₀	2
34	Fatehabad	Moderate	149	PM ₁₀	1
35	Gadag	Good	10	NO ₂	1
36	Gaya	Satisfactory	68	PM _{2.5} , O ₃	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Notes: Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gandhinagar, Hajipur, Hisar, Jodhpur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Panchkula, Ramanagara, Rohtak, Shillong, Solapur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Moderate	192	PM ₁₀ , O ₃	4
38	Greater Noida	Moderate	166	PM ₁₀	2
39	Gummidipoondi	Satisfactory	81	PM ₁₀	1
40	Gurugram	Satisfactory	70	PM ₁₀ , PM _{2.5}	3
41	Guwahati	Satisfactory	56	SO ₂ , PM ₁₀	2
42	Gwalior	Satisfactory	97	PM ₁₀	1
43	Haldia	Good	36	PM _{2.5}	1
44	Hapur	Satisfactory	67	03	1
45	Hassan	Good	48	PM ₁₀	1
46	Howrah	Satisfactory	78	O ₃ , PM ₁₀	3
47	Hubballi	Good	26	PM ₁₀	1
48	Hyderabad	Satisfactory	51	NO ₂ , PM _{2.5} , PM ₁₀	5

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Notes: Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gandhinagar, Hajipur, Hisar, Jodhpur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Panchkula, Ramanagara, Rohtak, Shillong, Solapur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Satisfactory	80	PM ₁₀	1
50	Jabalpur	Satisfactory	77	PM ₁₀	1
51	Jaipur	Moderate	122	PM ₁₀	3
52	Jalandhar	Satisfactory	87	PM ₁₀	1
53	Jind	Moderate	134	PM ₁₀	1
54	Kaithal	Moderate	173	PM ₁₀	1
55	Kalaburgi	Satisfactory	60	NO ₂	1
56	Kannur	Satisfactory	54	PM ₁₀	1
57	Kanpur	Satisfactory	66	PM _{2.5}	2
58	Karnal	Satisfactory	84	PM ₁₀	1
59	Katni	Satisfactory	87	PM ₁₀	1
60	Khanna	Moderate	105	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Notes: Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gandhinagar, Hajipur, Hisar, Jodhpur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Panchkula, Ramanagara, Rohtak, Shillong, Solapur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kochi	Good	40	со	1
62	Kohima	Satisfactory	59	PM ₁₀	1
63	Kolkata	Moderate	101	O ₃ , PM ₁₀	5
64	Kollam	Satisfactory	65	PM ₁₀	1
65	Kota	Satisfactory	88	PM ₁₀	1
66	Kozhikode	Satisfactory	51	со	1
67	Kurukshetra	Moderate	109	PM ₁₀	1
68	Lucknow	Satisfactory	86	PM ₁₀ , O ₃	4
69	Ludhiana	Moderate	128	PM ₁₀	1
70	Mandi Gobindgarh	Satisfactory	98	PM _{2.5}	1
71	Mandideep	Good	34	PM ₁₀	1
72	Medikeri	Good	42	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Notes: Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gandhinagar, Hajipur, Hisar, Jodhpur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Panchkula, Ramanagara, Rohtak, Shillong, Solapur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Meerut	Moderate	158	PM ₁₀	2
74	Moradabad	Moderate	110	PM ₁₀	1
75	Mumbai	Satisfactory	58	PM ₁₀ , O ₃ , CO	17
76	Muzaffarnagar	Moderate	119	PM ₁₀	1
77	Muzaffarpur	Satisfactory	62	PM _{2.5} , CO	2
78	Mysuru	Good	30	O ₃	1
79	Narnaul	Moderate	182	PM ₁₀	1
80	Navi Mumbai	Satisfactory	72	СО	2
81	Noida	Moderate	156	PM ₁₀	3
82	Pali	Moderate	124	PM ₁₀	1
83	Palwal	Satisfactory	75	PM ₁₀	1
84	Panipat	Moderate	129	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Notes: Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gandhinagar, Hajipur, Hisar, Jodhpur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Panchkula, Ramanagara, Rohtak, Shillong, Solapur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patiala	Moderate	122	PM ₁₀	1
86	Patna	Satisfactory	98	PM ₁₀ , PM _{2.5}	4
87	Pithampur	Satisfactory	54	O ₃	1
88	Puducherry	Satisfactory	52	O ₃	1
89	Pune	Satisfactory	54	CO, O ₃ , PM _{2.5}	6
90	Raichur	Good	38	PM ₁₀	1
91	Rajamahendravaram	Satisfactory	71	PM ₁₀	1
92	Ratlam	Satisfactory	73	PM ₁₀	1
93	Rupnagar	Satisfactory	65	PM ₁₀	1
94	Sagar	Satisfactory	79	PM ₁₀	1
95	Satna	Satisfactory	79	PM ₁₀	1
96	Shivamogga	Satisfactory	51	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Notes: Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gandhinagar, Hajipur, Hisar, Jodhpur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Panchkula, Ramanagara, Rohtak, Shillong, Solapur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Siliguri	Satisfactory	65	PM ₁₀	1
98	Singrauli	Moderate	172	PM ₁₀	1
99	Sirsa	Moderate	152	PM ₁₀	1
100	Srinagar	Moderate	131	PM ₁₀	1
101	Talcher	Satisfactory	100	со	1
102	Thane	Moderate	158	NO ₂	1
103	Thiruvananthapuram	Satisfactory	60	PM ₁₀ , CO	2
104	Thoothukudi	Satisfactory	56	PM ₁₀	1
105	Thrissur	Good	44	PM ₁₀	1
106	Tirupati	Good	37	со	1
107	Udaipur	Moderate	107	PM ₁₀	1
108	Ujjain	Satisfactory	89	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Notes: Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gandhinagar, Hajipur, Hisar, Jodhpur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Panchkula, Ramanagara, Rohtak, Shillong, Solapur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vapi	Satisfactory	53	PM ₁₀	1
110	Varanasi	Moderate	113	PM ₁₀	1
111	Vatva	Moderate	103	PM ₁₀	1
112	Visakhapatnam	Satisfactory	97	PM ₁₀	1
113	Yadgir	Good	27	PM _{2.5}	1
114	Yamunanagar	Satisfactory	92	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Notes: Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Gandhinagar, Hajipur, Hisar, Jodhpur, Jorapokhar, Kalyan, Kolar, Koppal, Maihar, Mandikhera, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Panchkula, Ramanagara, Rohtak, Shillong, Solapur, Sonipat, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.