

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	51	PM ₁₀	2
2	Agra	Moderate	113	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Moderate	163	PM _{2.5} , O ₃ , PM ₁₀	7
4	Alwar	Moderate	102	PM ₁₀	1
5	Amaravati	Satisfactory	86	03	1
6	Ambala	Moderate	150	PM ₁₀	1
7	Amritsar	Satisfactory	69	PM _{2.5}	1
8	Ankleshwar	Satisfactory	60	PM ₁₀	1
9	Asansol	Satisfactory	81	O ₃	1
10	Aurangabad (Bihar)	Moderate	200	PM ₁₀	1
11	Baddi	Moderate	132	PM ₁₀	1
12	Bagalkot	Good	50	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	153	PM ₁₀	1
14	Bahadurgarh	Moderate	197	PM ₁₀	1
15	Ballabgarh	Moderate	148	PM _{2.5}	1
16	Bareilly	Moderate	158	PM ₁₀	1
17	Bathinda	Satisfactory	64	PM ₁₀	1
18	Begusarai	Satisfactory	85	PM ₁₀	1
19	Bengaluru	Satisfactory	76	PM ₁₀ , CO, PM _{2.5}	7
20	Bhagalpur	Moderate	140	PM ₁₀	2
21	Bhiwani	Poor	242	PM _{2.5}	1
22	Bhopal	Moderate	136	PM ₁₀	1
23	Bihar Sharif	Poor	258	PM ₁₀	1
24	Bilaspur	Satisfactory	59	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Poor	221	PM ₁₀	1
26	Buxar	Moderate	189	PM _{2.5}	1
27	Chamarajanagar	Good	41	PM ₁₀	1
28	Chandigarh	Moderate	197	O ₃ , PM ₁₀	3
29	Chandrapur	Moderate	124	PM ₁₀	2
30	Charkhi Dadri	Moderate	186	PM ₁₀	1
31	Chennai	Satisfactory	71	PM ₁₀ , O ₃ , CO	8
32	Chhapra	Moderate	121	PM ₁₀	1
33	Chikkaballapur	Satisfactory	58	03	1
34	Chikkamagaluru	Good	42	PM ₁₀	1
35	Coimbatore	Good	31	PM _{2.5}	1
36	Darbhanga	Moderate	130	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Satisfactory	51	PM ₁₀	1
38	Dehradun	Moderate	143	03	1
39	Delhi	Poor	215	PM ₁₀	34
40	Dewas	Moderate	103	PM ₁₀	1
41	Durgapur	Satisfactory	94	PM ₁₀	1
42	Eloor	Satisfactory	57	PM _{2.5}	1
43	Ernakulam	Good	41	NO ₂	1
44	Faridabad	Poor	291	PM ₁₀	1
45	Fatehabad	Moderate	174	PM ₁₀	1
46	Firozabad	Moderate	188	O ₃ , PM ₁₀	2
47	Gadag	Good	37	PM _{2.5}	1
48	Gandhinagar	Moderate	113	PM _{2.5} , PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gangtok	Good	26	O ₃	1
50	Gaya	Moderate	188	O ₃ , PM ₁₀	2
51	Ghaziabad	Poor	247	PM ₁₀	4
52	Gorakhpur	Good	48	03	1
53	Greater Noida	Poor	236	PM ₁₀	2
54	Gurugram	Poor	230	PM _{2.5} , PM ₁₀	4
55	Gwalior	Moderate	141	PM ₁₀	1
56	Hajipur	Satisfactory	97	PM ₁₀	1
57	Haldia	Satisfactory	70	PM ₁₀	1
58	Hapur	Poor	271	PM ₁₀	1
59	Hisar	Moderate	156	PM ₁₀	1
60	Howrah	Satisfactory	68	PM ₁₀ , PM _{2.5}	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Satisfactory	80	PM ₁₀	1
62	Hyderabad	Moderate	128	O ₃ , PM ₁₀ , PM _{2.5}	11
63	Imphal	Satisfactory	87	SO ₂	1
64	Indore	Satisfactory	84	PM ₁₀	1
65	Jabalpur	Moderate	162	PM ₁₀	1
66	Jaipur	Moderate	157	PM ₁₀ , PM _{2.5}	3
67	Jalandhar	Moderate	113	PM ₁₀	1
68	Jhansi	Moderate	135	PM ₁₀	1
69	Jind	Moderate	165	PM _{2.5}	1
70	Jodhpur	Poor	244	PM _{2.5}	1
71	Kaithal	Moderate	136	PM ₁₀	1
72	Kalaburgi	Moderate	114	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Satisfactory	83	PM ₁₀	1
74	Kanpur	Moderate	147	PM _{2.5}	3
75	Karnal	Moderate	107	PM ₁₀	1
76	Katihar	Moderate	134	PM ₁₀	1
77	Katni	Poor	202	PM ₁₀	1
78	Khanna	Moderate	124	PM ₁₀	1
79	Khurja	Moderate	150	PM ₁₀	1
80	Kishanganj	Satisfactory	97	PM _{2.5}	1
81	Kochi	Satisfactory	57	PM ₁₀	1
82	Kohima	Satisfactory	79	PM ₁₀	1
83	Kolkata	Satisfactory	76	PM ₁₀	7
84	Kollam	Satisfactory	62	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	65	03	1
86	Kota	Moderate	118	PM ₁₀	1
87	Kurukshetra	Poor	225	03	1
88	Lucknow	Moderate	170	PM _{2.5} , PM ₁₀ , O ₃	6
89	Ludhiana	Satisfactory	99	03	1
90	Madikeri	Good	50	03	1
91	Maihar	Good	47	PM ₁₀	1
92	Mandideep	Moderate	107	PM ₁₀	1
93	Mandikhera	Satisfactory	98	PM ₁₀	1
94	Manesar	Moderate	176	PM _{2.5}	1
95	Manglore	Satisfactory	60	со	1
96	Manguraha	Satisfactory	87	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	246	PM ₁₀	3
98	Moradabad	Moderate	168	O ₃ , PM ₁₀	4
99	Motihari	Moderate	172	O ₃	1
100	Mumbai	Satisfactory	69	PM _{2.5} , O ₃ , PM ₁₀	18
101	Muzaffarnagar	Poor	206	03	1
102	Muzaffarpur	Moderate	116	O ₃ , PM ₁₀ , PM _{2.5}	3
103	Mysuru	Good	43	PM ₁₀	1
104	Nagpur	Moderate	129	03	1
105	Nandesari	Poor	203	PM _{2.5}	1
106	Narnaul	Moderate	117	PM ₁₀	1
107	Nashik	Good	50	PM ₁₀	1
108	Navi Mumbai	Satisfactory	83	CO, PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	234	PM ₁₀	4
110	Pali	Satisfactory	95	PM ₁₀	1
111	Panchkula	Moderate	118	PM _{2.5}	1
112	Panipat	Moderate	168	PM ₁₀	1
113	Patiala	Moderate	112	PM ₁₀	1
114	Patna	Moderate	138	PM _{2.5} , PM ₁₀	6
115	Pithampur	Moderate	103	PM ₁₀	1
116	Prayagraj	Moderate	126	PM ₁₀	2
117	Puducherry	Satisfactory	54	PM ₁₀	1
118	Pune	Satisfactory	88	PM _{2.5} , CO	5
119	Purnia	Moderate	197	PM _{2.5}	1
120	Raichur	Satisfactory	96	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Satisfactory	93	PM ₁₀	1
122	Ramanagara	Satisfactory	55	PM ₁₀	1
123	Ratlam	Moderate	135	PM _{2.5}	1
124	Rohtak	Poor	218	PM _{2.5}	1
125	Rupnagar	Satisfactory	96	PM ₁₀	1
126	Saharsa	Moderate	172	PM ₁₀	1
127	Samastipur	Moderate	187	PM ₁₀	1
128	Satna	Satisfactory	93	03	1
129	Shillong	Good	43	PM ₁₀	1
130	Shivamogga	Good	48	PM ₁₀	1
131	Siliguri	Good	41	PM ₁₀	1
132	Singrauli	Poor	264	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Moderate	179	PM _{2.5}	1
134	Srinagar	Satisfactory	73	PM ₁₀	1
135	Thane	Moderate	127	03	1
136	Thiruvananthapuram	Good	31	со	1
137	Thoothukudi	Good	46	PM ₁₀	1
138	Udaipur	Satisfactory	95	PM ₁₀	1
139	Ujjain	Moderate	155	PM ₁₀	1
140	Varanasi	Moderate	109	O ₃ , PM ₁₀	4
141	Vatva	Satisfactory	81	PM _{2.5}	1
142	Vijayapura	Satisfactory	55	PM ₁₀	1
143	Visakhapatnam	Satisfactory	75	PM ₁₀	1
144	Vrindavan	Moderate	129	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yadgir	Satisfactory	97	PM ₁₀	1
146	Yamunanagar	Poor	256	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ajmer, Araria, Notes: Arrah, Aurangabad (Maharashtra), Bettiah, Bhilai, Bhiwadi, Bidar, Brajrajnagar, Damoh, Dharuhera, Gummidipoondi, Guwahati, Hassan, Haveri, Jorapokhar, Kannur, Kolar, Kozhikode, Mandi Gobindgarh, Munger, Naharlagun, Palwal, Rajgir, Sagar, Sasaram, Siwan, Solapur, Sonipat, Talcher, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.