

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	175	PM _{2.5}	2
2	Agra	Satisfactory	91	PM ₁₀	6
3	Ahmedabad	Satisfactory	83	PM ₁₀	1
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Moderate	138	PM _{2.5}	1
6	Alwar	Satisfactory	94	PM ₁₀	1
7	Amaravati	Moderate	129	PM _{2.5}	1
8	Ambala	Moderate	151	PM _{2.5}	1
9	Amritsar	Moderate	155	PM _{2.5}	1
10	Anantapur	Satisfactory	92	03	1
11	Ankleshwar	Moderate	157	PM _{2.5}	1
12	Araria	Poor	266	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	302	PM _{2.5}	1
14	Aurangabad (Bihar)	Poor	296	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Moderate	108	PM ₁₀	1
16	Baddi	Poor	218	O ₃	1
17	Bagalkot	Good	43	PM ₁₀	1
18	Baghpat	Poor	212	PM _{2.5}	1
19	Bahadurgarh	Poor	240	PM _{2.5}	1
20	Ballabgarh	Poor	271	PM _{2.5}	1
21	Bareilly	Moderate	174	PM _{2.5}	2
22	Baripada	Moderate	186	PM _{2.5}	1
23	Bathinda	Moderate	141	PM ₁₀	1
24	Begusarai	Severe	448	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Kochi, Korba, Naharlagun, Nashik, Panipat, Raipur, Ramanathapuram, Salem, Solapur, Tirupur, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	163	PM _{2.5}	1
26	Bengaluru	Moderate	127	PM _{2.5} , PM ₁₀	8
27	Bhagalpur	Very Poor	336	PM _{2.5}	2
28	Bhiwadi	Poor	216	PM ₁₀	1
29	Bhiwani	Poor	208	PM _{2.5}	1
30	Bhopal	Moderate	123	PM ₁₀	2
31	Bilaspur	Satisfactory	86	СО	1
32	Bileipada	Moderate	157	PM ₁₀	1
33	Brajrajnagar	Satisfactory	73	PM ₁₀	1
34	Bulandshahr	Poor	273	PM _{2.5}	1
35	Chamarajanagar	Good	45	PM ₁₀	1
36	Chandigarh	Poor	201	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Moderate	110	PM _{2.5}	1
38	Charkhi Dadri	Moderate	149	PM ₁₀	1
39	Chennai	Moderate	115	PM _{2.5}	7
40	Chhapra	Very Poor	391	PM ₁₀	1
41	Chikkaballapur	Moderate	136	PM ₁₀	1
42	Chikkamagaluru	Satisfactory	56	PM ₁₀	1
43	Damoh	Satisfactory	53	PM ₁₀	1
44	Darbhanga	Severe	403	PM ₁₀	1
45	Davanagere	Moderate	150	PM _{2.5}	1
46	Delhi	Very Poor	314	PM _{2.5}	36
47	Dewas	Moderate	113	PM ₁₀	1
48	Dharuhera	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Moderate	175	PM ₁₀	1
50	Eloor	Satisfactory	71	PM ₁₀	1
51	Faridabad	Poor	297	PM _{2.5}	3
52	Fatehabad	Moderate	171	PM ₁₀	1
53	Firozabad	Satisfactory	96	PM _{2.5}	2
54	Gadag	Moderate	176	PM ₁₀	1
55	Gandhinagar	Satisfactory	64	O ₃	1
56	Gangtok	Good	28	PM ₁₀	1
57	Gaya	Poor	291	PM _{2.5}	3
58	Ghaziabad	Poor	255	PM ₁₀	4
59	Gorakhpur	Moderate	134	PM _{2.5}	1
60	Greater Noida	Poor	296	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Poor	260	PM _{2.5}	3
62	Guwahati	Moderate	180	PM _{2.5}	2
63	Gwalior	Poor	235	PM _{2.5}	3
64	Hajipur	Very Poor	326	PM ₁₀	1
65	Haldia	Moderate	144	PM ₁₀	1
66	Hapur	Moderate	171	PM _{2.5}	1
67	Hassan	Satisfactory	86	PM _{2.5}	1
68	Haveri	Satisfactory	97	PM ₁₀	1
69	Hisar	Moderate	196	PM _{2.5}	1
70	Hosur	Moderate	124	PM _{2.5}	1
71	Howrah	Poor	277	PM _{2.5}	3
72	Hubballi	Moderate	106	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Moderate	107	PM _{2.5}	14
74	Imphal	Moderate	106	PM _{2.5} , SO ₂	2
75	Indore	Satisfactory	93	PM ₁₀	1
76	Jabalpur	Poor	248	PM _{2.5}	1
77	Jaipur	Moderate	140	PM ₁₀	2
78	Jalandhar	Moderate	167	PM ₁₀	1
79	Jhansi	Moderate	122	PM ₁₀	1
80	Jind	Poor	279	PM _{2.5}	1
81	Jodhpur	Poor	203	PM _{2.5}	1
82	Kaithal	Poor	240	PM _{2.5}	1
83	Kalaburgi	Satisfactory	93	PM _{2.5}	1
84	Kalyan	Moderate	178	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Kochi, Korba, Naharlagun, Nashik, Panipat, Raipur, Ramanathapuram, Salem, Solapur, Tirupur, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kannur	Satisfactory	77	PM _{2.5}	1
86	Kanpur	Moderate	176	PM _{2.5}	3
87	Karnal	Poor	238	PM _{2.5}	1
88	Katihar	Very Poor	372	PM _{2.5}	1
89	Katni	Poor	252	PM _{2.5}	1
90	Keonjhar	Poor	257	PM _{2.5}	1
91	Khanna	Moderate	153	PM _{2.5}	1
92	Khurja	Moderate	190	PM _{2.5}	1
93	Kishanganj	Poor	223	PM _{2.5}	1
94	Kohima	Satisfactory	57	PM ₁₀	1
95	Kolar	Moderate	168	SO ₂	1
96	Kolkata	Poor	282	PM _{2.5}	7

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Kochi, Korba, Naharlagun, Nashik, Panipat, Raipur, Ramanathapuram, Salem, Solapur, Tirupur, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kollam	Satisfactory	87	PM ₁₀	1
98	Koppal	Moderate	163	O ₃	1
99	Kota	Moderate	159	PM ₁₀	1
100	Kozhikode	Good	40	со	1
101	Kurukshetra	Poor	275	PM _{2.5}	1
102	Lucknow	Poor	223	PM _{2.5}	6
103	Ludhiana	Poor	262	PM _{2.5}	1
104	Madikeri	Good	39	O ₃	1
105	Maihar	Satisfactory	54	PM ₁₀	1
106	Mandi Gobindgarh	Moderate	187	PM _{2.5}	1
107	Mandideep	Satisfactory	86	PM ₁₀	1
108	Mandikhera	Moderate	105	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Kochi, Korba, Naharlagun, Nashik, Panipat, Raipur, Ramanathapuram, Salem, Solapur, Tirupur, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manesar	Poor	219	PM _{2.5}	1
110	Mangalore	Satisfactory	89	PM ₁₀	1
111	Manguraha	Satisfactory	74	PM _{2.5}	1
112	Meerut	Poor	254	PM _{2.5}	3
113	Moradabad	Moderate	169	PM _{2.5}	6
114	Motihari	Very Poor	334	PM ₁₀	1
115	Mumbai	Moderate	190	PM _{2.5} , PM ₁₀	19
116	Munger	Poor	288	PM ₁₀	1
117	Muzaffarnagar	Very Poor	346	PM _{2.5}	1
118	Muzaffarpur	Very Poor	326	PM _{2.5}	3
119	Mysuru	Satisfactory	59	PM ₁₀	1
120	Nagpur	Moderate	160	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun, Dhaguad, Diddigul, Employeer, Compiding and Large et al., 1975.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nalbari	Moderate	174	PM _{2.5}	1
122	Nandesari	Satisfactory	90	PM _{2.5}	1
123	Narnaul	Moderate	164	PM _{2.5}	1
124	Navi Mumbai	Poor	204	PM _{2.5}	3
125	Nayagarh	Moderate	198	PM _{2.5}	1
126	Noida	Poor	281	PM ₁₀	4
127	Ooty	Satisfactory	51	SO ₂	1
128	Pali	Satisfactory	87	03	1
129	Palwal	Satisfactory	72	PM ₁₀	1
130	Panchkula	Moderate	110	PM _{2.5}	1
131	Patiala	Moderate	162	PM _{2.5}	1
132	Patna	Very Poor	396	PM ₁₀ , PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pithampur	Moderate	115	PM ₁₀	1
134	Prayagraj	Moderate	116	PM ₁₀	3
135	Puducherry	Satisfactory	86	PM _{2.5}	1
136	Pune	Moderate	174	PM _{2.5}	1
137	Purnia	Very Poor	400	PM _{2.5}	1
138	Raichur	Moderate	128	PM ₁₀	1
139	Rairangpur	Poor	289	PM _{2.5}	1
140	Rajamahendravaram	Moderate	170	PM _{2.5}	1
141	Rajgir	Very Poor	338	PM _{2.5}	1
142	Ramanagara	Satisfactory	93	PM _{2.5}	1
143	Ratlam	Satisfactory	91	PM ₁₀	1
144	Rohtak	Moderate	159	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Kochi, Korba, Naharlagun, Nashik, Panipat, Raipur, Ramanathapuram, Salem, Solapur, Tirupur, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rourkela	Moderate	199	PM ₁₀	1
146	Rupnagar	Moderate	109	PM ₁₀	1
147	Sagar	Moderate	133	O ₃	2
148	Saharsa	Very Poor	373	PM _{2.5}	1
149	Samastipur	Very Poor	379	PM _{2.5}	1
150	Sasaram	Poor	280	PM _{2.5}	1
151	Satna	Good	50	PM ₁₀	1
152	Shillong	Good	22	SO ₂	1
153	Shivamogga	Satisfactory	57	O ₃	1
154	Siliguri	Moderate	121	PM ₁₀	1
155	Singrauli	Very Poor	318	PM _{2.5}	1
156	Sirsa	Moderate	167	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Kochi, Korba, Naharlagun, Nashik, Panipat, Raipur, Ramanathapuram, Salem, Solapur, Tirupur, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sivasagar	Good	45	PM ₁₀	1
158	Siwan	Severe	417	PM _{2.5}	1
159	Sonipat	Moderate	154	PM ₁₀	1
160	Srinagar	Moderate	114	PM ₁₀	1
161	Suakati	Poor	263	PM _{2.5}	1
162	Surat	Moderate	158	PM _{2.5}	1
163	Talcher	Poor	208	PM _{2.5}	1
164	Tensa	Moderate	175	PM _{2.5}	1
165	Thane	Moderate	156	PM ₁₀	1
166	Thiruvananthapuram	Moderate	152	PM _{2.5}	2
167	Thoothukudi	Satisfactory	69	PM ₁₀	1
168	Thrissur	Satisfactory	56	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Notes: Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupati	Satisfactory	83	PM _{2.5}	2
170	Udaipur	Moderate	170	PM _{2.5}	1
171	Vapi	Poor	267	PM _{2.5}	1
172	Varanasi	Moderate	117	O ₃	4
173	Vatva	Moderate	110	PM ₁₀	1
174	Vijayapura	Satisfactory	68	PM ₁₀	1
175	Visakhapatnam	Moderate	189	PM _{2.5}	1
176	Yadgir	Satisfactory	90	PM _{2.5}	1
177	Yamunanagar	Poor	257	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kanchipuram, Kochi, Korba, Naharlagun, Nashik, Panipat, Raipur, Ramanathapuram, Salem, Solapur, Tirupur, Tumakuru, Udupi, Ujjain, Vrindavan, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.