



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	68	PM <sub>10</sub> , O <sub>3</sub>	6
2	Ahmedabad	Satisfactory	73	CO, PM <sub>10</sub>	4
3	Ajmer	Moderate	105	PM <sub>10</sub>	1
4	Akola	Satisfactory	51	PM <sub>10</sub>	1
5	Alwar	Satisfactory	67	PM <sub>10</sub>	1
6	Amaravati	Good	40	PM <sub>10</sub>	1
7	Ambala	Satisfactory	93	CO	1
8	Amravati	Good	37	PM <sub>10</sub>	2
9	Amritsar	Satisfactory	56	O <sub>3</sub>	1
10	Anantapur	Satisfactory	54	PM <sub>10</sub>	1
11	Ankleshwar	Satisfactory	71	O <sub>3</sub>	1
12	Araria	Good	46	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	88	CO	1
14	Asansol	Satisfactory	53	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Good	41	PM <sub>10</sub>	3
16	Baddi	Satisfactory	82	PM <sub>10</sub>	1
17	Badlapur	Good	36	PM <sub>10</sub>	1
18	Bagalkot	Good	42	PM <sub>10</sub>	1
19	Baghpat	Moderate	113	PM <sub>10</sub>	1
20	Bahadurgarh	Satisfactory	75	PM <sub>10</sub>	1
21	Ballabgarh	Satisfactory	97	PM <sub>10</sub>	1
22	Banswara	Satisfactory	65	PM <sub>10</sub>	1
23	Baran	Satisfactory	86	PM <sub>10</sub>	1
24	Bareilly	Satisfactory	53	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	53	PM <sub>10</sub>	1
26	Barmer	Moderate	117	PM <sub>10</sub>	1
27	Bathinda	Moderate	104	PM <sub>10</sub>	1
28	Belapur	Good	31	CO	1
29	Belgaum	Good	31	CO	1
30	Bengaluru	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub>	11
31	Bettiah	Satisfactory	55	PM <sub>10</sub>	1
32	Bhagalpur	Satisfactory	84	NO <sub>2</sub>	2
33	Bharatpur	Moderate	122	PM <sub>10</sub>	1
34	Bhilai	Good	40	PM <sub>10</sub> , O <sub>3</sub>	2
35	Bhilwara	Moderate	135	PM <sub>10</sub>	1
36	Bhiwadi	Moderate	121	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Good	46	PM <sub>2.5</sub>	1
38	Bhiwani	Satisfactory	74	PM <sub>10</sub>	1
39	Bhopal	Satisfactory	60	PM <sub>10</sub>	3
40	Bidar	Good	27	CO	1
41	Bihar Sharif	Good	30	CO	1
42	Bikaner	Moderate	119	PM <sub>10</sub>	1
43	Bilaspur	Satisfactory	66	CO	1
44	Bileipada	Satisfactory	91	PM <sub>10</sub>	1
45	Brajrajnagar	Good	33	SO <sub>2</sub>	1
46	Bulandshahr	Moderate	111	PM <sub>10</sub>	1
47	Bundi	Moderate	124	PM <sub>10</sub>	1
48	Byrnihat	Satisfactory	75	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chamarajanagar	Good	41	PM <sub>10</sub>	1
50	Chandigarh	Satisfactory	88	PM <sub>10</sub>	3
51	Chandrapur	Good	44	PM <sub>10</sub>	1
52	Charkhi Dadri	Moderate	114	PM <sub>2.5</sub>	1
53	Chennai	Satisfactory	78	CO, PM <sub>10</sub>	6
54	Chhal	Satisfactory	52	O <sub>3</sub>	1
55	Chhapra	Moderate	112	NO <sub>2</sub>	1
56	Chikkaballapur	Good	48	PM <sub>10</sub>	1
57	Chittoor	Satisfactory	68	PM <sub>2.5</sub>	1
58	Chittorgarh	Moderate	107	PM <sub>10</sub>	1
59	Churu	Good	49	PM <sub>10</sub>	1
60	Cuddalore	Good	37	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Damoh	Good	36	PM <sub>10</sub>	1
62	Dausa	Moderate	151	PM <sub>10</sub>	1
63	Davanagere	Good	33	PM <sub>10</sub>	1
64	Dehradun	Satisfactory	90	CO	1
65	Delhi	Moderate	117	PM <sub>2.5</sub> , PM <sub>10</sub>	27
66	Dewas	Good	46	PM <sub>10</sub>	1
67	Dhanbad	Moderate	192	CO	1
68	Dharuhera	Moderate	106	PM <sub>10</sub>	1
69	Dholpur	Satisfactory	89	PM <sub>10</sub>	1
70	Dhule	Good	48	PM <sub>2.5</sub>	1
71	Durgapur	Satisfactory	59	PM <sub>10</sub>	1
72	Eloor	Satisfactory	68	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Faridabad	Moderate	103	PM <sub>10</sub> , PM <sub>2.5</sub>	3
74	Fatehabad	Moderate	108	O <sub>3</sub>	1
75	Firozabad	Satisfactory	82	PM <sub>10</sub>	2
76	Gadag	Good	44	SO <sub>2</sub>	1
77	Gandhinagar	Satisfactory	55	PM <sub>2.5</sub> , PM <sub>10</sub>	2
78	Gangtok	Satisfactory	56	SO <sub>2</sub>	1
79	Gaya	Satisfactory	56	O <sub>3</sub>	2
80	Ghaziabad	Moderate	111	PM <sub>10</sub>	3
81	Gorakhpur	Satisfactory	54	SO <sub>2</sub>	1
82	Greater Noida	Moderate	161	PM <sub>10</sub>	2
83	Gummidipoondi	Moderate	105	PM <sub>10</sub>	1
84	Gurugram	Moderate	124	PM <sub>2.5</sub> , CO	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Guwahati	Satisfactory	61	CO, SO <sub>2</sub>	3
86	Gwalior	Satisfactory	68	PM <sub>2.5</sub> , PM <sub>10</sub>	4
87	Hajipur	Satisfactory	55	PM <sub>10</sub>	1
88	Haldia	Good	35	PM <sub>10</sub>	1
89	Hanumangarh	Moderate	177	PM <sub>10</sub>	1
90	Hapur	Satisfactory	59	PM <sub>10</sub>	1
91	Hassan	Good	35	SO <sub>2</sub>	1
92	Haveri	Good	38	CO	1
93	Hosur	Satisfactory	64	PM <sub>10</sub>	1
94	Howrah	Good	48	PM <sub>10</sub>	3
95	Hubballi	Good	44	CO	2
96	Hyderabad	Satisfactory	74	PM <sub>10</sub>	12

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Indore	Satisfactory	87	PM <sub>10</sub>	1
98	Jabalpur	Satisfactory	65	PM <sub>10</sub>	3
99	Jaipur	Moderate	131	PM <sub>10</sub>	6
100	Jaisalmer	Moderate	122	PM <sub>10</sub>	1
101	Jalandhar	Satisfactory	94	PM <sub>10</sub>	1
102	Jalgaon	Satisfactory	54	PM <sub>10</sub>	1
103	Jalna	Satisfactory	79	PM <sub>10</sub>	1
104	Jhalawar	Moderate	108	PM <sub>2.5</sub>	1
105	Jhansi	Satisfactory	76	PM <sub>10</sub>	1
106	Jhunjhunu	Moderate	102	PM <sub>10</sub>	1
107	Jind	Satisfactory	82	CO	1
108	Jodhpur	Satisfactory	97	PM <sub>10</sub>	5

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kadapa	Good	23	NO <sub>2</sub>	1
110	Kaithal	Moderate	128	PM <sub>2.5</sub>	1
111	Kalaburgi	Satisfactory	62	PM <sub>10</sub>	1
112	Kanpur	Satisfactory	73	CO	3
113	Karauli	Good	43	PM <sub>2.5</sub>	1
114	Karnal	Satisfactory	78	PM <sub>10</sub>	1
115	Kashipur	Satisfactory	84	PM <sub>10</sub>	1
116	Katihar	Satisfactory	98	CO	1
117	Katni	Satisfactory	78	PM <sub>10</sub>	1
118	Keonjhar	Satisfactory	56	PM <sub>10</sub>	1
119	Khanna	Satisfactory	83	PM <sub>10</sub>	1
120	Khurja	Satisfactory	79	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kishanganj	Satisfactory	52	CO	1
122	Kohima	Good	49	SO <sub>2</sub>	1
123	Kolhapur	Good	30	PM <sub>10</sub>	2
124	Kolkata	Good	42	O <sub>3</sub> , PM <sub>10</sub>	7
125	Kollam	Satisfactory	96	PM <sub>10</sub>	1
126	Korba	Good	25	PM <sub>10</sub>	2
127	Kota	Satisfactory	88	PM <sub>10</sub>	3
128	Kunjemura	Satisfactory	65	PM <sub>10</sub>	1
129	Kurukshetra	Satisfactory	96	PM <sub>10</sub>	1
130	Latur	Good	35	PM <sub>10</sub>	1
131	Lucknow	Satisfactory	61	CO, NO <sub>2</sub>	6
132	Ludhiana	Satisfactory	88	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Madikeri	Good	29	PM <sub>10</sub>	1
134	Mahad	Good	36	CO	1
135	Maihar	Good	28	PM <sub>10</sub>	1
136	Mandi Gobindgarh	Moderate	185	PM <sub>10</sub>	1
137	Mandideep	Good	48	PM <sub>10</sub>	1
138	Mandikhera	Good	49	PM <sub>10</sub>	1
139	Manesar	Satisfactory	60	PM <sub>2.5</sub>	1
140	Mangalore	Good	49	PM <sub>10</sub>	1
141	Manguraha	Good	11	PM <sub>2.5</sub>	1
142	Meerut	Satisfactory	84	PM <sub>10</sub> , PM <sub>2.5</sub>	3
143	Milupara	Good	38	PM <sub>10</sub>	1
144	Moradabad	Satisfactory	90	PM <sub>10</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Motihari	Good	33	PM <sub>10</sub>	1
146	Mumbai	Satisfactory	54	CO, PM <sub>10</sub>	19
147	Munger	Good	32	PM <sub>10</sub>	1
148	Muzaffarnagar	Satisfactory	78	PM <sub>10</sub>	1
149	Muzaffarpur	Satisfactory	91	CO, NO <sub>2</sub>	2
150	Mysuru	Satisfactory	67	PM <sub>10</sub>	1
151	Nagaur	Moderate	121	PM <sub>10</sub>	1
152	Nagpur	Good	47	CO, PM <sub>10</sub>	4
153	Nalbari	Satisfactory	72	PM <sub>10</sub>	1
154	Nanded	Satisfactory	66	O <sub>3</sub>	1
155	Narnaul	Satisfactory	92	PM <sub>10</sub>	1
156	Nashik	Good	46	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Navi Mumbai	Good	41	PM <sub>10</sub> , CO	6
158	Nayagarh	Good	49	PM <sub>10</sub>	1
159	Noida	Moderate	119	PM <sub>10</sub> , CO	4
160	Pali	Satisfactory	92	PM <sub>10</sub>	1
161	Palkalaiperur	Satisfactory	73	SO <sub>2</sub>	1
162	Palwal	Good	50	PM <sub>2.5</sub>	1
163	Panchkula	Satisfactory	90	PM <sub>2.5</sub>	1
164	Panipat	Moderate	136	PM <sub>2.5</sub>	1
165	Parbhani	Good	41	O <sub>3</sub>	1
166	Patiala	Satisfactory	88	PM <sub>10</sub>	1
167	Patna	Satisfactory	61	PM <sub>10</sub> , CO	5
168	Pimpri Chinchwad	Good	36	PM <sub>10</sub> , PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pithampur	Satisfactory	76	PM <sub>10</sub>	1
170	Pratapgarh	Satisfactory	93	PM <sub>10</sub>	1
171	Prayagraj	Satisfactory	71	PM <sub>2.5</sub> , PM <sub>10</sub>	3
172	Puducherry	Satisfactory	61	PM <sub>10</sub>	1
173	Pune	Satisfactory	81	NO <sub>2</sub> , PM <sub>10</sub>	6
174	Raipur	Good	37	PM <sub>10</sub> , CO	4
175	Rajamahendravaram	Satisfactory	62	O <sub>3</sub>	1
176	Ramanagara	Good	49	PM <sub>10</sub>	1
177	Ramanathapuram	Good	32	PM <sub>10</sub>	1
178	Ratlam	Satisfactory	56	PM <sub>10</sub>	1
179	Rishikesh	Good	49	PM <sub>10</sub>	1
180	Rohtak	Satisfactory	66	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rourkela	Satisfactory	63	PM <sub>10</sub> , PM <sub>2.5</sub>	2
182	Rupnagar	Satisfactory	86	PM <sub>10</sub>	1
183	Sagar	Satisfactory	83	CO	1
184	Saharsa	Satisfactory	72	O <sub>3</sub>	1
185	Salem	Satisfactory	78	SO <sub>2</sub>	1
186	Samastipur	Good	27	PM <sub>2.5</sub>	1
187	Sangli	Good	18	O <sub>3</sub>	1
188	Sasaram	Good	39	PM <sub>10</sub>	1
189	Satna	Moderate	103	PM <sub>10</sub>	1
190	Sawai Madhopur	Moderate	115	PM <sub>2.5</sub>	1
191	Shillong	Good	24	PM <sub>10</sub> , SO <sub>2</sub>	2
192	Shivamogga	Satisfactory	51	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sikar	Moderate	121	PM <sub>10</sub>	1
194	Silchar	Good	36	CO	1
195	Siliguri	Good	36	PM <sub>10</sub>	1
196	Singrauli	Satisfactory	76	NO <sub>2</sub>	1
197	Sirohi	Satisfactory	80	PM <sub>10</sub>	1
198	Sirsa	Satisfactory	89	PM <sub>10</sub>	1
199	Sivasagar	Good	19	PM <sub>10</sub>	1
200	Siwan	Good	42	CO	1
201	Solapur	Satisfactory	60	PM <sub>10</sub>	3
202	Sri Ganganagar	Satisfactory	80	PM <sub>10</sub>	1
203	Srinagar	Moderate	101	PM <sub>10</sub>	1
204	Suakati	Satisfactory	64	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Talcher	Good	41	PM <sub>10</sub>	1
206	Tensa	Good	41	PM <sub>10</sub>	1
207	Thane	Good	30	PM <sub>10</sub>	1
208	Thiruvananthapuram	Good	28	PM <sub>10</sub>	1
209	Thoothukudi	Satisfactory	65	PM <sub>10</sub>	1
210	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
211	Tirupati	Good	40	PM <sub>10</sub>	2
212	Tirupur	Satisfactory	78	PM <sub>10</sub>	1
213	Tonk	Moderate	139	PM <sub>10</sub>	1
214	Tumakuru	Satisfactory	91	CO	1
215	Udaipur	Moderate	103	PM <sub>10</sub>	1
216	Udupi	Satisfactory	73	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 25, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Ujjain	Satisfactory	74	PM <sub>2.5</sub>	1
218	Ulhasnagar	Good	39	PM <sub>10</sub>	1
219	Vapi	Satisfactory	83	CO	1
220	Varanasi	Good	29	SO <sub>2</sub> , PM <sub>10</sub>	4
221	Vatva	Satisfactory	86	PM <sub>10</sub>	1
222	Vijayapura	Good	49	PM <sub>10</sub>	1
223	Vijayawada	Good	44	O <sub>3</sub>	1
224	Visakhapatnam	Moderate	101	PM <sub>10</sub>	1
225	Vrindavan	Good	38	PM <sub>10</sub>	1
226	Yadgir	Good	34	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar,

Aizawl, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hisar, Imphal, Jorapokhar, Kalyan, Kanchipuram, Kannur, Kochi, Kolar, Koppal, Kozhikode, Malegaon, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Purnia, Raichur, Rairangpur, Rajgir, Rajsamand, Sonipat, Surat, Tumidih, Virar, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.