

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	184	PM _{2.5}	1
2	Agra	Satisfactory	84	PM _{2.5}	6
3	Ahmedabad	Moderate	133	PM _{2.5}	7
4	Aizawl	Satisfactory	90	PM ₁₀	1
5	Ajmer	Moderate	116	PM _{2.5}	1
6	Alwar	Moderate	102	PM ₁₀	1
7	Amaravati	Satisfactory	62	СО	1
8	Ambala	Moderate	159	PM _{2.5}	1
9	Amritsar	Moderate	161	PM _{2.5}	1
10	Anantapur	Satisfactory	51	PM _{2.5}	1
11	Ankleshwar	Satisfactory	81	PM ₁₀	1
12	Arrah	Moderate	167	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Araria, Ariyalur, Asansal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	130	PM ₁₀	1
14	Aurangabad (Maharashtra)	Moderate	113	PM ₁₀	1
15	Baddi	Poor	285	O ₃	1
16	Bagalkot	Satisfactory	55	O ₃	1
17	Baghpat	Poor	264	PM _{2.5}	1
18	Bahadurgarh	Poor	215	PM _{2.5}	1
19	Ballabgarh	Moderate	148	PM _{2.5}	1
20	Banswara	Moderate	128	PM ₁₀	1
21	Bareilly	Moderate	112	PM ₁₀	2
22	Baripada	Satisfactory	71	PM ₁₀	1
23	Barmer	Moderate	133	O ₃	1
24	Bathinda	Satisfactory	84	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Araria, Ariyalur, Asansal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	261	PM ₁₀	1
26	Bengaluru	Satisfactory	61	CO, PM _{2.5}	12
27	Bettiah	Poor	285	PM ₁₀	1
28	Bhagalpur	Moderate	186	PM ₁₀	2
29	Bharatpur	Moderate	139	PM ₁₀	1
30	Bhilai	Satisfactory	76	PM _{2.5} , PM ₁₀	2
31	Bhiwadi	Moderate	101	PM _{2.5}	1
32	Bhiwani	Moderate	171	PM _{2.5}	1
33	Bhopal	Moderate	125	O ₃ , PM ₁₀	3
34	Bihar Sharif	Moderate	189	O ₃	1
35	Bikaner	Moderate	179	PM ₁₀	1
36	Bilaspur	Satisfactory	98	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Ariyalur, Asansol,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	142	PM ₁₀	1
38	Brajrajnagar	Moderate	101	СО	1
39	Bulandshahr	Moderate	176	03	1
40	Chamarajanagar	Good	44	PM ₁₀	1
41	Chandigarh	Moderate	177	O ₃ , PM _{2.5}	3
42	Chandrapur	Satisfactory	99	PM _{2.5}	1
43	Charkhi Dadri	Poor	244	PM _{2.5}	1
44	Chennai	Moderate	111	PM _{2.5} , PM ₁₀	6
45	Chhal	Good	50	PM ₁₀	1
46	Chhapra	Poor	230	PM ₁₀	1
47	Chikkaballapur	Satisfactory	55	PM ₁₀	1
48	Chittorgarh	Moderate	128	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Araria, Ariyalur, Asansal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Churu	Moderate	124	O ₃	1
50	Cuddalore	Satisfactory	94	NO ₂	2
51	Damoh	Good	23	PM _{2.5}	1
52	Dausa	Moderate	175	PM ₁₀	1
53	Davanagere	Good	40	PM ₁₀	1
54	Dehradun	Satisfactory	85	СО	1
55	Delhi	Poor	227	PM ₁₀	39
56	Dewas	Moderate	128	PM ₁₀	1
57	Dhanbad	Poor	219	PM _{2.5}	1
58	Dharuhera	Poor	211	PM ₁₀	1
59	Dharwad	Satisfactory	90	PM ₁₀	1
60	Dholpur	Moderate	148	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Arcrio, Ariyalur, Asansol

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Moderate	113	PM ₁₀	1
62	Eloor	Satisfactory	72	PM ₁₀	1
63	Faridabad	Moderate	150	PM ₁₀	3
64	Fatehabad	Satisfactory	99	03	1
65	Firozabad	Poor	273	03	2
66	Gadag	Satisfactory	73	03	1
67	Gandhinagar	Moderate	132	PM _{2.5} , PM ₁₀	3
68	Gangtok	Satisfactory	63	03	1
69	Gaya	Moderate	130	O ₃ , PM _{2.5}	3
70	Ghaziabad	Poor	203	PM ₁₀	4
71	Gorakhpur	Moderate	136	PM _{2.5}	1
72	Greater Noida	Poor	263	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Ariyalur, Asansol,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Poor	210	PM _{2.5}	4
74	Guwahati	Moderate	153	O ₃	4
75	Gwalior	Moderate	174	O ₃ , PM _{2.5}	4
76	Hajipur	Moderate	194	PM ₁₀	1
77	Haldia	Good	37	PM ₁₀	1
78	Hanumangarh	Poor	209	PM _{2.5}	1
79	Hapur	Poor	268	O ₃	1
80	Hassan	Satisfactory	58	PM ₁₀	1
81	Hisar	Poor	203	PM _{2.5}	1
82	Hosur	Satisfactory	70	PM ₁₀	1
83	Howrah	Satisfactory	82	PM ₁₀	2
84	Hubballi	Moderate	110	PM _{2.5}	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Ariyalur, Asansol,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hyderabad	Satisfactory	95	PM _{2.5} , PM ₁₀	10
86	Indore	Satisfactory	83	PM ₁₀	2
87	Jabalpur	Moderate	139	O ₃	1
88	Jaipur	Moderate	113	O ₃ , PM ₁₀	6
89	Jalandhar	Moderate	128	PM ₁₀	1
90	Jhalawar	Moderate	110	PM ₁₀	1
91	Jhansi	Moderate	132	PM ₁₀	1
92	Jhunjhunu	Very Poor	301	O ₃	1
93	Jind	Poor	220	PM _{2.5}	1
94	Jodhpur	Moderate	146	PM ₁₀	3
95	Jorapokhar	Moderate	149	PM ₁₀	1
96	Kadapa	Satisfactory	57	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Araria, Ariyalur, Asansal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Poor	239	PM _{2.5}	1
98	Kalaburgi	Satisfactory	64	PM ₁₀	2
99	Kalyan	Moderate	125	PM ₁₀	1
100	Kanchipuram	Satisfactory	71	PM ₁₀	1
101	Kannur	Satisfactory	75	PM ₁₀	1
102	Kanpur	Moderate	126	PM _{2.5}	3
103	Karauli	Moderate	130	03	1
104	Karnal	Moderate	174	PM _{2.5}	1
105	Katni	Moderate	141	PM ₁₀	1
106	Keonjhar	Satisfactory	90	PM ₁₀	1
107	Khanna	Moderate	110	PM ₁₀	1
108	Khurja	Moderate	107	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Araria, Ariyalur, Asansal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kishanganj	Moderate	161	PM ₁₀	1
110	Kochi	Satisfactory	97	SO ₂	1
111	Kohima	Satisfactory	100	PM ₁₀	1
112	Kolhapur	Good	50	PM _{2.5}	2
113	Kolkata	Satisfactory	58	PM ₁₀	7
114	Kollam	Satisfactory	86	PM ₁₀	1
115	Korba	Moderate	104	PM _{2.5} , PM ₁₀	2
116	Kota	Moderate	131	PM _{2.5}	3
117	Kurukshetra	Poor	230	O ₃	1
118	Lucknow	Moderate	159	PM _{2.5}	6
119	Ludhiana	Poor	203	PM _{2.5}	1
120	Madikeri	Satisfactory	84	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Araria, Ariyalur, Asansal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandi Gobindgarh	Moderate	102	PM ₁₀	1
122	Mandideep	Moderate	200	PM ₁₀	1
123	Manesar	Poor	247	PM _{2.5}	1
124	Mangalore	Satisfactory	51	PM ₁₀	1
125	Manguraha	Moderate	133	03	1
126	Meerut	Poor	219	03	3
127	Milupara	Satisfactory	60	PM ₁₀	1
128	Moradabad	Moderate	120	PM _{2.5}	6
129	Motihari	Moderate	101	NO ₂	1
130	Mumbai	Moderate	120	PM ₁₀	17
131	Munger	Poor	256	PM ₁₀	1
132	Muzaffarnagar	Poor	232	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Arcrio, Ariyalur, Asansol

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Muzaffarpur	Poor	244	PM ₁₀ , PM _{2.5}	3
134	Mysuru	Good	45	PM ₁₀	1
135	Nagaon	Moderate	136	PM _{2.5}	1
136	Nagpur	Moderate	105	PM ₁₀	1
137	Nalbari	Poor	207	PM ₁₀	1
138	Nandesari	Moderate	156	PM _{2.5}	1
139	Narnaul	Moderate	118	PM ₁₀	1
140	Nashik	Satisfactory	69	PM ₁₀	1
141	Navi Mumbai	Moderate	131	PM ₁₀	2
142	Nayagarh	Moderate	159	PM ₁₀	1
143	Noida	Poor	241	PM ₁₀ , PM _{2.5}	4
144	Ooty	Satisfactory	84	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Araria, Ariyalur, Asansal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pali	Satisfactory	95	PM ₁₀	1
146	Palwal	Satisfactory	96	PM ₁₀	1
147	Panchkula	Satisfactory	85	PM _{2.5}	1
148	Panipat	Moderate	186	PM ₁₀	1
149	Patiala	Poor	218	03	1
150	Patna	Poor	225	PM ₁₀ , PM _{2.5}	5
151	Pithampur	Satisfactory	92	PM ₁₀	1
152	Pratapgarh	Moderate	112	PM ₁₀	1
153	Prayagraj	Satisfactory	87	PM ₁₀	3
154	Puducherry	Satisfactory	71	PM ₁₀	1
155	Pune	Moderate	164	PM ₁₀	3
156	Purnia	Moderate	181	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Arcrio, Ariyalur, Asansol

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Raipur	Satisfactory	98	PM ₁₀	3
158	Rairangpur	Satisfactory	76	O ₃	1
159	Rajamahendravaram	Satisfactory	66	PM ₁₀	1
160	Rajgir	Moderate	115	PM ₁₀	1
161	Rajsamand	Satisfactory	88	PM ₁₀	1
162	Ramanagara	Satisfactory	69	03	1
163	Ramanathapuram	Good	19	СО	1
164	Ratlam	Moderate	105	PM ₁₀	1
165	Rishikesh	Satisfactory	79	O ₃	1
166	Rohtak	Poor	237	PM _{2.5}	1
167	Rourkela	Moderate	146	PM ₁₀	2
168	Sagar	Moderate	156	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOI is not coloulated for today's bulletin for Araria, Ariyalur, Asansal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Saharsa	Moderate	184	PM ₁₀	1
170	Samastipur	Poor	248	PM ₁₀	1
171	Sasaram	Moderate	194	O ₃	1
172	Satna	Moderate	108	PM ₁₀	1
173	Shivamogga	Satisfactory	57	PM ₁₀	1
174	Sikar	Moderate	164	PM ₁₀	1
175	Silchar	Good	35	СО	1
176	Siliguri	Satisfactory	86	PM ₁₀	1
177	Singrauli	Poor	214	PM ₁₀	1
178	Sirsa	Moderate	174	PM ₁₀	1
179	Sivasagar	Good	40	PM ₁₀	1
180	Siwan	Poor	207	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Araria, Ariyalur, Asansal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Solapur	Moderate	124	PM ₁₀	1
182	Sonipat	Poor	246	PM ₁₀	1
183	Sri Ganganagar	Poor	250	PM ₁₀	1
184	Srinagar	Moderate	171	PM _{2.5}	1
185	Suakati	Satisfactory	98	PM ₁₀	1
186	Surat	Satisfactory	79	СО	1
187	Talcher	Good	49	СО	1
188	Tensa	Moderate	112	PM ₁₀	1
189	Thane	Moderate	115	PM ₁₀	1
190	Thiruvananthapuram	Good	36	СО	2
191	Thoothukudi	Good	47	O ₃	1
192	Thrissur	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Arcrio, Ariyalur, Asansol

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tirupur	Good	36	PM ₁₀	1
194	Tonk	Moderate	192	PM ₁₀	1
195	Tumakuru	Satisfactory	97	PM ₁₀	1
196	Tumidih	Moderate	155	PM ₁₀	1
197	Udaipur	Moderate	109	PM ₁₀	1
198	Ujjain	Moderate	161	O ₃	1
199	Vapi	Moderate	105	PM _{2.5}	1
200	Varanasi	Satisfactory	82	PM ₁₀ , O ₃	4
201	Vatva	Moderate	155	PM _{2.5}	1
202	Vijayapura	Good	49	PM ₁₀	1
203	Vijayawada	Good	39	PM ₁₀	1
204	Visakhapatnam	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Araria, Ariyalur, Asansal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vrindavan	Moderate	142	O ₃	1
206	Yadgir	Satisfactory	70	PM ₁₀	1
207	Yamunanagar	Moderate	171	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Araria, Ariyalur, Asansal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.