



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	315	PM _{2.5}	1
2	Agra	Satisfactory	65	PM ₁₀	5
3	Ahmedabad	Moderate	128	PM _{2.5} , NO ₂	7
4	Aizawl	Satisfactory	100	PM ₁₀	1
5	Ajmer	Satisfactory	83	O ₃	1
6	Alwar	Satisfactory	70	PM ₁₀	1
7	Amaravati	Satisfactory	97	PM ₁₀	1
8	Ambala	Moderate	125	PM _{2.5}	1
9	Amritsar	Moderate	123	PM _{2.5}	1
10	Anantapur	Satisfactory	69	PM ₁₀	1
11	Ankleshwar	Satisfactory	93	PM ₁₀	1
12	Araria	Poor	297	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	72	NO ₂	1
14	Arrah	Poor	207	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Satisfactory	80	PM ₁₀	1
16	Baddi	Moderate	188	O ₃	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Baghpat	Poor	218	PM _{2.5}	1
19	Bahadurgarh	Moderate	140	PM _{2.5}	1
20	Ballabgarh	Moderate	145	PM ₁₀	1
21	Bareilly	Satisfactory	84	PM ₁₀	2
22	Baripada	Moderate	138	PM ₁₀	1
23	Bathinda	Moderate	174	PM ₁₀	1
24	Begusarai	Poor	226	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	139	PM ₁₀	1
26	Bengaluru	Satisfactory	88	PM ₁₀	10
27	Bettiah	Poor	255	PM _{2.5}	1
28	Bhagalpur	Moderate	155	PM _{2.5}	2
29	Bharatpur	Poor	202	PM _{2.5}	1
30	Bhilai	Satisfactory	91	O ₃	2
31	Bhiwadi	Poor	218	PM _{2.5}	1
32	Bhiwani	Moderate	151	PM _{2.5}	1
33	Bhopal	Satisfactory	87	PM ₁₀	3
34	Bidar	Satisfactory	63	PM ₁₀	1
35	Bihar Sharif	Satisfactory	80	PM ₁₀	1
36	Bilaspur	Satisfactory	74	CO	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	185	PM ₁₀	1
38	Brajrajnagar	Moderate	108	PM ₁₀	1
39	Bulandshahr	Moderate	170	O ₃	1
40	Chamarajanagar	Good	40	PM ₁₀	1
41	Chandigarh	Moderate	191	PM _{2.5}	3
42	Chandrapur	Moderate	102	PM _{2.5}	1
43	Charkhi Dadri	Moderate	183	PM _{2.5}	1
44	Chengalpattu	Satisfactory	92	PM ₁₀	1
45	Chennai	Satisfactory	94	PM _{2.5} , PM ₁₀	8
46	Chhapra	Poor	228	PM _{2.5}	1
47	Chikkaballapur	Satisfactory	91	PM _{2.5}	1
48	Chikkamagaluru	Good	48	PM ₁₀	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Satisfactory	62	O ₃	1
50	Coimbatore	Satisfactory	86	PM _{2.5}	1
51	Damoh	Good	28	PM _{2.5}	1
52	Davanagere	Satisfactory	94	PM ₁₀	1
53	Dehradun	Satisfactory	99	PM ₁₀	1
54	Delhi	Moderate	200	PM _{2.5}	37
55	Dewas	Satisfactory	65	PM _{2.5}	1
56	Dhanbad	Poor	230	PM _{2.5}	1
57	Dharuhera	Moderate	195	PM _{2.5}	1
58	Dindigul	Very Poor	346	NO ₂	1
59	Durgapur	Moderate	138	PM ₁₀	1
60	Eloor	Satisfactory	89	PM ₁₀	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Faridabad	Moderate	151	PM _{2.5}	3
62	Firozabad	Satisfactory	90	PM ₁₀	2
63	Gadag	Satisfactory	79	O ₃	1
64	Gandhinagar	Satisfactory	77	PM _{2.5} , PM ₁₀	3
65	Gangtok	Moderate	119	PM _{2.5}	1
66	Gaya	Moderate	139	PM _{2.5}	3
67	Ghaziabad	Moderate	171	PM _{2.5} , O ₃	4
68	Gorakhpur	Satisfactory	99	PM _{2.5}	1
69	Greater Noida	Moderate	153	PM ₁₀	2
70	Gummidipoondi	Moderate	107	PM ₁₀	1
71	Gurugram	Moderate	170	PM _{2.5}	4
72	Guwahati	Poor	248	PM _{2.5}	4

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gwalior	Moderate	157	PM _{2.5}	3
74	Hajipur	Moderate	178	PM ₁₀	1
75	Haldia	Moderate	139	PM ₁₀	1
76	Hapur	Moderate	109	O ₃	1
77	Hassan	Satisfactory	87	PM ₁₀	1
78	Haveri	Moderate	109	PM ₁₀	1
79	Hisar	Moderate	131	PM _{2.5}	1
80	Hosur	Moderate	125	PM _{2.5}	1
81	Howrah	Moderate	144	PM ₁₀	3
82	Hubballi	Moderate	139	PM ₁₀	2
83	Hyderabad	Moderate	101	CO, PM ₁₀	13
84	Imphal	Moderate	168	PM _{2.5} , SO ₂	2

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Satisfactory	60	NO ₂	1
86	Jabalpur	Satisfactory	96	PM ₁₀	1
87	Jaipur	Moderate	114	PM _{2.5} , PM ₁₀	3
88	Jalandhar	Moderate	135	PM _{2.5}	1
89	Jhansi	Satisfactory	73	PM ₁₀	1
90	Jind	Satisfactory	91	PM _{2.5}	1
91	Jodhpur	Moderate	198	PM _{2.5}	2
92	Jorapokhar	Moderate	123	PM ₁₀	1
93	Kadapa	Moderate	117	PM _{2.5}	1
94	Kaithal	Satisfactory	97	PM ₁₀	1
95	Kalaburgi	Satisfactory	82	PM ₁₀	2
96	Kalyan	Moderate	132	PM ₁₀	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kannur	Moderate	129	CO	1
98	Kanpur	Moderate	127	PM _{2.5}	3
99	Karnal	Satisfactory	76	PM ₁₀	1
100	Kashipur	Moderate	103	PM ₁₀	1
101	Katihar	Moderate	176	PM ₁₀	1
102	Katni	Satisfactory	100	PM ₁₀	1
103	Keonjhar	Moderate	139	PM _{2.5}	1
104	Khanna	Satisfactory	91	PM ₁₀	1
105	Khurja	Moderate	138	PM _{2.5}	1
106	Kishanganj	Moderate	157	PM _{2.5}	1
107	Kohima	Moderate	193	PM _{2.5}	1
108	Kolar	Moderate	133	PM ₁₀	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolkata	Moderate	128	PM _{2.5}	7
110	Kollam	Satisfactory	95	PM ₁₀	1
111	Koppal	Satisfactory	62	O ₃	1
112	Korba	Satisfactory	69	PM ₁₀ , PM _{2.5}	2
113	Kota	Moderate	162	PM _{2.5}	3
114	Kozhikode	Satisfactory	75	PM _{2.5}	1
115	Kurukshetra	Moderate	105	PM _{2.5}	1
116	Lucknow	Moderate	125	PM _{2.5}	6
117	Ludhiana	Moderate	143	PM ₁₀	1
118	Madikeri	Good	35	O ₃	1
119	Maihar	Good	48	CO	1
120	Mandideep	Satisfactory	95	PM ₁₀	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Satisfactory	88	PM ₁₀	1
122	Manesar	Moderate	148	PM _{2.5}	1
123	Mangalore	Moderate	190	PM _{2.5}	1
124	Meerut	Poor	235	PM ₁₀ , PM _{2.5}	3
125	Moradabad	Moderate	119	PM _{2.5}	6
126	Motihari	Moderate	160	PM ₁₀	1
127	Mumbai	Moderate	163	NO ₂ , PM _{2.5}	17
128	Munger	Moderate	186	PM ₁₀	1
129	Muzaffarnagar	Poor	225	PM _{2.5}	1
130	Muzaffarpur	Moderate	196	PM _{2.5}	2
131	Mysuru	Satisfactory	52	O ₃	1
132	Nagaon	Very Poor	307	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagpur	Satisfactory	95	O ₃	1
134	Naharlagun	Satisfactory	62	PM _{2.5}	1
135	Nalbari	Very Poor	310	PM _{2.5}	1
136	Narnaul	Moderate	131	PM _{2.5}	1
137	Nashik	Satisfactory	92	PM _{2.5}	1
138	Navi Mumbai	Moderate	168	PM _{2.5}	2
139	Nayagarh	Poor	216	PM _{2.5}	1
140	Noida	Moderate	159	PM ₁₀ , PM _{2.5}	4
141	Ooty	Satisfactory	66	PM _{2.5}	1
142	Pali	Satisfactory	82	O ₃	1
143	Palwal	Satisfactory	72	PM ₁₀	1
144	Panchkula	Moderate	120	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patiala	Moderate	106	PM ₁₀	1
146	Patna	Poor	201	PM _{2.5}	6
147	Pithampur	Satisfactory	88	PM ₁₀	1
148	Prayagraj	Moderate	163	O ₃ , PM ₁₀	3
149	Puducherry	Satisfactory	70	PM ₁₀	1
150	Pune	Moderate	137	PM _{2.5} , PM ₁₀	4
151	Purnia	Moderate	157	PM ₁₀	1
152	Raichur	Moderate	111	PM ₁₀	1
153	Raipur	Moderate	102	NO ₂ , PM ₁₀	4
154	Rairangpur	Moderate	157	PM _{2.5}	1
155	Rajamahendravaram	Moderate	122	PM ₁₀	1
156	Rajgir	Moderate	164	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanagara	Satisfactory	92	PM ₁₀	1
158	Ramanathapuram	Satisfactory	65	PM ₁₀	1
159	Ratlam	Satisfactory	96	PM ₁₀	1
160	Rishikesh	Satisfactory	73	PM ₁₀	1
161	Rohtak	Satisfactory	92	PM _{2.5}	1
162	Rourkela	Moderate	194	PM _{2.5}	3
163	Rupnagar	Moderate	108	PM ₁₀	1
164	Sagar	Satisfactory	81	O ₃	2
165	Saharsa	Poor	255	PM _{2.5}	1
166	Salem	Satisfactory	79	PM ₁₀	1
167	Samastipur	Poor	216	PM _{2.5}	1
168	Sasaram	Satisfactory	83	PM ₁₀	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Satna	Satisfactory	62	O ₃	1
170	Shillong	Moderate	117	PM _{2.5}	1
171	Shivamogga	Satisfactory	72	O ₃	1
172	Siliguri	Moderate	124	PM ₁₀	1
173	Singrauli	Moderate	121	PM ₁₀	1
174	Sirsa	Satisfactory	97	PM ₁₀	1
175	Sivasagar	Satisfactory	74	PM _{2.5}	1
176	Siwan	Poor	250	PM _{2.5}	1
177	Solapur	Moderate	107	PM ₁₀	1
178	Sonipat	Satisfactory	86	PM _{2.5}	1
179	Srinagar	Satisfactory	79	PM ₁₀	1
180	Suakati	Moderate	185	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Surat	Moderate	118	PM _{2.5}	1
182	Talcher	Moderate	131	PM _{2.5}	1
183	Tensa	Moderate	196	PM _{2.5}	1
184	Thiruvananthapuram	Satisfactory	68	PM _{2.5}	1
185	Thoothukudi	Satisfactory	57	PM ₁₀	1
186	Thrissur	Moderate	124	PM _{2.5}	1
187	Tirupati	Satisfactory	71	PM _{2.5}	2
188	Tirupur	Satisfactory	79	PM ₁₀	1
189	Udaipur	Satisfactory	88	PM ₁₀	1
190	Vapi	Moderate	150	PM _{2.5}	1
191	Varanasi	Good	48	SO ₂ , O ₃	4
192	Vatva	Satisfactory	89	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vijayapura	Good	42	PM ₁₀	1
194	Vijayawada	Moderate	194	PM _{2.5}	1
195	Visakhapatnam	Moderate	132	PM ₁₀	1
196	Vrindavan	Moderate	130	PM ₁₀	1
197	Yadgir	Satisfactory	88	PM ₁₀	1
198	Yamunanagar	Moderate	146	PM _{2.5}	1
199	vellore	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Aurangabad

(Bihar), Banswara, Barmer, Bikaner, Buxar, Bymihat, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Fatehabad, Hanumangarh, Jhalawar, Jhunjhunu, Kanchipuram, Karauli, Kochi, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Nandesari, Panipat, Pratapgarh, Sawai Madhopur, Sikar, Silchar, Sirohi, Sri Ganganagar, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.