

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	152	PM ₁₀	1
2	Agra	Poor	208	PM _{2.5}	1
3	Ahmedabad	Moderate	136	PM ₁₀	1
4	Aizawl	Moderate	115	PM ₁₀	1
5	Ajmer	Moderate	107	PM ₁₀	1
6	Alwar	Moderate	118	PM _{2.5}	1
7	Amaravati	Satisfactory	83	PM ₁₀	1
8	Ambala	Satisfactory	100	PM _{2.5}	1
9	Amritsar	Satisfactory	78	PM ₁₀	1
10	Ankleshwar	Poor	212	O ₃	1
11	Asansol	Moderate	188	PM ₁₀	1
12	Aurangabad	Moderate	127	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kohima Koppal, Maihar, Manglore, Nagpur, Ramanagara, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	59	PM ₁₀	1
14	Baghpat	Poor	221	PM ₁₀	1
15	Bahadurgarh	Poor	235	PM _{2.5}	1
16	Ballabgarh	Moderate	163	PM _{2.5}	1
17	Bathinda	Moderate	122	PM ₁₀	1
18	Bengaluru	Moderate	104	PM _{2.5} , PM ₁₀	10
19	Bhiwadi	Poor	279	PM ₁₀	1
20	Bhopal	Moderate	145	PM ₁₀	1
21	Bidar	Moderate	123	PM ₁₀	1
22	Bulandshahr	Poor	280	PM ₁₀	1
23	Chandigarh	Moderate	109	PM ₁₀	1
24	Chandrapur	Poor	212	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kohima Koppal, Maihar, Manglore, Nagpur, Ramanagara, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	139	PM ₁₀	1
26	Chennai	Satisfactory	58	PM ₁₀ , CO, PM _{2.5}	4
27	Chikkaballapur	Moderate	134	PM _{2.5}	1
28	Damoh	Satisfactory	79	PM ₁₀	1
29	Davanagere	Moderate	102	PM ₁₀	1
30	Delhi	Poor	233	PM ₁₀ , PM _{2.5}	31
31	Dewas	Poor	231	PM ₁₀	1
32	Dharuhera	Poor	257	PM ₁₀	1
33	Durgapur	Poor	273	PM _{2.5}	1
34	Eloor	Satisfactory	69	03	1
35	Faridabad	Poor	255	PM _{2.5} , PM ₁₀	4
36	Fatehabad	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kohima Koppal, Maihar, Manglore, Nagpur, Ramanagara, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Moderate	108	PM _{2.5}	1
38	Gandhinagar	Satisfactory	77	PM ₁₀	1
39	Gaya	Moderate	166	PM _{2.5} , O ₃	2
40	Ghaziabad	Poor	273	PM ₁₀ , PM _{2.5}	4
41	Greater Noida	Poor	276	PM ₁₀ , PM _{2.5}	2
42	Gummidipoondi	Moderate	127	PM ₁₀	1
43	Gurugram	Poor	214	PM ₁₀ , PM _{2.5}	3
44	Guwahati	Very Poor	354	PM ₁₀ , PM _{2.5}	2
45	Gwalior	Moderate	144	PM ₁₀	1
46	Hajipur	Moderate	190	PM ₁₀	1
47	Haldia	Moderate	116	PM ₁₀	1
48	Hapur	Poor	216	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kohima Koppal, Maihar, Manglore, Nagpur, Ramanagara, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Moderate	172	PM ₁₀	1
50	Hisar	Moderate	174	PM _{2.5}	1
51	Howrah	Moderate	199	PM _{2.5}	3
52	Hubballi	Moderate	116	PM _{2.5}	1
53	Hyderabad	Moderate	148	PM _{2.5} , PM ₁₀	6
54	Indore	Poor	235	PM ₁₀	1
55	Jabalpur	Moderate	149	PM ₁₀	1
56	Jaipur	Moderate	136	PM ₁₀ , PM _{2.5}	2
57	Jalandhar	Satisfactory	71	PM _{2.5}	1
58	Jind	Moderate	145	PM _{2.5}	1
59	Jodhpur	Poor	208	PM _{2.5}	1
60	Kaithal	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kohima Koppal, Maihar, Manglore, Nagpur, Ramanagara, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Moderate	153	PM _{2.5}	1
62	Kalyan	Poor	293	PM _{2.5}	1
63	Kannur	Satisfactory	83	PM ₁₀	1
64	Kanpur	Moderate	146	PM _{2.5}	2
65	Karnal	Moderate	113	PM _{2.5}	1
66	Katni	Poor	235	PM ₁₀	1
67	Khanna	Moderate	108	PM _{2.5}	1
68	Kochi	Satisfactory	73	PM ₁₀	1
69	Kolar	Satisfactory	80	со	1
70	Kolkata	Moderate	175	PM _{2.5} , PM ₁₀	6
71	Kollam	Satisfactory	72	PM ₁₀	1
72	Kota	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kohima Koppal, Maihar, Manglore, Nagpur, Ramanagara, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	80	PM ₁₀	1
74	Kurukshetra	Moderate	124	PM ₁₀	1
75	Lucknow	Poor	225	PM _{2.5} , O ₃ , PM ₁₀	4
76	Ludhiana	Moderate	123	PM _{2.5}	1
77	Mandi Gobindgarh	Satisfactory	76	PM _{2.5}	1
78	Mandideep	Satisfactory	68	PM ₁₀	1
79	Mandikhera	Moderate	163	PM _{2.5}	1
80	Manesar	Poor	226	PM _{2.5}	1
81	Medikeri	Satisfactory	73	PM ₁₀	1
82	Meerut	Poor	267	PM ₁₀ , O ₃	3
83	Moradabad	Very Poor	320	PM _{2.5}	1
84	Mumbai	Moderate	172	PM _{2.5} , PM ₁₀	19

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kohima Koppal, Maihar, Manglore, Nagpur, Ramanagara, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	231	PM ₁₀	1
86	Muzaffarpur	Poor	202	PM _{2.5} , PM ₁₀	2
87	Mysuru	Satisfactory	77	PM ₁₀	1
88	Naharlagun	Moderate	131	PM ₁₀	1
89	Nandesari	Satisfactory	54	СО	1
90	Narnaul	Poor	213	PM ₁₀	1
91	Nashik	Satisfactory	86	PM ₁₀	1
92	Navi Mumbai	Poor	264	PM ₁₀	2
93	Noida	Poor	227	PM ₁₀ , PM _{2.5}	3
94	Pali	Moderate	190	PM _{2.5}	1
95	Palwal	Moderate	130	PM ₁₀	1
96	Panchkula	Satisfactory	66	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kohima Koppal, Maihar, Manglore, Nagpur, Ramanagara, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Moderate	182	PM _{2.5}	1
98	Patiala	Satisfactory	93	PM ₁₀	1
99	Patna	Poor	209	PM _{2.5} , PM ₁₀	6
100	Pithampur	Moderate	114	PM ₁₀	1
101	Puducherry	Satisfactory	53	PM ₁₀	1
102	Pune	Moderate	143	PM _{2.5}	6
103	Raichur	Moderate	187	PM _{2.5}	1
104	Rajamahendravaram	Moderate	119	PM ₁₀	1
105	Ratlam	Moderate	121	PM ₁₀	1
106	Rohtak	Moderate	112	PM _{2.5}	1
107	Rupnagar	Moderate	119	PM ₁₀	1
108	Sagar	Satisfactory	96	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kohima Koppal, Maihar, Manglore, Nagpur, Ramanagara, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	99	PM ₁₀	1
110	Shillong	Moderate	109	PM ₁₀	1
111	Shivamogga	Satisfactory	57	PM ₁₀	1
112	Siliguri	Very Poor	339	PM _{2.5}	1
113	Singrauli	Very Poor	328	PM _{2.5}	1
114	Sirsa	Satisfactory	90	PM ₁₀	1
115	Solapur	Moderate	112	PM ₁₀	1
116	Sonipat	Moderate	165	PM ₁₀	1
117	Talcher	Satisfactory	95	со	1
118	Thane	Poor	256	NO ₂	1
119	Thiruvananthapuram	Good	46	PM ₁₀ , CO	2
120	Thoothukudi	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kohima Koppal, Maihar, Manglore, Nagpur, Ramanagara, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	67	SO ₂	1
122	Tirupati	Moderate	103	PM ₁₀	1
123	Udaipur	Moderate	127	PM ₁₀	1
124	Udupi	Severe	500	PM ₁₀	1
125	Ujjain	Poor	210	PM _{2.5}	1
126	Vapi	Moderate	156	PM ₁₀	1
127	Varanasi	Moderate	176	03	1
128	Vatva	Moderate	160	PM _{2.5}	1
129	Vijayapura	Satisfactory	67	PM ₁₀	1
130	Visakhapatnam	Moderate	157	PM ₁₀	1
131	Yadgir	Moderate	156	03	1
132	Yamunanagar	Poor	225	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Chamarajanagar, Chikkamagaluru, Coimbatore, Ernakulam, Jorapokhar, Kohima Koppal, Maihar, Manglore, Nagpur, Ramanagara, Srinagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.