

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	210	PM _{2.5}	2
2	Agra	Good	40	PM ₁₀	6
3	Ahmedabad	Moderate	111	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	69	PM ₁₀	1
5	Ajmer	Satisfactory	86	PM ₁₀	1
6	Alwar	Satisfactory	64	PM ₁₀	1
7	Amaravati	Good	29	O ₃	1
8	Amritsar	Satisfactory	60	PM _{2.5}	1
9	Anantapur	Good	38	PM _{2.5}	1
10	Ankleshwar	Satisfactory	95	PM _{2.5}	1
11	Araria	Moderate	159	PM _{2.5}	1
12	Ariyalur	Satisfactory	60	NO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	144	PM _{2.5}	1
14	Aurangabad (Bihar)	Moderate	125	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	61	PM ₁₀	1
16	Baddi	Satisfactory	94	O ₃	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Baghpat	Moderate	130	PM _{2.5}	1
19	Bahadurgarh	Moderate	112	PM _{2.5}	1
20	Ballabgarh	Satisfactory	63	PM ₁₀	1
21	Banswara	Satisfactory	91	O ₃	1
22	Bareilly	Satisfactory	68	PM ₁₀	2
23	Baripada	Good	42	PM ₁₀	1
24	Barmer	Satisfactory	88	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Satisfactory	51	PM ₁₀	1
26	Belgaum	Satisfactory	64	PM ₁₀	1
27	Bengaluru	Satisfactory	57	PM ₁₀	11
28	Bettiah	Moderate	154	PM ₁₀	1
29	Bhagalpur	Moderate	122	PM _{2.5}	2
30	Bharatpur	Satisfactory	91	PM _{2.5}	1
31	Bhilai	Good	31	СО	2
32	Bhiwadi	Moderate	158	СО	1
33	Bhiwani	Moderate	149	PM ₁₀	1
34	Bhopal	Satisfactory	66	O ₃	3
35	Bidar	Moderate	103	со	1
36	Bihar Sharif	Moderate	138	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ambala, Asansol,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Moderate	187	PM ₁₀	1
38	Bilaspur	Satisfactory	56	PM ₁₀	1
39	Bileipada	Moderate	128	PM ₁₀	1
40	Bulandshahr	Satisfactory	88	PM _{2.5}	1
41	Byrnihat	Poor	248	PM _{2.5}	1
42	Chamarajanagar	Good	36	PM ₁₀	1
43	Chandigarh	Satisfactory	75	O ₃ , PM _{2.5}	3
44	Chandrapur	Good	39	СО	1
45	Charkhi Dadri	Moderate	198	PM _{2.5}	1
46	Chennai	Satisfactory	51	CO, O ₃	8
47	Chhal	Satisfactory	62	PM ₁₀	1
48	Chhapra	Moderate	186	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ambala, Asansol,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

The first calculated for today's balletin for Ambala, Abanson,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Good	48	PM _{2.5}	1
50	Chikkamagaluru	Good	45	PM ₁₀	1
51	Chittoor	Good	49	03	1
52	Chittorgarh	Satisfactory	92	PM ₁₀	1
53	Churu	Moderate	102	PM ₁₀	1
54	Coimbatore	Satisfactory	77	со	1
55	Dausa	Moderate	179	PM _{2.5}	1
56	Davanagere	Satisfactory	56	PM _{2.5}	1
57	Dehradun	Satisfactory	52	03	1
58	Delhi	Moderate	162	PM _{2.5}	35
59	Dhanbad	Poor	223	PM _{2.5}	1
60	Dholpur	Poor	221	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Moderate	117	PM _{2.5}	1
62	Faridabad	Satisfactory	86	PM _{2.5}	3
63	Firozabad	Good	46	PM ₁₀ , PM _{2.5}	2
64	Gadag	Good	43	03	1
65	Gandhinagar	Satisfactory	63	PM _{2.5} , PM ₁₀	3
66	Gaya	Moderate	116	O ₃ , PM _{2.5}	3
67	Ghaziabad	Moderate	138	PM _{2.5} , PM ₁₀	4
68	Gorakhpur	Satisfactory	70	PM _{2.5}	1
69	Greater Noida	Satisfactory	100	PM _{2.5}	2
70	Gurugram	Moderate	103	PM _{2.5}	4
71	Guwahati	Moderate	106	PM ₁₀ , PM _{2.5}	4
72	Gwalior	Moderate	144	PM _{2.5}	3

Notes:

* AQI is not calculated for today's bulletin for Ambala, Asansol,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haldia	Good	33	PM ₁₀	1
74	Hanumangarh	Moderate	102	PM ₁₀	1
75	Hapur	Satisfactory	59	со	1
76	Hassan	Satisfactory	95	PM ₁₀	1
77	Haveri	Satisfactory	66	PM _{2.5}	1
78	Howrah	Satisfactory	92	PM _{2.5}	3
79	Hubballi	Moderate	106	PM ₁₀	2
80	Hyderabad	Satisfactory	69	PM ₁₀ , NO ₂	11
81	Imphal	Poor	294	PM _{2.5}	1
82	Indore	Satisfactory	52	PM ₁₀	2
83	Jabalpur	Good	49	PM ₁₀	1
84	Jaipur	Satisfactory	100	PM _{2.5} , PM ₁₀	5

Notes:

* AQI is not calculated for today's bulletin for Ambala, Asansol,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jalandhar	Satisfactory	76	PM ₁₀	1
86	Jhalawar	Satisfactory	75	03	1
87	Jhansi	Satisfactory	69	PM ₁₀	1
88	Jhunjhunu	Moderate	194	03	1
89	Jind	Satisfactory	67	со	1
90	Jodhpur	Moderate	120	PM ₁₀ , O ₃	2
91	Kadapa	Satisfactory	72	PM _{2.5}	1
92	Kaithal	Satisfactory	62	PM _{2.5}	1
93	Kalaburgi	Satisfactory	52	PM ₁₀	1
94	Kalyan	Moderate	109	PM ₁₀	1
95	Kanchipuram	Good	26	PM ₁₀	1
96	Kanpur	Moderate	149	PM _{2.5}	3

Notes:

* AQI is not calculated for today's bulletin for Ambala, Asansol,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karauli	Satisfactory	55	O ₃	1
98	Karnal	Good	36	PM ₁₀	1
99	Kashipur	Satisfactory	69	PM ₁₀	1
100	Katihar	Moderate	162	PM _{2.5}	1
101	Katni	Satisfactory	80	PM ₁₀	1
102	Keonjhar	Satisfactory	69	PM _{2.5}	1
103	Khanna	Good	43	PM _{2.5}	1
104	Kochi	Satisfactory	55	СО	1
105	Kohima	Moderate	145	PM _{2.5}	1
106	Kolar	Satisfactory	56	PM _{2.5}	1
107	Kolkata	Satisfactory	71	PM _{2.5} , PM ₁₀	6
108	Kollam	Satisfactory	92	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Satisfactory	62	NO ₂ , PM _{2.5}	2
110	Kota	Satisfactory	80	PM _{2.5} , PM ₁₀	3
111	Kurukshetra	Satisfactory	67	PM _{2.5}	1
112	Lucknow	Moderate	166	PM _{2.5}	5
113	Ludhiana	Moderate	117	PM ₁₀	1
114	Maihar	Good	49	PM ₁₀	1
115	Mandideep	Satisfactory	77	PM ₁₀	1
116	Mandikhera	Satisfactory	84	PM ₁₀	1
117	Manesar	Moderate	114	PM _{2.5}	1
118	Mangalore	Moderate	102	PM ₁₀	1
119	Meerut	Moderate	105	PM _{2.5}	3
120	Milupara	Satisfactory	66	NO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ambala, Asansol,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Moradabad	Moderate	116	PM _{2.5} , PM ₁₀	6
122	Motihari	Satisfactory	86	NO ₂	1
123	Mumbai	Satisfactory	97	NO ₂ , PM ₁₀	19
124	Muzaffarpur	Moderate	116	PM _{2.5}	3
125	Mysuru	Satisfactory	51	PM ₁₀	1
126	Nagaon	Moderate	139	PM _{2.5}	1
127	Nagpur	Satisfactory	62	03	1
128	Nalbari	Satisfactory	95	PM ₁₀	1
129	Nashik	Satisfactory	63	PM _{2.5}	1
130	Navi Mumbai	Moderate	141	PM ₁₀	1
131	Nayagarh	Moderate	119	PM ₁₀	1
132	Noida	Moderate	135	PM _{2.5}	4

Notes:

* AQI is not calculated for today's bulletin for Ambala, Asansol,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ooty	Satisfactory	55	PM _{2.5}	1
134	Pali	Satisfactory	69	PM ₁₀	1
135	Palkalaiperur	Satisfactory	53	SO ₂	1
136	Palwal	Satisfactory	55	PM _{2.5}	1
137	Panchkula	Satisfactory	52	PM _{2.5}	1
138	Panipat	Satisfactory	76	PM ₁₀	1
139	Patiala	Satisfactory	54	03	1
140	Patna	Moderate	163	PM ₁₀ , PM _{2.5}	6
141	Pithampur	Satisfactory	60	PM ₁₀	1
142	Pratapgarh	Good	47	PM ₁₀	1
143	Prayagraj	Good	49	PM _{2.5}	3
144	Puducherry	Good	35	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pune	Moderate	103	NO ₂ , PM _{2.5}	3
146	Raichur	Satisfactory	57	PM ₁₀	1
147	Raipur	Satisfactory	70	NO ₂	4
148	Rajamahendravaram	Good	22	NO ₂	1
149	Rajgir	Moderate	128	PM _{2.5}	1
150	Rajsamand	Satisfactory	53	PM _{2.5}	1
151	Ramanagara	Good	44	PM ₁₀	1
152	Ramanathapuram	Good	25	PM ₁₀	1
153	Ratlam	Satisfactory	80	NO ₂	1
154	Rishikesh	Good	34	PM ₁₀	1
155	Rohtak	Moderate	116	PM _{2.5}	1
156	Rourkela	Satisfactory	94	PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ambala, Asansol,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sagar	Satisfactory	72	03	1
158	Saharsa	Moderate	197	PM _{2.5}	1
159	Samastipur	Moderate	186	PM _{2.5}	1
160	Satna	Satisfactory	69	PM _{2.5}	1
161	Sawai Madhopur	Satisfactory	99	PM _{2.5}	1
162	Shillong	Moderate	106	PM _{2.5}	1
163	Shivamogga	Good	35	03	1
164	Sikar	Satisfactory	98	PM ₁₀	1
165	Silchar	Good	43	PM ₁₀	1
166	Siliguri	Satisfactory	51	PM ₁₀	1
167	Singrauli	Moderate	122	PM _{2.5}	1
168	Sirohi	Satisfactory	82	03	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Asansol,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sirsa	Satisfactory	66	O ₃	1
170	Sivasagar	Satisfactory	69	PM _{2.5}	1
171	Solapur	Moderate	116	PM ₁₀	1
172	Sri Ganganagar	Moderate	126	PM ₁₀	1
173	Srinagar	Good	38	PM ₁₀	1
174	Suakati	Satisfactory	84	PM ₁₀	1
175	Surat	Moderate	127	PM _{2.5}	1
176	Talcher	Satisfactory	78	PM _{2.5}	1
177	Tensa	Satisfactory	79	PM ₁₀	1
178	Thane	Moderate	101	PM ₁₀	1
179	Thiruvananthapuram	Good	36	PM _{2.5} , PM ₁₀	2
180	Thoothukudi	Good	45	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ambala, Asansol,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thrissur	Satisfactory	100	PM ₁₀	1
182	Tirupati	Satisfactory	55	NO ₂	2
183	Tirupur	Satisfactory	63	PM ₁₀	1
184	Tonk	Moderate	106	PM ₁₀	1
185	Tumidih	Satisfactory	86	PM ₁₀	1
186	Udaipur	Satisfactory	58	PM ₁₀	1
187	Ujjain	Satisfactory	68	O ₃	1
188	Varanasi	Satisfactory	56	PM ₁₀	3
189	Vatva	Satisfactory	89	PM ₁₀	1
190	Vijayapura	Good	42	PM ₁₀	1
191	Vijayawada	Satisfactory	66	O ₃	1
192	Visakhapatnam	Satisfactory	63	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ambala, Asansol,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vrindavan	Moderate	123	PM ₁₀	1
194	Yadgir	Good	38	PM _{2.5}	1
195	Yamunanagar	Moderate	102	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Asansol,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Begusarai, Brajrajnagar, Buxar, Chengalpattu, Cuddalore, Damoh, Darbh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.