

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	316	PM _{2.5}	1
2	Agra	Satisfactory	62	PM ₁₀	6
3	Ahmedabad	Moderate	160	PM _{2.5} , NO ₂	7
4	Aizawl	Satisfactory	88	PM ₁₀	1
5	Ajmer	Moderate	108	PM ₁₀	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Satisfactory	85	PM ₁₀	1
8	Amritsar	Moderate	120	PM _{2.5}	1
9	Anantapur	Good	49	PM ₁₀	1
10	Ankleshwar	Moderate	123	PM _{2.5}	1
11	Araria	Very Poor	340	PM _{2.5}	1
12	Ariyalur	Satisfactory	68	NO ₂	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	241	PM _{2.5}	1
14	Asansol	Poor	225	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	152	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	131	PM ₁₀	1
17	Baddi	Moderate	178	PM _{2.5}	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Poor	245	PM _{2.5}	1
20	Bahadurgarh	Moderate	187	PM _{2.5}	1
21	Ballabgarh	Poor	204	PM _{2.5}	1
22	Bareilly	Moderate	108	PM ₁₀	2
23	Baripada	Moderate	145	PM ₁₀	1
24	Barmer	Moderate	147	O ₃	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	141	PM ₁₀	1
26	Bengaluru	Satisfactory	69	PM ₁₀	10
27	Bettiah	Very Poor	345	PM _{2.5}	1
28	Bhagalpur	Poor	224	PM _{2.5}	2
29	Bharatpur	Poor	210	PM _{2.5}	1
30	Bhilai	Satisfactory	76	O ₃	2
31	Bhiwadi	Poor	237	PM _{2.5}	1
32	Bhiwani	Moderate	182	PM _{2.5}	1
33	Bhopal	Satisfactory	100	PM ₁₀ , O ₃	3
34	Bihar Sharif	Moderate	102	PM ₁₀	1
35	Bikaner	Poor	258	PM ₁₀	1
36	Bilaspur	Satisfactory	77	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Poor	294	PM ₁₀	1
38	Brajrajnagar	Moderate	123	PM ₁₀	1
39	Bulandshahr	Moderate	186	PM _{2.5}	1
40	Chamarajanagar	Satisfactory	53	PM ₁₀	1
41	Chandigarh	Poor	234	PM _{2.5}	3
42	Chandrapur	Moderate	185	PM _{2.5}	1
43	Charkhi Dadri	Poor	234	PM _{2.5}	1
44	Chengalpattu	Satisfactory	92	PM ₁₀	1
45	Chennai	Satisfactory	85	PM _{2.5} , PM ₁₀	8
46	Chhal	Satisfactory	94	PM ₁₀	1
47	Chhapra	Poor	255	PM ₁₀	1
48	Chikkaballapur	Satisfactory	80	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Good	36	O ₃	1
50	Chittoor	Satisfactory	84	O ₃	1
51	Churu	Moderate	120	PM ₁₀	1
52	Coimbatore	Satisfactory	82	со	1
53	Damoh	Good	29	PM _{2.5}	1
54	Dausa	Moderate	181	PM ₁₀	1
55	Davanagere	Good	48	PM _{2.5}	1
56	Dehradun	Moderate	118	PM ₁₀	1
57	Delhi	Poor	231	PM _{2.5}	38
58	Dewas	Satisfactory	70	PM _{2.5}	1
59	Dhanbad	Poor	209	PM _{2.5}	1
60	Dharuhera	Poor	210	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Moderate	130	PM _{2.5}	1
62	Dindigul	Very Poor	333	NO ₂	1
63	Durgapur	Moderate	172	PM _{2.5}	1
64	Eloor	Satisfactory	90	PM ₁₀	1
65	Faridabad	Poor	218	PM ₁₀	3
66	Fatehabad	Moderate	153	PM ₁₀	1
67	Firozabad	Satisfactory	94	PM ₁₀	2
68	Gadag	Satisfactory	51	PM ₁₀	1
69	Gandhinagar	Moderate	119	PM _{2.5} , PM ₁₀	3
70	Gangtok	Moderate	187	PM _{2.5}	1
71	Gaya	Moderate	151	PM _{2.5}	3
72	Ghaziabad	Poor	214	PM ₁₀	4

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Moderate	131	PM _{2.5}	1
74	Greater Noida	Poor	227	PM ₁₀	2
75	Gummidipoondi	Moderate	142	PM _{2.5}	1
76	Gurugram	Poor	256	PM _{2.5}	2
77	Guwahati	Moderate	184	PM _{2.5}	3
78	Gwalior	Moderate	163	PM ₁₀ , PM _{2.5}	3
79	Hajipur	Poor	282	PM _{2.5}	1
80	Haldia	Moderate	122	PM ₁₀	1
81	Hanumangarh	Moderate	165	PM ₁₀	1
82	Hapur	Satisfactory	85	SO ₂	1
83	Hassan	Satisfactory	58	PM ₁₀	1
84	Haveri	Satisfactory	95	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hisar	Moderate	134	PM _{2.5}	1
86	Hosur	Moderate	114	СО	1
87	Howrah	Moderate	161	PM _{2.5}	2
88	Hubballi	Moderate	111	PM ₁₀	2
89	Hyderabad	Satisfactory	84	PM _{2.5} , PM ₁₀	11
90	Imphal	Moderate	161	PM _{2.5} , SO ₂	2
91	Indore	Moderate	117	PM ₁₀	1
92	Jabalpur	Moderate	120	PM ₁₀	1
93	Jaipur	Moderate	136	PM _{2.5} , PM ₁₀	3
94	Jalandhar	Moderate	140	PM _{2.5}	1
95	Jhalawar	Moderate	118	PM ₁₀	1
96	Jhansi	Satisfactory	93	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhunjhunu	Moderate	164	03	1
98	Jind	Satisfactory	91	PM _{2.5}	1
99	Jodhpur	Moderate	176	PM _{2.5}	2
100	Jorapokhar	Moderate	158	PM ₁₀	1
101	Kadapa	Satisfactory	56	PM _{2.5}	1
102	Kaithal	Moderate	136	PM _{2.5}	1
103	Kalaburgi	Satisfactory	90	PM ₁₀	2
104	Kalyan	Moderate	196	PM _{2.5}	1
105	Kanchipuram	Satisfactory	66	PM ₁₀	1
106	Kanpur	Moderate	149	PM _{2.5}	3
107	Karauli	Satisfactory	56	O ₃	1
108	Kashipur	Moderate	120	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katihar	Poor	274	PM ₁₀	1
110	Katni	Moderate	125	PM ₁₀	1
111	Keonjhar	Poor	205	PM _{2.5}	1
112	Khanna	Satisfactory	93	PM ₁₀	1
113	Khurja	Moderate	148	PM _{2.5}	1
114	Kishanganj	Poor	234	PM ₁₀	1
115	Kochi	Moderate	138	PM _{2.5}	1
116	Kohima	Moderate	128	PM _{2.5}	1
117	Kolkata	Moderate	139	PM _{2.5}	7
118	Kollam	Satisfactory	92	PM ₁₀	1
119	Koppal	Satisfactory	62	O ₃	1
120	Korba	Moderate	121	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kota	Moderate	162	PM _{2.5}	3
122	Kozhikode	Satisfactory	75	PM _{2.5}	1
123	Kunjemura	Moderate	102	PM ₁₀	1
124	Kurukshetra	Moderate	133	PM _{2.5}	1
125	Lucknow	Moderate	148	PM _{2.5}	6
126	Ludhiana	Moderate	148	PM _{2.5}	1
127	Madikeri	Good	35	PM _{2.5}	1
128	Maihar	Satisfactory	71	со	1
129	Mandi Gobindgarh	Poor	209	PM _{2.5}	1
130	Mandideep	Moderate	140	PM ₁₀	1
131	Mandikhera	Moderate	110	PM ₁₀	1
132	Manesar	Moderate	162	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mangalore	Moderate	142	PM _{2.5}	1
134	Meerut	Poor	250	PM _{2.5}	3
135	Moradabad	Moderate	173	PM _{2.5}	6
136	Motihari	Moderate	169	PM ₁₀	1
137	Mumbai	Poor	213	NO ₂ , PM _{2.5}	18
138	Munger	Poor	287	PM ₁₀	1
139	Muzaffarnagar	Poor	278	PM _{2.5}	1
140	Muzaffarpur	Poor	265	PM _{2.5}	3
141	Mysuru	Good	38	PM ₁₀	1
142	Nagaon	Poor	224	PM _{2.5}	1
143	Nagpur	Moderate	128	PM _{2.5}	1
144	Naharlagun	Good	40	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nalbari	Moderate	177	PM _{2.5}	1
146	Narnaul	Moderate	160	PM _{2.5}	1
147	Nashik	Moderate	123	PM _{2.5}	1
148	Navi Mumbai	Poor	242	PM _{2.5}	2
149	Nayagarh	Very Poor	336	PM _{2.5}	1
150	Noida	Poor	212	PM ₁₀ , PM _{2.5}	4
151	Pali	Satisfactory	84	PM ₁₀	1
152	Palwal	Satisfactory	95	PM ₁₀	1
153	Panchkula	Moderate	110	PM _{2.5}	1
154	Panipat	Moderate	127	PM ₁₀	1
155	Patiala	Moderate	122	PM ₁₀	1
156	Patna	Poor	247	PM ₁₀ , PM _{2.5}	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pithampur	Moderate	101	PM ₁₀	1
158	Pratapgarh	Satisfactory	85	PM ₁₀	1
159	Prayagraj	Moderate	138	O ₃ , PM ₁₀	3
160	Puducherry	Satisfactory	58	PM ₁₀	1
161	Pune	Moderate	163	PM _{2.5} , PM ₁₀	4
162	Raichur	Satisfactory	86	PM ₁₀	1
163	Raipur	Moderate	108	NO ₂ , PM ₁₀	4
164	Rairangpur	Poor	245	PM _{2.5}	1
165	Rajamahendravaram	Moderate	185	PM _{2.5}	1
166	Rajgir	Moderate	163	PM _{2.5}	1
167	Ramanagara	Satisfactory	56	PM ₁₀	1
168	Ramanathapuram	Satisfactory	55	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ratlam	Moderate	107	PM ₁₀	1
170	Rishikesh	Satisfactory	84	PM ₁₀	1
171	Rohtak	Satisfactory	92	PM _{2.5}	1
172	Rourkela	Very Poor	305	PM _{2.5}	3
173	Rupnagar	Moderate	114	PM ₁₀	1
174	Sagar	Satisfactory	96	03	1
175	Saharsa	Poor	271	PM _{2.5}	1
176	Salem	Satisfactory	60	PM ₁₀	1
177	Samastipur	Poor	280	PM _{2.5}	1
178	Sasaram	Moderate	107	PM _{2.5}	1
179	Satna	Satisfactory	68	03	1
180	Sawai Madhopur	Moderate	172	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Shillong	Moderate	138	PM _{2.5}	1
182	Shivamogga	Good	47	03	1
183	Sikar	Moderate	196	PM ₁₀	1
184	Silchar	Satisfactory	76	PM ₁₀	1
185	Siliguri	Moderate	160	PM _{2.5}	1
186	Singrauli	Moderate	192	PM _{2.5}	1
187	Sirohi	Satisfactory	91	03	1
188	Sirsa	Moderate	104	PM ₁₀	1
189	Sivasagar	Satisfactory	68	PM _{2.5}	1
190	Siwan	Poor	283	PM _{2.5}	1
191	Solapur	Moderate	120	PM ₁₀	1
192	Sonipat	Moderate	122	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ambala, Banswara,
 Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga,
 Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari,
 Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sri Ganganagar	Moderate	194	PM ₁₀	1
194	Srinagar	Satisfactory	55	PM ₁₀	1
195	Suakati	Poor	238	PM _{2.5}	1
196	Surat	Moderate	178	PM _{2.5}	1
197	Talcher	Moderate	173	PM ₁₀	1
198	Tensa	Poor	261	PM _{2.5}	1
199	Thiruvananthapuram	Good	44	PM ₁₀	1
200	Thoothukudi	Satisfactory	51	PM ₁₀	1
201	Thrissur	Moderate	123	PM _{2.5}	1
202	Tirupati	Satisfactory	77	NO ₂	1
203	Tirupur	Satisfactory	70	PM ₁₀	1
204	Tonk	Moderate	189	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ambala, Banswara, Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga, Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari, Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumidih	Moderate	123	PM _{2.5}	1
206	Udaipur	Moderate	102	PM ₁₀	1
207	Varanasi	Satisfactory	66	PM _{2.5}	4
208	Vatva	Moderate	143	PM _{2.5}	1
209	Vijayapura	Good	42	PM ₁₀	1
210	Vijayawada	Poor	204	PM _{2.5}	1
211	Visakhapatnam	Moderate	188	PM ₁₀	1
212	Vrindavan	Moderate	135	PM ₁₀	1
213	Yadgir	Satisfactory	67	PM ₁₀	1
214	Yamunanagar	Moderate	148	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ambala, Banswara,
 Begusarai, Belgaum, Bidar, Buxar, Byrnihat, Chittorgarh, Darbhanga,
 Dharwad, Ernakulam, Kannur, Karnal, Kolar, Manguraha, Milupara, Nandesari,
 Ooty, Purnia, Thane, Tumakuru, Udupi, Ujjain, Vapi, vellore as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.