

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Good	38	PM ₁₀ , PM _{2.5} , O ₃	5
3	Ahmedabad	Satisfactory	73	PM ₁₀ , PM _{2.5}	8
4	Aizawl	Good	17	SO ₂	1
5	Ajmer	Satisfactory	93	PM ₁₀	1
6	Alwar	Satisfactory	76	PM ₁₀	1
7	Amaravati	Good	42	03	1
8	Ambala	Moderate	110	PM _{2.5}	1
9	Amritsar	Satisfactory	69	PM ₁₀	1
10	Ankleshwar	Satisfactory	92	PM ₁₀	1
11	Asansol	Good	50	PM _{2.5}	1
12	Aurangabad	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	38	PM ₁₀	1
14	Baghpat	Good	44	PM ₁₀	1
15	Ballabgarh	Satisfactory	83	PM ₁₀	1
16	Bathinda	Good	34	PM ₁₀	1
17	Bengaluru	Satisfactory	69	CO, PM ₁₀ , PM _{2.5}	7
18	Bhiwadi	Satisfactory	67	PM ₁₀	1
19	Bhiwani	Satisfactory	61	PM ₁₀	1
20	Bhopal	Satisfactory	58	PM ₁₀	1
21	Bidar	Satisfactory	98	SO ₂	1
22	Bulandshahr	Good	34	O ₃	1
23	Chamarajanagar	Good	41	PM ₁₀	1
24	Chandigarh	Moderate	166	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	60	PM ₁₀	1
26	Charkhi Dadri	Satisfactory	90	PM _{2.5}	1
27	Chennai	Satisfactory	53	PM ₁₀ , CO	6
28	Chikkaballapur	Good	33	PM ₁₀	1
29	Chikkamagaluru	Good	32	PM ₁₀	1
30	Damoh	Good	27	PM _{2.5}	1
31	Darbhanga	Satisfactory	93	PM ₁₀	1
32	Davanagere	Good	24	PM ₁₀	1
33	Delhi	Moderate	101	PM _{2.5} , PM ₁₀ , O ₃	36
34	Dewas	Satisfactory	58	PM ₁₀	1
35	Dharuhera	Satisfactory	61	PM _{2.5}	1
36	Durgapur	Moderate	104	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Satisfactory	89	СО	1
38	Ernakulam	Good	34	СО	1
39	Faridabad	Satisfactory	88	PM _{2.5} , PM ₁₀	3
40	Fatehabad	Satisfactory	71	03	1
41	Firozabad	Good	27	PM ₁₀	1
42	Gadag	Good	31	SO ₂	1
43	Gandhinagar	Satisfactory	75	PM _{2.5} , PM ₁₀	2
44	Gaya	Satisfactory	79	03	2
45	Ghaziabad	Moderate	107	PM _{2.5} , CO	4
46	Gorakhpur	Good	19	со	1
47	Greater Noida	Satisfactory	87	PM ₁₀	1
48	Gurugram	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Satisfactory	51	SO ₂	2
50	Gwalior	Satisfactory	61	PM ₁₀	2
51	Hajipur	Satisfactory	60	со	1
52	Haldia	Good	48	PM ₁₀	1
53	Hapur	Good	50	со	1
54	Hassan	Satisfactory	73	PM ₁₀	1
55	Hisar	Satisfactory	61	PM _{2.5}	1
56	Howrah	Good	42	PM ₁₀	2
57	Hubballi	Satisfactory	59	PM ₁₀	1
58	Hyderabad	Satisfactory	55	NO ₂ , PM ₁₀ , PM _{2.5}	5
59	Indore	Satisfactory	80	PM ₁₀	1
60	Jabalpur	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jaipur	Satisfactory	76	PM ₁₀	2
62	Jalandhar	Good	48	СО	1
63	Jind	Good	41	PM _{2.5}	1
64	Jodhpur	Moderate	120	PM ₁₀	1
65	Kaithal	Satisfactory	66	03	1
66	Kalaburgi	Good	47	PM ₁₀	1
67	Kalyan	Good	49	PM _{2.5}	1
68	Kannur	Good	40	PM ₁₀	1
69	Kanpur	Good	44	PM ₁₀ , PM _{2.5}	3
70	Karnal	Moderate	121	SO ₂	1
71	Katni	Satisfactory	63	PM ₁₀	1
72	Khanna	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kochi	Good	40	со	1
74	Kohima	Good	33	SO ₂	1
75	Kolar	Good	34	PM ₁₀	1
76	Kolkata	Satisfactory	53	PM ₁₀ , O ₃ , PM _{2.5}	7
77	Kollam	Satisfactory	92	со	1
78	Koppal	Good	34	со	1
79	Kota	Satisfactory	81	PM _{2.5}	1
80	Kozhikode	Satisfactory	64	со	1
81	Kurukshetra	Satisfactory	57	03	1
82	Lucknow	Satisfactory	52	PM ₁₀ , CO, PM _{2.5}	6
83	Ludhiana	Satisfactory	81	PM ₁₀	1
84	Maihar	Good	24	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandi Gobindgarh	Satisfactory	59	PM ₁₀	1
86	Mandideep	Satisfactory	53	PM ₁₀	1
87	Mandikhera	Good	50	PM _{2.5}	1
88	Meerut	Satisfactory	59	O ₃ , CO, PM ₁₀	3
89	Motihari	Satisfactory	77	PM ₁₀	1
90	Mumbai	Satisfactory	57	PM ₁₀ , CO, PM _{2.5}	17
91	Muzaffarnagar	Satisfactory	82	со	1
92	Muzaffarpur	Satisfactory	57	CO, O ₃ , PM _{2.5}	3
93	Mysuru	Good	30	PM ₁₀	1
94	Nagpur	Satisfactory	69	со	1
95	Naharlagun	Good	36	SO ₂	1
96	Narnaul	Satisfactory	70	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nashik	Good	42	PM ₁₀	1
98	Navi Mumbai	Satisfactory	61	PM ₁₀ , CO	3
99	Noida	Satisfactory	81	CO, PM _{2.5} , PM ₁₀	3
100	Pali	Moderate	115	PM ₁₀	1
101	Panchkula	Good	42	03	1
102	Panipat	Satisfactory	57	PM ₁₀	1
103	Patiala	Good	41	PM _{2.5}	1
104	Patna	Satisfactory	52	O ₃ , CO, PM ₁₀	5
105	Pithampur	Satisfactory	74	PM _{2.5}	1
106	Prayagraj	Good	29	PM _{2.5} , CO	2
107	Puducherry	Satisfactory	70	O ₃	1
108	Pune	Satisfactory	59	PM _{2.5} , CO	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Raichur	Satisfactory	65	PM ₁₀	1
110	Rajamahendravaram	Good	43	PM ₁₀	1
111	Ramanagara	Good	36	O ₃	1
112	Ratlam	Satisfactory	74	PM ₁₀	1
113	Rohtak	Satisfactory	69	NO ₂	1
114	Sagar	Good	27	PM _{2.5}	1
115	Satna	Satisfactory	58	PM ₁₀	1
116	Shillong	Good	12	SO ₂	1
117	Shivamogga	Good	44	PM ₁₀	1
118	Siliguri	Good	37	PM ₁₀	1
119	Singrauli	Satisfactory	62	PM ₁₀	1
120	Sirsa	Satisfactory	80	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sonipat	Satisfactory	72	PM ₁₀	1
122	Srinagar	Satisfactory	64	PM ₁₀	1
123	Talcher	Satisfactory	92	со	1
124	Thiruvananthapuram	Good	39	PM ₁₀	1
125	Thoothukudi	Good	34	03	1
126	Thrissur	Satisfactory	80	SO ₂	1
127	Tirupati	Good	42	со	1
128	Udaipur	Moderate	101	PM ₁₀	1
129	Udupi	Satisfactory	96	со	1
130	Ujjain	Satisfactory	79	PM ₁₀	1
131	Vapi	Satisfactory	63	PM ₁₀	1
132	Varanasi	Good	32	PM ₁₀ , CO	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vatva	Moderate	105	PM ₁₀	1
134	Vijayapura	Satisfactory	52	СО	1
135	Visakhapatnam	Satisfactory	66	PM ₁₀	1
136	Vrindavan	Good	29	PM ₁₀	1
137	Yadgir	Good	38	PM ₁₀	1
138	Yamunanagar	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Gummidipoondi, Jorapokhar, Manesar, Manglore, Medikeri, Moradabad, Nandesari, Palwal, Rupnagar, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.