



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	262	PM ₁₀	1
2	Agra	Good	48	NO ₂ , PM ₁₀	6
3	Ahmedabad	Moderate	145	PM _{2.5}	7
4	Aizawl	Satisfactory	76	PM ₁₀	1
5	Ajmer	Moderate	102	PM _{2.5}	1
6	Alwar	Satisfactory	80	PM ₁₀	1
7	Amaravati	Satisfactory	100	PM ₁₀	1
8	Ambala	Moderate	160	PM _{2.5}	1
9	Amritsar	Satisfactory	89	PM _{2.5}	1
10	Anantapur	Moderate	164	O ₃	1
11	Ankleshwar	Moderate	168	O ₃	1
12	Araria	Poor	298	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	87	PM _{2.5}	1
14	Arrah	Moderate	199	PM _{2.5}	1
15	Asansol	Moderate	155	PM ₁₀	1
16	Aurangabad (Bihar)	Moderate	140	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	98	PM ₁₀	1
18	Baddi	Moderate	199	PM _{2.5}	1
19	Bagalkot	Good	50	PM ₁₀	1
20	Bahadurgarh	Moderate	136	PM _{2.5}	1
21	Ballabgarh	Moderate	107	CO	1
22	Bareilly	Satisfactory	89	PM ₁₀	2
23	Baripada	Moderate	173	O ₃	1
24	Bathinda	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Very Poor	340	PM _{2.5}	1
26	Belgaum	Moderate	134	PM ₁₀	1
27	Bengaluru	Satisfactory	90	PM _{2.5} , PM ₁₀	10
28	Bettiah	Poor	221	PM ₁₀	1
29	Bhagalpur	Very Poor	338	PM _{2.5}	2
30	Bharatpur	Moderate	186	PM _{2.5}	1
31	Bhilai	Satisfactory	98	PM _{2.5} , O ₃	2
32	Bhiwadi	Moderate	168	PM ₁₀	1
33	Bhiwani	Moderate	114	PM ₁₀	1
34	Bhopal	Moderate	140	PM ₁₀	2
35	Bihar Sharif	Moderate	105	PM ₁₀	1
36	Bilaspur	Moderate	133	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	163	PM _{2.5}	1
38	Bulandshahr	Moderate	162	PM _{2.5}	1
39	Byrnihat	Severe	414	PM _{2.5}	1
40	Chamarajanagar	Good	38	PM ₁₀	1
41	Chandigarh	Moderate	190	PM _{2.5}	3
42	Chandrapur	Satisfactory	100	PM ₁₀	1
43	Charkhi Dadri	Moderate	149	PM _{2.5}	1
44	Chennai	Moderate	113	PM _{2.5}	8
45	Chhapra	Very Poor	320	PM _{2.5}	1
46	Chikkaballapur	Moderate	131	PM ₁₀	1
47	Chikkamagaluru	Good	50	PM ₁₀	1
48	Chittoor	Moderate	188	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Coimbatore	Satisfactory	89	PM _{2.5}	1
50	Damoh	Good	37	PM ₁₀	1
51	Davanagere	Satisfactory	89	PM ₁₀	1
52	Delhi	Poor	244	PM _{2.5}	36
53	Dewas	Satisfactory	64	PM _{2.5}	1
54	Dharuhera	Poor	286	PM _{2.5}	1
55	Dindigul	Poor	267	NO ₂	1
56	Durgapur	Poor	229	PM ₁₀	1
57	Faridabad	Moderate	173	PM _{2.5}	4
58	Firozabad	Satisfactory	90	PM ₁₀ , PM _{2.5}	2
59	Gadag	Very Poor	328	PM ₁₀	1
60	Gandhinagar	Satisfactory	100	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Moderate	131	PM _{2.5}	3
62	Ghaziabad	Moderate	185	PM _{2.5} , PM ₁₀	4
63	Gorakhpur	Moderate	111	PM ₁₀	1
64	Greater Noida	Moderate	190	PM _{2.5} , PM ₁₀	2
65	Gummidipoondi	Moderate	144	PM _{2.5}	1
66	Gurugram	Poor	231	PM _{2.5}	4
67	Guwahati	Very Poor	304	PM _{2.5}	4
68	Gwalior	Moderate	168	PM ₁₀ , PM _{2.5}	3
69	Hajipur	Poor	229	PM _{2.5}	1
70	Haldia	Moderate	131	PM ₁₀	1
71	Hapur	Satisfactory	64	PM _{2.5}	1
72	Hassan	Satisfactory	80	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Moderate	115	PM _{2.5}	1
74	Hisar	Moderate	200	PM ₁₀	1
75	Hosur	Moderate	172	CO	1
76	Howrah	Poor	211	PM _{2.5}	3
77	Hubballi	Moderate	115	PM ₁₀	2
78	Hyderabad	Moderate	113	PM ₁₀	13
79	Imphal	Moderate	107	PM _{2.5}	1
80	Indore	Moderate	141	PM ₁₀	1
81	Jabalpur	Moderate	137	PM ₁₀	1
82	Jaipur	Moderate	180	PM _{2.5} , PM ₁₀	3
83	Jalandhar	Satisfactory	97	PM ₁₀	1
84	Jhansi	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jind	Moderate	113	PM _{2.5}	1
86	Jodhpur	Poor	263	PM ₁₀	1
87	Jorapokhar	Moderate	126	PM ₁₀	1
88	Kadapa	Moderate	189	PM _{2.5}	1
89	Kaithal	Moderate	139	PM ₁₀	1
90	Kalaburgi	Satisfactory	97	PM _{2.5}	1
91	Kalyan	Moderate	171	PM ₁₀	1
92	Kanchipuram	Satisfactory	86	PM ₁₀	1
93	Kannur	Satisfactory	92	PM _{2.5}	1
94	Kanpur	Moderate	106	PM _{2.5}	3
95	Karnal	Satisfactory	89	PM _{2.5}	1
96	Katihar	Very Poor	316	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Keonjhar	Moderate	103	PM ₁₀	1
98	Khanna	Satisfactory	96	PM ₁₀	1
99	Khurja	Moderate	106	PM _{2.5}	1
100	Kishanganj	Very Poor	302	PM _{2.5}	1
101	Kochi	Moderate	128	PM _{2.5}	1
102	Kolkata	Moderate	172	PM _{2.5}	7
103	Kollam	Satisfactory	86	PM ₁₀	1
104	Koppal	Moderate	128	PM ₁₀	1
105	Korba	Satisfactory	88	PM _{2.5} , PM ₁₀	2
106	Kota	Moderate	156	PM _{2.5} , PM ₁₀	2
107	Kozhikode	Satisfactory	75	PM _{2.5}	1
108	Kurukshetra	Moderate	117	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Lucknow	Moderate	145	PM _{2.5}	6
110	Ludhiana	Moderate	164	PM _{2.5}	1
111	Madikeri	Good	41	PM ₁₀	1
112	Maihar	Good	26	PM ₁₀	1
113	Mandi Gobindgarh	Poor	228	PM _{2.5}	1
114	Mandideep	Moderate	171	PM ₁₀	1
115	Mandikhera	Satisfactory	63	PM ₁₀	1
116	Manesar	Moderate	124	PM ₁₀	1
117	Mangalore	Moderate	110	PM ₁₀	1
118	Meerut	Poor	204	PM _{2.5}	3
119	Moradabad	Satisfactory	87	CO, PM _{2.5}	6
120	Motihari	Moderate	163	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Poor	226	PM _{2.5} , PM ₁₀	19
122	Munger	Very Poor	301	PM _{2.5}	1
123	Muzaffarnagar	Moderate	165	PM _{2.5}	1
124	Muzaffarpur	Poor	232	PM _{2.5}	3
125	Mysuru	Satisfactory	64	O ₃	1
126	Nagpur	Moderate	110	PM ₁₀	1
127	Nalbari	Very Poor	307	PM _{2.5}	1
128	Nandesari	Good	16	PM _{2.5}	1
129	Narnaul	Moderate	176	PM _{2.5}	1
130	Navi Mumbai	Poor	278	PM _{2.5}	3
131	Nayagarh	Moderate	137	PM _{2.5}	1
132	Noida	Moderate	170	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ooty	Good	47	SO ₂	1
134	Pali	Satisfactory	94	PM ₁₀	1
135	Palwal	Satisfactory	64	PM _{2.5}	1
136	Panchkula	Satisfactory	55	PM _{2.5}	1
137	Panipat	Moderate	118	PM ₁₀	1
138	Patiala	Moderate	113	PM ₁₀	1
139	Patna	Poor	292	PM _{2.5}	6
140	Pithampur	Satisfactory	71	PM _{2.5}	1
141	Prayagraj	Satisfactory	71	PM ₁₀	3
142	Puducherry	Satisfactory	76	PM _{2.5}	1
143	Pune	Moderate	186	PM _{2.5} , PM ₁₀	3
144	Raichur	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raipur	Moderate	113	NO ₂ , PM _{2.5}	4
146	Rairangpur	Moderate	108	PM ₁₀	1
147	Rajamahendravaram	Moderate	182	PM _{2.5}	1
148	Rajgir	Moderate	163	PM _{2.5}	1
149	Ramanagara	Satisfactory	80	PM ₁₀	1
150	Ramanathapuram	Satisfactory	94	CO	1
151	Ratlam	Moderate	104	PM ₁₀	1
152	Rohtak	Moderate	132	PM _{2.5}	1
153	Rourkela	Moderate	168	PM _{2.5}	3
154	Rupnagar	Moderate	119	PM ₁₀	1
155	Sagar	Satisfactory	62	PM ₁₀ , CO	2
156	Saharsa	Very Poor	338	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, Vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Samastipur	Poor	209	PM _{2.5}	1
158	Sasaram	Moderate	101	O ₃	1
159	Satna	Satisfactory	82	PM ₁₀	1
160	Shillong	Moderate	165	PM _{2.5}	1
161	Shivamogga	Satisfactory	66	O ₃	1
162	Siliguri	Moderate	122	PM ₁₀	1
163	Singrauli	Poor	208	PM ₁₀	1
164	Sirsa	Moderate	137	PM ₁₀	1
165	Sivasagar	Satisfactory	75	PM ₁₀	1
166	Siwan	Very Poor	390	PM _{2.5}	1
167	Solapur	Satisfactory	80	PM ₁₀	1
168	Sonipat	Moderate	143	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Suakati	Satisfactory	97	PM ₁₀	1
170	Surat	Poor	232	PM _{2.5}	1
171	Talcher	Poor	219	PM _{2.5}	1
172	Tensa	Satisfactory	86	PM ₁₀	1
173	Thane	Moderate	198	PM ₁₀	1
174	Thiruvananthapuram	Good	40	PM _{2.5} , PM ₁₀	2
175	Thoothukudi	Satisfactory	88	O ₃	1
176	Thrissur	Moderate	123	PM ₁₀	1
177	Tirupati	Moderate	108	PM _{2.5}	2
178	Tirupur	Satisfactory	89	PM ₁₀	1
179	Udaipur	Moderate	130	PM ₁₀	1
180	Ujjain	Poor	206	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 05, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vapi	Poor	263	PM _{2.5}	1
182	Varanasi	Good	45	PM ₁₀ , NO ₂	4
183	Vatva	Moderate	160	PM _{2.5}	1
184	Vijayapura	Good	46	PM ₁₀	1
185	Vijayawada	Satisfactory	100	O ₃	1
186	Visakhapatnam	Poor	277	PM ₁₀	1
187	Vrindavan	Moderate	165	PM ₁₀	1
188	Yadgir	Satisfactory	88	PM ₁₀	1
189	Yamunanagar	Moderate	184	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bidar, Bikaner, Brajrajnagar, Buxar, Chengalpattu, Chhal, Darbhanga, Dehradun, Dharwad, Eloor, Ernakulam, Fatehabad, Gangtok, Katni, Kohima, Kolar, Kunjemura, Manguraha, Milupara, Naharlagun, Nashik, Purnia, Salem, Silchar, Srinagar, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.