



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	35	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	50	PM <sub>10</sub>	4
3	Ahmedabad	Satisfactory	61	PM <sub>10</sub> , CO	2
4	Aizawl	Good	19	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	100	PM <sub>10</sub>	1
6	Alwar	Satisfactory	68	PM <sub>10</sub>	1
7	Amaravati	Good	21	O <sub>3</sub>	1
8	Ambala	Satisfactory	64	PM <sub>10</sub>	1
9	Amritsar	Moderate	151	PM <sub>2.5</sub>	1
10	Ankleshwar	Satisfactory	65	PM <sub>10</sub>	1
11	Araria	Satisfactory	72	PM <sub>10</sub>	1
12	Arrah	Moderate	102	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	98	PM <sub>10</sub>	1
14	Baddi	Satisfactory	78	PM <sub>10</sub>	1
15	Bagalkot	Good	46	PM <sub>10</sub>	1
16	Baghpat	Satisfactory	63	O <sub>3</sub>	1
17	Bahadurgarh	Satisfactory	97	PM <sub>10</sub>	1
18	Ballabgarh	Satisfactory	64	PM <sub>10</sub>	1
19	Bareilly	Satisfactory	69	PM <sub>10</sub>	1
20	Bathinda	Satisfactory	81	PM <sub>10</sub>	1
21	Bengaluru	Satisfactory	57	PM <sub>10</sub> , CO	7
22	Bhagalpur	Satisfactory	62	PM <sub>10</sub> , O <sub>3</sub>	2
23	Bhiwadi	Satisfactory	100	PM <sub>10</sub>	1
24	Bhiwani	Satisfactory	78	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Good	41	O <sub>3</sub>	1
26	Bihar Sharif	Poor	213	PM <sub>10</sub>	1
27	Bilaspur	Satisfactory	62	PM <sub>10</sub>	1
28	Brajrajnagar	Good	47	CO	1
29	Bulandshahr	Satisfactory	93	PM <sub>10</sub>	1
30	Buxar	Satisfactory	96	PM <sub>10</sub>	1
31	Chamarajanagar	Good	34	PM <sub>10</sub>	1
32	Chandigarh	Satisfactory	82	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	3
33	Chandrapur	Satisfactory	76	PM <sub>2.5</sub> , CO	2
34	Charkhi Dadri	Moderate	107	PM <sub>2.5</sub>	1
35	Chennai	Satisfactory	65	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	7
36	Chhapra	Moderate	105	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	28	CO	1
38	Chikkamagaluru	Good	29	SO <sub>2</sub>	1
39	Damoh	Good	35	PM <sub>2.5</sub>	1
40	Darbhanga	Moderate	125	PM <sub>10</sub>	1
41	Davanagere	Good	15	CO	1
42	Delhi	Satisfactory	94	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	36
43	Dewas	Good	36	O <sub>3</sub>	1
44	Eloor	Satisfactory	51	PM <sub>10</sub>	1
45	Ernakulam	Good	41	CO	1
46	Faridabad	Satisfactory	98	PM <sub>2.5</sub> , PM <sub>10</sub>	2
47	Firozabad	Satisfactory	58	O <sub>3</sub>	1
48	Gadag	Good	28	SO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Good	35	PM <sub>10</sub>	1
50	Gangtok	Good	16	O <sub>3</sub>	1
51	Gaya	Satisfactory	61	PM <sub>10</sub> , CO	3
52	Ghaziabad	Satisfactory	90	PM <sub>10</sub>	4
53	Gorakhpur	Good	48	SO <sub>2</sub>	1
54	Greater Noida	Satisfactory	99	PM <sub>10</sub>	1
55	Gurugram	Moderate	105	PM <sub>10</sub>	3
56	Guwahati	Good	47	O <sub>3</sub> , PM <sub>10</sub>	2
57	Gwalior	Satisfactory	57	O <sub>3</sub>	1
58	Haldia	Good	35	O <sub>3</sub>	1
59	Hapur	Satisfactory	80	PM <sub>10</sub>	1
60	Haveri	Satisfactory	66	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Moderate	112	PM <sub>10</sub>	1
62	Howrah	Good	32	CO, PM <sub>10</sub>	3
63	Hubballi	Satisfactory	53	CO	1
64	Hyderabad	Good	45	PM <sub>10</sub> , CO	13
65	Imphal	Satisfactory	64	O <sub>3</sub> , SO <sub>2</sub>	2
66	Indore	Satisfactory	52	PM <sub>10</sub>	1
67	Jaipur	Satisfactory	58	PM <sub>10</sub> , O <sub>3</sub>	3
68	Jalandhar	Satisfactory	83	PM <sub>10</sub>	1
69	Jind	Satisfactory	74	PM <sub>10</sub>	1
70	Jodhpur	Satisfactory	62	PM <sub>10</sub>	1
71	Kaithal	Satisfactory	83	O <sub>3</sub>	1
72	Kalaburgi	Good	33	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Satisfactory	73	CO	1
74	Kannur	Satisfactory	56	PM <sub>10</sub>	1
75	Kanpur	Satisfactory	55	PM <sub>10</sub> , O <sub>3</sub>	4
76	Karnal	Satisfactory	57	PM <sub>10</sub>	1
77	Katihar	Satisfactory	95	PM <sub>10</sub>	1
78	Katni	Satisfactory	63	PM <sub>10</sub>	1
79	Khanna	Satisfactory	67	PM <sub>10</sub>	1
80	Kishanganj	Satisfactory	83	PM <sub>10</sub>	1
81	Kochi	Good	46	PM <sub>10</sub>	1
82	Kohima	Satisfactory	51	SO <sub>2</sub>	1
83	Kolkata	Good	37	O <sub>3</sub> , PM <sub>10</sub> , CO	7
84	Kollam	Satisfactory	60	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Good	23	NO <sub>2</sub>	1
86	Kota	Good	48	PM <sub>10</sub>	1
87	Kozhikode	Satisfactory	72	PM <sub>10</sub>	1
88	Kurukshetra	Satisfactory	86	PM <sub>10</sub>	1
89	Lucknow	Satisfactory	78	PM <sub>10</sub> , O <sub>3</sub>	5
90	Ludhiana	Satisfactory	95	PM <sub>10</sub>	1
91	Madikeri	Good	25	SO <sub>2</sub>	1
92	Mandi Gobindgarh	Moderate	129	PM <sub>2.5</sub>	1
93	Mandideep	Satisfactory	52	O <sub>3</sub>	1
94	Mandikhera	Satisfactory	59	CO	1
95	Manesar	Satisfactory	94	PM <sub>10</sub>	1
96	Manglore	Satisfactory	52	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Satisfactory	80	CO, PM <sub>10</sub>	3
98	Moradabad	Satisfactory	77	PM <sub>10</sub> , O <sub>3</sub>	6
99	Motihari	Satisfactory	82	O <sub>3</sub>	1
100	Mumbai	Satisfactory	68	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	17
101	Muzaffarnagar	Satisfactory	89	PM <sub>2.5</sub>	1
102	Muzaffarpur	Satisfactory	85	PM <sub>10</sub> , CO	3
103	Mysuru	Satisfactory	51	PM <sub>10</sub>	1
104	Nagpur	Good	37	PM <sub>10</sub>	1
105	Naharlagun	Good	25	PM <sub>2.5</sub>	1
106	Nandesari	Moderate	106	CO	1
107	Narnaul	Satisfactory	58	PM <sub>2.5</sub>	1
108	Nashik	Good	31	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Satisfactory	100	CO	1
110	Noida	Satisfactory	89	CO, PM <sub>10</sub>	3
111	Pali	Good	49	O <sub>3</sub>	1
112	Palwal	Moderate	156	O <sub>3</sub>	1
113	Panchkula	Satisfactory	95	PM <sub>2.5</sub>	1
114	Panipat	Satisfactory	79	PM <sub>10</sub>	1
115	Patiala	Satisfactory	61	PM <sub>10</sub>	1
116	Patna	Moderate	110	PM <sub>10</sub> , NO <sub>2</sub>	5
117	Prayagraj	Satisfactory	95	PM <sub>10</sub> , SO <sub>2</sub>	3
118	Puducherry	Good	47	PM <sub>10</sub>	1
119	Pune	Good	49	CO	1
120	Purnia	Satisfactory	91	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Satisfactory	67	CO	1
122	Rajamahendravaram	Good	17	CO	1
123	Rajgir	Good	39	PM <sub>10</sub>	1
124	Ramanagara	Good	36	PM <sub>10</sub>	1
125	Ratlam	Good	24	PM <sub>10</sub>	1
126	Rohtak	Satisfactory	78	PM <sub>2.5</sub>	1
127	Rupnagar	Satisfactory	81	PM <sub>10</sub>	1
128	Sagar	Satisfactory	51	CO	1
129	Saharsa	Moderate	145	PM <sub>10</sub>	1
130	Sasaram	Satisfactory	67	O <sub>3</sub>	1
131	Satna	Good	35	PM <sub>10</sub>	1
132	Shillong	Good	37	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Good	48	PM <sub>10</sub>	1
134	Singrauli	Satisfactory	88	NO <sub>2</sub>	1
135	Sirsa	Satisfactory	94	O <sub>3</sub>	1
136	Siwan	Moderate	196	PM <sub>10</sub>	1
137	Solapur	Good	47	NO <sub>2</sub>	1
138	Srinagar	Satisfactory	89	PM <sub>10</sub>	1
139	Talcher	Satisfactory	70	CO	1
140	Thiruvananthapuram	Satisfactory	51	CO	1
141	Thoothukudi	Good	42	PM <sub>10</sub>	1
142	Tirupati	Good	40	CO	1
143	Udaipur	Satisfactory	62	PM <sub>10</sub>	1
144	Ujjain	Satisfactory	72	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udipi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Satisfactory	62	PM <sub>10</sub> , O <sub>3</sub> , NO <sub>2</sub>	4
146	Vatva	Satisfactory	80	NO <sub>2</sub>	1
147	Vijayapura	Good	49	PM <sub>10</sub>	1
148	Visakhapatnam	Satisfactory	82	PM <sub>10</sub>	1
149	Vrindavan	Good	46	PM <sub>10</sub>	1
150	Yamunanagar	Moderate	137	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Asansol, Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bidar, Coimbatore, Dehradun, Dharuhera, Durgapur, Fatehabad, Gummidipoondi, Hajipur, Hassan, Jabalpur, Jhansi, Jorapokhar, Khurja, Kolar, Maihar, Manguraha, Munger, Pithampur, Samastipur, Siliguri, Sonapat, Thane, Thrissur, Udupi, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.