

# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	198	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	114	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	129	PM <sub>2.5</sub>	1
4	Alwar	Satisfactory	68	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	71	PM <sub>2.5</sub>	1
6	Ambala	Moderate	103	PM <sub>10</sub>	1
7	Amritsar	Satisfactory	99	PM <sub>2.5</sub>	1
8	Asanol	Moderate	103	PM <sub>2.5</sub>	1
9	Bahadurgarh	Moderate	120	PM <sub>2.5</sub>	1
10	Bathinda	Satisfactory	90	PM <sub>10</sub>	1
11	Bengaluru	Satisfactory	82	PM <sub>2.5</sub> , OZONE, PM <sub>10</sub>	9
12	Bhiwadi	Poor	219	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Ballabgarh, Faridabad, Gurugram, Kanpur, Pithampur, Ratlam, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwani	Satisfactory	79	PM <sub>2.5</sub>	1
14	Brajrajnagar	Moderate	200	PM <sub>2.5</sub>	1
15	Bulandshahr	Poor	238	PM <sub>2.5</sub>	1
16	Chandrapur	Satisfactory	68	OZONE	1
17	Chennai	Good	39	OZONE	2
18	Chikkaballapur	Satisfactory	63	PM <sub>10</sub>	1
19	Damoh	Moderate	113	PM <sub>2.5</sub>	1
20	Delhi	Poor	267	PM <sub>2.5</sub>	29
21	Dewas	Satisfactory	87	PM <sub>10</sub>	1
22	Dharuhera	Moderate	148	PM <sub>2.5</sub>	1
23	Durgapur	Good	44	PM <sub>10</sub>	1
24	Fatehabad	Moderate	199	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Ballabgarh, Faridabad, Gurugram, Kanpur, Pithampur, Ratlam, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Gaya	Moderate	138	PM <sub>2.5</sub>	1
26	Ghaziabad	Poor	254	PM <sub>2.5</sub>	1
27	Greater_Noida	Poor	236	PM <sub>2.5</sub>	1
28	Haldia	Moderate	119	PM <sub>10</sub>	1
29	Hapur	Poor	218	PM <sub>2.5</sub>	1
30	Hisar	Moderate	177	PM <sub>2.5</sub>	1
31	Howrah	Moderate	198	PM <sub>2.5</sub>	2
32	Hubballi	Satisfactory	83	PM <sub>2.5</sub>	1
33	Hyderabad	Moderate	142	PM <sub>2.5</sub>	4
34	Jaipur	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	3
35	Jalandhar	Moderate	108	PM <sub>2.5</sub>	1
36	Jodhpur	Moderate	126	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Ballabgarh, Faridabad, Gurugram, Kanpur, Pithampur, Ratlam, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jorapokhar	Moderate	106	PM <sub>10</sub>	1
38	Kalaburgi	Moderate	124	PM <sub>2.5</sub>	1
39	Karnal	Moderate	104	PM <sub>10</sub>	1
40	Khanna	Good	46	PM <sub>2.5</sub>	1
41	Kolkata	Poor	245	PM <sub>2.5</sub>	2
42	Kota	Moderate	102	PM <sub>10</sub>	1
43	Kurushketra	Satisfactory	93	PM <sub>2.5</sub>	1
44	Lucknow	Poor	218	PM <sub>2.5</sub>	4
45	Ludhiana	Satisfactory	60	PM <sub>10</sub>	1
46	Mandi Gobindgarh	Poor	274	PM <sub>2.5</sub>	1
47	Mandideep	Moderate	103	PM <sub>10</sub>	1
48	Manesar	Moderate	149	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Ballabgarh, Faridabad, Gurugram, Kanpur, Pithampur, Ratlam, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Moradabad	Poor	218	PM <sub>2.5</sub>	1
50	Mumbai	Moderate	110	PM <sub>10</sub>	1
51	Muzaffarnagar	Moderate	199	PM <sub>2.5</sub>	1
52	Muzaffarpur	Moderate	198	PM <sub>2.5</sub>	1
53	Nagpur	Moderate	158	OZONE	1
54	Nashik	Satisfactory	96	OZONE	1
55	Navi Mumbai	Moderate	112	СО	1
56	Noida	Poor	254	PM <sub>2.5</sub>	1
57	Pali	Moderate	156	PM <sub>2.5</sub>	1
58	Palwal	Moderate	130	PM <sub>2.5</sub>	1
59	Panchkula	Satisfactory	61	PM <sub>2.5</sub>	1
60	Panipat	Moderate	119	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Ballabgarh, Faridabad, Gurugram, Kanpur, Pithampur, Ratlam, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Patiala	Satisfactory	68	PM <sub>10</sub>	1
62	Patna	Poor	233	PM <sub>2.5</sub>	1
63	Pune	Moderate	109	PM <sub>2.5</sub>	1
64	Rajamahendravaram	Moderate	160	PM <sub>2.5</sub>	1
65	Rohtak	Moderate	123	PM <sub>2.5</sub>	1
66	Rupnagar	Satisfactory	75	PM <sub>2.5</sub>	1
67	Satna	Satisfactory	94	СО	1
68	Siliguri	Poor	206	PM <sub>2.5</sub>	1
69	Singrauli	Moderate	149	PM <sub>2.5</sub>	1
70	Sirsa	Moderate	190	PM <sub>2.5</sub>	1
71	Solapur	Moderate	103	PM <sub>10</sub>	1
72	Sonipat	Moderate	135	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Ballabgarh, Faridabad, Gurugram, Kanpur, Pithampur, Ratlam, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Talcher	Moderate	151	PM <sub>10</sub>	1
74	Thiruvananthapuram	Satisfactory	79	OZONE	1
75	Tirupati	Satisfactory	68	NO <sub>2</sub>	1
76	Udaipur	Moderate	131	PM <sub>10</sub>	1
77	Ujjain	Moderate	110	OZONE	1
78	Varanasi	Poor	279	PM <sub>2.5</sub>	1
79	Vijayawada	Satisfactory	64	PM <sub>2.5</sub>	1
80	Yamunanagar	Satisfactory	93	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Ballabgarh, Faridabad, Gurugram, Kanpur, Pithampur, Ratlam, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.