

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	156	PM <sub>2.5</sub>	1
2	Agra	Moderate	109	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	91	O <sub>3</sub>	8
4	Aizawl	Good	36	PM <sub>10</sub>	1
5	Ajmer	Moderate	106	PM <sub>10</sub>	1
6	Akola	Moderate	110	PM <sub>10</sub>	1
7	Alwar	Satisfactory	77	PM <sub>10</sub>	1
8	Amaravati	Moderate	109	PM <sub>10</sub>	1
9	Ambala	Satisfactory	94	PM <sub>10</sub>	1
10	Amravati	Satisfactory	98	PM <sub>10</sub>	2
11	Amritsar	Satisfactory	77	PM <sub>10</sub>	1
12	Anantapur	Satisfactory	69	03	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Satisfactory	79	PM <sub>10</sub>	1
14	Araria	Moderate	112	PM <sub>10</sub>	1
15	Asansol	Moderate	156	PM <sub>2.5</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	55	PM <sub>10</sub>	3
17	Baddi	Moderate	175	PM <sub>10</sub>	1
18	Badlapur	Satisfactory	94	PM <sub>10</sub>	1
19	Bagalkot	Good	42	PM <sub>10</sub>	1
20	Baghpat	Moderate	147	PM <sub>10</sub>	1
21	Bahadurgarh	Moderate	120	PM <sub>10</sub>	1
22	Ballabgarh	Satisfactory	84	PM <sub>10</sub>	1
23	Banswara	Moderate	117	PM <sub>10</sub>	1
24	Baran	Moderate	102	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	74	PM <sub>10</sub>	1
26	Baripada	Moderate	115	PM <sub>10</sub>	1
27	Barmer	Satisfactory	96	PM <sub>10</sub>	1
28	Bathinda	Moderate	147	PM <sub>10</sub>	1
29	Belapur	Satisfactory	66	PM <sub>10</sub>	1
30	Belgaum	Good	47	со	1
31	Bengaluru	Satisfactory	57	PM <sub>10</sub>	8
32	Bettiah	Moderate	132	PM <sub>10</sub>	1
33	Bhagalpur	Moderate	118	PM <sub>10</sub>	2
34	Bharatpur	Moderate	147	PM <sub>10</sub>	1
35	Bhilai	Satisfactory	61	PM <sub>10</sub> , PM <sub>2.5</sub>	2
36	Bhilwara	Moderate	139	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Moderate	183	PM <sub>10</sub>	1
38	Bhiwandi	Satisfactory	83	PM <sub>10</sub>	1
39	Bhiwani	Satisfactory	59	PM <sub>10</sub>	1
40	Bhopal	Moderate	113	PM <sub>10</sub>	3
41	Bidar	Satisfactory	67	PM <sub>10</sub>	1
42	Bihar Sharif	Good	45	03	1
43	Bikaner	Moderate	119	PM <sub>10</sub>	1
44	Bilaspur	Satisfactory	96	СО	1
45	Bileipada	Moderate	145	PM <sub>10</sub>	1
46	Brajrajnagar	Satisfactory	96	PM <sub>10</sub>	1
47	Bulandshahr	Moderate	135	PM <sub>10</sub>	1
48	Bundi	Moderate	119	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Byrnihat	Moderate	173	PM <sub>2.5</sub>	1
50	Chamarajanagar	Good	41	PM <sub>10</sub>	1
51	Chandigarh	Moderate	152	PM <sub>10</sub>	3
52	Chandrapur	Satisfactory	93	PM <sub>10</sub>	1
53	Charkhi Dadri	Satisfactory	96	PM <sub>10</sub>	1
54	Chennai	Satisfactory	71	O <sub>3</sub> , NO <sub>2</sub>	7
55	Chhal	Satisfactory	54	PM <sub>10</sub>	1
56	Chikkaballapur	Good	26	PM <sub>10</sub>	1
57	Chikkamagaluru	Good	37	03	1
58	Chittoor	Satisfactory	62	03	1
59	Churu	Satisfactory	55	PM <sub>10</sub>	1
60	Cuddalore	Good	34	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Damoh	Satisfactory	78	PM <sub>10</sub>	1
62	Dausa	Moderate	121	PM <sub>10</sub>	1
63	Dehradun	Moderate	102	со	1
64	Delhi	Moderate	140	PM <sub>10</sub>	36
65	Dewas	Satisfactory	69	PM <sub>10</sub>	1
66	Dharuhera	Moderate	141	PM <sub>10</sub>	1
67	Dholpur	Satisfactory	80	PM <sub>10</sub>	1
68	Dhule	Moderate	107	PM <sub>10</sub>	1
69	Durgapur	Moderate	107	PM <sub>10</sub>	1
70	Eloor	Satisfactory	59	PM <sub>10</sub>	1
71	Faridabad	Moderate	171	PM <sub>2.5</sub> , PM <sub>10</sub>	4
72	Fatehabad	Moderate	104	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Moderate	114	PM <sub>10</sub>	2
74	Gandhinagar	Moderate	116	PM <sub>2.5</sub> , PM <sub>10</sub>	2
75	Gangtok	Satisfactory	60	SO <sub>2</sub>	1
76	Gaya	Satisfactory	79	PM <sub>2.5</sub>	3
77	Ghaziabad	Moderate	144	PM <sub>10</sub>	4
78	Gorakhpur	Moderate	120	PM <sub>10</sub>	1
79	Greater Noida	Moderate	176	PM <sub>10</sub>	2
80	Gummidipoondi	Satisfactory	92	PM <sub>10</sub>	1
81	Gurugram	Moderate	165	PM <sub>2.5</sub> , PM <sub>10</sub>	4
82	Guwahati	Moderate	190	PM <sub>10</sub>	3
83	Gwalior	Satisfactory	83	PM <sub>2.5</sub>	4
84	Hajipur	Moderate	113	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Satisfactory	98	PM <sub>10</sub>	1
86	Hanumangarh	Moderate	132	PM <sub>10</sub>	1
87	Hapur	Satisfactory	75	PM <sub>10</sub>	1
88	Hassan	Good	46	PM <sub>10</sub>	1
89	Haveri	Good	38	со	1
90	Hisar	Moderate	130	PM <sub>10</sub>	1
91	Howrah	Moderate	108	PM <sub>10</sub>	3
92	Hubballi	Satisfactory	64	PM <sub>10</sub> , CO	2
93	Hyderabad	Satisfactory	98	PM <sub>10</sub>	13
94	Indore	Moderate	117	PM <sub>10</sub>	1
95	Jabalpur	Moderate	120	PM <sub>10</sub>	2
96	Jaipur	Satisfactory	96	PM <sub>10</sub>	5

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaisalmer	Moderate	107	PM <sub>10</sub>	1
98	Jalandhar	Moderate	120	PM <sub>10</sub>	1
99	Jalgaon	Satisfactory	73	PM <sub>2.5</sub>	1
100	Jalna	Satisfactory	57	PM <sub>10</sub>	1
101	Jhalawar	Satisfactory	86	PM <sub>10</sub>	1
102	Jhansi	Satisfactory	83	PM <sub>10</sub>	1
103	Jhunjhunu	Moderate	105	PM <sub>10</sub>	1
104	Jind	Moderate	110	PM <sub>10</sub>	1
105	Jodhpur	Moderate	101	PM <sub>10</sub>	5
106	Kadapa	Good	36	O <sub>3</sub>	1
107	Kaithal	Poor	206	PM <sub>2.5</sub>	1
108	Kalaburgi	Satisfactory	67	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kannur	Satisfactory	70	PM <sub>10</sub>	1
110	Kanpur	Satisfactory	71	PM <sub>10</sub>	3
111	Karauli	Good	49	PM <sub>10</sub>	1
112	Karnal	Satisfactory	89	PM <sub>10</sub>	1
113	Kashipur	Moderate	117	PM <sub>10</sub>	1
114	Katihar	Moderate	132	PM <sub>10</sub>	1
115	Katni	Moderate	111	PM <sub>10</sub>	1
116	Keonjhar	Moderate	104	PM <sub>10</sub>	1
117	Khanna	Moderate	106	PM <sub>10</sub>	1
118	Khurja	Moderate	138	PM <sub>2.5</sub>	1
119	Kishanganj	Poor	223	PM <sub>10</sub>	1
120	Kochi	Satisfactory	93	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kohima	Satisfactory	79	PM <sub>10</sub>	1
122	Kolhapur	Satisfactory	71	PM <sub>10</sub>	2
123	Kolkata	Moderate	104	PM <sub>10</sub> , PM <sub>2.5</sub>	7
124	Kollam	Satisfactory	67	PM <sub>10</sub>	1
125	Korba	Satisfactory	54	PM <sub>10</sub>	2
126	Kota	Satisfactory	85	PM <sub>10</sub>	3
127	Kunjemura	Moderate	121	PM <sub>10</sub>	1
128	Kurukshetra	Moderate	119	PM <sub>10</sub>	1
129	Latur	Satisfactory	70	PM <sub>10</sub>	1
130	Lucknow	Moderate	103	PM <sub>10</sub> , PM <sub>2.5</sub>	6
131	Ludhiana	Satisfactory	92	PM <sub>10</sub>	1
132	Madikeri	Good	38	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mahad	Satisfactory	73	PM <sub>10</sub>	1
134	Maihar	Satisfactory	60	PM <sub>10</sub>	1
135	Mandi Gobindgarh	Moderate	149	PM <sub>2.5</sub>	1
136	Mandideep	Moderate	118	PM <sub>10</sub>	1
137	Mandikhera	Satisfactory	68	PM <sub>10</sub>	1
138	Manesar	Satisfactory	68	PM <sub>2.5</sub>	1
139	Mangalore	Satisfactory	85	PM <sub>10</sub>	1
140	Meerut	Moderate	109	PM <sub>10</sub> , PM <sub>2.5</sub>	3
141	Moradabad	Moderate	111	PM <sub>10</sub>	6
142	Motihari	Moderate	136	PM <sub>10</sub>	1
143	Mumbai	Satisfactory	84	PM <sub>2.5</sub> , CO	22
144	Munger	Moderate	146	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarnagar	Moderate	131	PM <sub>10</sub>	1
146	Muzaffarpur	Moderate	142	PM <sub>2.5</sub> , NO <sub>2</sub>	3
147	Mysuru	Satisfactory	51	PM <sub>10</sub>	1
148	Nagaon	Poor	224	PM <sub>2.5</sub>	1
149	Nagaur	Moderate	115	PM <sub>10</sub>	1
150	Nagpur	Satisfactory	79	PM <sub>10</sub>	4
151	Nalbari	Poor	227	PM <sub>10</sub>	1
152	Nanded	Moderate	132	PM <sub>10</sub>	1
153	Narnaul	Moderate	128	PM <sub>10</sub>	1
154	Nashik	Satisfactory	53	PM <sub>10</sub>	4
155	Navi Mumbai	Satisfactory	73	PM <sub>10</sub>	5
156	Nayagarh	Satisfactory	97	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Noida	Moderate	110	PM <sub>10</sub> , CO	4
158	Pali	Satisfactory	94	PM <sub>10</sub>	1
159	Palwal	Good	45	PM <sub>2.5</sub>	1
160	Panchkula	Moderate	138	PM <sub>2.5</sub>	1
161	Panipat	Moderate	135	PM <sub>2.5</sub>	1
162	Parbhani	Satisfactory	94	PM <sub>10</sub>	1
163	Patiala	Moderate	110	PM <sub>10</sub>	1
164	Patna	Moderate	130	PM <sub>10</sub> , NO <sub>2</sub>	6
165	Pimpri Chinchwad	Satisfactory	85	PM <sub>2.5</sub>	3
166	Pithampur	Moderate	116	PM <sub>10</sub>	1
167	Pratapgarh	Moderate	126	PM <sub>10</sub>	1
168	Prayagraj	Moderate	121	PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Puducherry	Good	48	СО	1
170	Pune	Moderate	107	PM <sub>2.5</sub> , PM <sub>10</sub>	7
171	Purnia	Satisfactory	88	PM <sub>10</sub>	1
172	Raichur	Satisfactory	52	SO <sub>2</sub>	1
173	Raipur	Satisfactory	72	PM <sub>10</sub>	3
174	Rajamahendravaram	Satisfactory	68	PM <sub>10</sub>	1
175	Rajgir	Moderate	106	PM <sub>10</sub>	1
176	Rajsamand	Moderate	112	PM <sub>10</sub>	1
177	Ramanagara	Good	34	NO <sub>2</sub>	1
178	Ratlam	Moderate	101	PM <sub>10</sub>	1
179	Rishikesh	Satisfactory	56	PM <sub>10</sub>	1
180	Rohtak	Satisfactory	55	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rourkela	Moderate	121	PM <sub>10</sub>	1
182	Rupnagar	Moderate	194	PM <sub>10</sub>	1
183	Sagar	Satisfactory	76	PM <sub>10</sub>	1
184	Saharsa	Moderate	123	PM <sub>10</sub>	1
185	Sangli	Good	45	PM <sub>10</sub>	1
186	Sasaram	Satisfactory	93	PM <sub>2.5</sub>	1
187	Satna	Moderate	105	PM <sub>10</sub>	1
188	Sawai Madhopur	Satisfactory	80	PM <sub>10</sub>	1
189	Shillong	Satisfactory	70	PM <sub>10</sub> , PM <sub>2.5</sub>	2
190	Shivamogga	Satisfactory	70	PM <sub>10</sub>	1
191	Sikar	Moderate	103	PM <sub>10</sub>	1
192	Silchar	Satisfactory	52	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siliguri	Satisfactory	74	PM <sub>10</sub>	1
194	Singrauli	Moderate	163	PM <sub>10</sub>	1
195	Sirohi	Satisfactory	81	PM <sub>10</sub>	1
196	Sirsa	Moderate	133	PM <sub>10</sub>	1
197	Sivasagar	Satisfactory	58	PM <sub>10</sub>	1
198	Siwan	Moderate	199	PM <sub>2.5</sub>	1
199	Solapur	Satisfactory	91	PM <sub>10</sub>	3
200	Sonipat	Moderate	158	PM <sub>10</sub>	1
201	Sri Ganganagar	Moderate	103	PM <sub>10</sub>	1
202	Srinagar	Moderate	122	PM <sub>10</sub>	1
203	Suakati	Moderate	113	PM <sub>10</sub>	1
204	Talcher	Satisfactory	68	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thane	Satisfactory	89	PM <sub>10</sub>	3
206	Thiruvananthapuram	Good	28	CO, O <sub>3</sub>	2
207	Thoothukudi	Good	49	PM <sub>10</sub>	1
208	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
209	Tirupati	Good	44	PM <sub>10</sub>	1
210	Tirupur	Good	46	PM <sub>10</sub>	1
211	Tonk	Moderate	124	PM <sub>10</sub>	1
212	Tumakuru	Good	43	СО	1
213	Tumidih	Satisfactory	62	PM <sub>10</sub>	1
214	Udaipur	Satisfactory	81	PM <sub>10</sub>	1
215	Ujjain	Satisfactory	91	PM <sub>10</sub>	1
216	Ulhasnagar	Satisfactory	90	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vapi	Moderate	108	со	1
218	Varanasi	Satisfactory	58	PM <sub>10</sub>	4
219	Vatva	Moderate	102	PM <sub>10</sub>	1
220	Vijayawada	Satisfactory	66	PM <sub>10</sub>	2
221	Visakhapatnam	Moderate	150	PM <sub>10</sub>	1
222	Vrindavan	Satisfactory	64	PM <sub>10</sub>	1
223	Yadgir	Satisfactory	74	PM <sub>10</sub>	1
224	Yamunanagar	Moderate	138	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur,