

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	272	PM _{2.5}	1
2	Agra	Satisfactory	80	PM ₁₀	6
3	Ahmedabad	Moderate	131	PM ₁₀	8
4	Aizawl	Moderate	131	PM ₁₀	1
5	Ajmer	Satisfactory	79	03	1
6	Alwar	Satisfactory	78	PM ₁₀	1
7	Amaravati	Moderate	158	03	1
8	Amritsar	Moderate	124	PM _{2.5}	1
9	Anantapur	Satisfactory	67	PM ₁₀	1
10	Ankleshwar	Satisfactory	85	PM ₁₀	1
11	Araria	Poor	284	PM ₁₀	1
12	Ariyalur	Satisfactory	62	NO ₂	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	206	PM _{2.5}	1
14	Asansol	Poor	231	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	184	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Satisfactory	62	PM ₁₀	1
17	Baddi	Moderate	163	O ₃	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Bahadurgarh	Moderate	181	PM ₁₀	1
20	Ballabgarh	Satisfactory	62	PM _{2.5}	1
21	Banswara	Moderate	119	PM ₁₀	1
22	Bareilly	Moderate	110	PM ₁₀	2
23	Baripada	Moderate	191	PM _{2.5}	1
24	Barmer	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	134	PM ₁₀	1
26	Belgaum	Satisfactory	58	PM ₁₀	1
27	Bengaluru	Moderate	111	PM ₁₀ , PM _{2.5}	9
28	Bettiah	Poor	248	PM _{2.5}	1
29	Bhagalpur	Moderate	198	PM ₁₀	2
30	Bharatpur	Moderate	141	PM ₁₀	1
31	Bhilai	Good	44	PM ₁₀	2
32	Bhiwadi	Moderate	199	PM ₁₀	1
33	Bhiwani	Moderate	146	PM ₁₀	1
34	Bhopal	Moderate	121	03	3
35	Bihar Sharif	Poor	239	PM ₁₀	1
36	Bikaner	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Moderate	107	PM ₁₀	1
38	Bileipada	Poor	249	PM ₁₀	1
39	Bulandshahr	Moderate	166	PM ₁₀	1
40	Byrnihat	Very Poor	389	PM _{2.5}	1
41	Chamarajanagar	Good	44	PM ₁₀	1
42	Chandigarh	Moderate	134	O ₃ , PM ₁₀	3
43	Chandrapur	Moderate	106	PM _{2.5}	1
44	Charkhi Dadri	Poor	259	PM _{2.5}	1
45	Chennai	Satisfactory	78	PM _{2.5} , PM ₁₀	6
46	Chhal	Satisfactory	88	PM ₁₀	1
47	Chhapra	Poor	283	PM ₁₀	1
48	Chikkaballapur	Satisfactory	92	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Satisfactory	54	PM ₁₀	1
50	Churu	Satisfactory	98	PM ₁₀	1
51	Coimbatore	Good	44	PM _{2.5}	1
52	Cuddalore	Satisfactory	95	NO ₂	1
53	Damoh	Good	26	со	1
54	Dausa	Moderate	129	PM ₁₀	1
55	Davanagere	Satisfactory	71	PM _{2.5}	1
56	Dehradun	Moderate	116	со	1
57	Delhi	Poor	229	PM ₁₀ , PM _{2.5}	37
58	Dewas	Moderate	116	PM ₁₀	1
59	Dharuhera	Poor	250	PM ₁₀	1
60	Dharwad	Moderate	152	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Ambala, Ragboat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Moderate	181	PM ₁₀	1
62	Faridabad	Poor	223	PM ₁₀ , PM _{2.5}	4
63	Firozabad	Moderate	123	O ₃ , PM ₁₀	2
64	Gandhinagar	Moderate	134	PM _{2.5} , PM ₁₀	3
65	Gangtok	Satisfactory	62	O ₃	1
66	Gaya	Moderate	182	PM ₁₀ , PM _{2.5}	3
67	Ghaziabad	Poor	230	PM ₁₀	4
68	Gorakhpur	Moderate	106	PM _{2.5}	1
69	Greater Noida	Poor	291	PM ₁₀	2
70	Gummidipoondi	Moderate	124	PM ₁₀	1
71	Gurugram	Poor	231	PM _{2.5}	4
72	Guwahati	Poor	284	PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gwalior	Moderate	144	PM ₁₀ , PM _{2.5}	3
74	Hajipur	Poor	239	PM ₁₀	1
75	Hanumangarh	Moderate	187	PM ₁₀	1
76	Hapur	Moderate	113	03	1
77	Hassan	Satisfactory	92	PM ₁₀	1
78	Haveri	Satisfactory	88	PM ₁₀	1
79	Hisar	Moderate	178	PM _{2.5}	1
80	Hosur	Poor	203	PM _{2.5}	1
81	Howrah	Moderate	117	PM ₁₀	3
82	Hubballi	Moderate	143	PM ₁₀	2
83	Hyderabad	Satisfactory	92	PM ₁₀ , NO ₂	13
84	Imphal	Moderate	134	PM _{2.5} , SO ₂	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Satisfactory	72	со	2
86	Jabalpur	Satisfactory	87	PM ₁₀	1
87	Jaipur	Moderate	112	PM ₁₀ , PM _{2.5}	5
88	Jalandhar	Satisfactory	90	PM ₁₀	1
89	Jhalawar	Satisfactory	85	PM ₁₀	1
90	Jhansi	Satisfactory	68	SO ₂	1
91	Jhunjhunu	Moderate	168	O ₃	1
92	Jind	Moderate	131	PM _{2.5}	1
93	Jodhpur	Moderate	122	PM ₁₀ , PM _{2.5}	4
94	Jorapokhar	Poor	204	PM ₁₀	1
95	Kaithal	Moderate	177	PM _{2.5}	1
96	Kalaburgi	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Moderate	133	PM ₁₀	1
98	Kanpur	Moderate	133	PM _{2.5}	3
99	Karauli	Good	38	PM _{2.5}	1
100	Karnal	Moderate	102	PM ₁₀	1
101	Katihar	Poor	269	PM ₁₀	1
102	Katni	Moderate	119	PM ₁₀	1
103	Keonjhar	Moderate	160	PM _{2.5}	1
104	Khanna	Moderate	110	PM ₁₀	1
105	Khurja	Moderate	114	PM _{2.5}	1
106	Kishanganj	Moderate	195	PM ₁₀	1
107	Kochi	Satisfactory	81	PM _{2.5}	1
108	Kolkata	Moderate	106	PM _{2.5} , PM ₁₀	7

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Ambala, Ragboat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kollam	Satisfactory	96	PM ₁₀	1
110	Koppal	Satisfactory	63	со	1
111	Korba	Satisfactory	88	PM ₁₀	2
112	Kota	Moderate	106	PM ₁₀ , O ₃	3
113	Kunjemura	Moderate	104	PM ₁₀	1
114	Kurukshetra	Moderate	136	PM ₁₀	1
115	Lucknow	Poor	204	PM _{2.5}	6
116	Ludhiana	Moderate	155	PM ₁₀	1
117	Madikeri	Good	41	PM _{2.5}	1
118	Mandi Gobindgarh	Moderate	103	PM ₁₀	1
119	Mandideep	Moderate	102	PM ₁₀	1
120	Mandikhera	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Manesar	Moderate	193	PM _{2.5}	1
122	Mangalore	Satisfactory	81	PM ₁₀	1
123	Manguraha	Very Poor	332	PM _{2.5}	1
124	Meerut	Moderate	194	PM ₁₀	3
125	Moradabad	Moderate	127	PM ₁₀	6
126	Motihari	Moderate	157	PM ₁₀	1
127	Mumbai	Satisfactory	100	PM _{2.5} , PM ₁₀	18
128	Munger	Poor	293	PM ₁₀	1
129	Muzaffarnagar	Moderate	184	PM _{2.5}	1
130	Muzaffarpur	Very Poor	310	PM _{2.5}	2
131	Mysuru	Satisfactory	86	O ₃	1
132	Nagaon	Very Poor	319	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagpur	Moderate	129	PM _{2.5}	1
134	Narnaul	Moderate	122	PM ₁₀	1
135	Nashik	Satisfactory	58	03	1
136	Navi Mumbai	Moderate	176	PM _{2.5} , PM ₁₀	3
137	Nayagarh	Moderate	186	PM _{2.5}	1
138	Noida	Poor	261	PM ₁₀	4
139	Ooty	Satisfactory	81	PM _{2.5}	1
140	Pali	Satisfactory	80	PM ₁₀	1
141	Palwal	Moderate	102	PM ₁₀	1
142	Panchkula	Moderate	121	PM _{2.5}	1
143	Panipat	Moderate	168	PM ₁₀	1
144	Patiala	Moderate	115	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patna	Poor	273	PM ₁₀ , PM _{2.5}	6
146	Pithampur	Moderate	111	PM ₁₀	1
147	Pratapgarh	Moderate	103	PM ₁₀	1
148	Prayagraj	Satisfactory	52	SO ₂	3
149	Puducherry	Satisfactory	61	PM ₁₀	1
150	Pune	Moderate	186	PM _{2.5}	3
151	Purnia	Satisfactory	98	PM _{2.5}	1
152	Raipur	Satisfactory	74	PM ₁₀ , NO ₂	4
153	Rairangpur	Poor	295	PM _{2.5}	1
154	Rajamahendravaram	Moderate	111	PM ₁₀	1
155	Rajgir	Moderate	171	PM ₁₀	1
156	Rajsamand	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanagara	Satisfactory	96	PM ₁₀	1
158	Ramanathapuram	Satisfactory	52	PM ₁₀	1
159	Rishikesh	Satisfactory	54	O ₃	1
160	Rohtak	Moderate	176	PM _{2.5}	1
161	Rourkela	Poor	253	PM _{2.5}	3
162	Rupnagar	Poor	227	PM ₁₀	1
163	Saharsa	Poor	211	PM _{2.5}	1
164	Samastipur	Very Poor	309	PM ₁₀	1
165	Satna	Moderate	137	PM ₁₀	1
166	Sawai Madhopur	Satisfactory	92	PM ₁₀	1
167	Shillong	Moderate	197	PM _{2.5}	1
168	Shivamogga	Satisfactory	55	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sikar	Moderate	132	PM ₁₀	1
170	Silchar	Satisfactory	65	PM ₁₀	1
171	Siliguri	Moderate	136	PM _{2.5}	1
172	Singrauli	Moderate	131	PM ₁₀	1
173	Sirsa	Poor	245	PM ₁₀	1
174	Sivasagar	Satisfactory	80	PM ₁₀	1
175	Siwan	Poor	250	PM _{2.5}	1
176	Solapur	Satisfactory	83	PM ₁₀	1
177	Sri Ganganagar	Moderate	108	PM _{2.5}	1
178	Srinagar	Satisfactory	94	PM _{2.5}	1
179	Suakati	Poor	216	PM _{2.5}	1
180	Surat	Satisfactory	83	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Talcher	Poor	242	PM ₁₀	1
182	Thane	Moderate	176	03	1
183	Thiruvananthapuram	Satisfactory	56	PM ₁₀	2
184	Thoothukudi	Satisfactory	93	PM ₁₀	1
185	Thrissur	Moderate	122	PM ₁₀	1
186	Tirupati	Moderate	130	PM _{2.5} , PM ₁₀	2
187	Tirupur	Satisfactory	63	PM ₁₀	1
188	Tonk	Moderate	134	PM ₁₀	1
189	Tumakuru	Moderate	146	со	1
190	Tumidih	Moderate	165	03	1
191	Udaipur	Satisfactory	94	PM ₁₀	1
192	Ujjain	Moderate	151	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vapi	Moderate	135	PM _{2.5}	1
194	Varanasi	Satisfactory	87	PM ₁₀ , PM _{2.5}	4
195	Vatva	Moderate	129	PM ₁₀	1
196	Vijayapura	Good	42	PM ₁₀	1
197	Vijayawada	Poor	229	PM _{2.5}	1
198	Visakhapatnam	Moderate	188	PM _{2.5}	1
199	Vrindavan	Moderate	146	PM ₁₀	1
200	Yadgir	Satisfactory	57	PM ₁₀	1
201	Yamunanagar	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.