

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	26	PM ₁₀ , SO ₂	2
2	Agra	Moderate	134	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	99	PM ₁₀ , PM _{2.5} , CO	5
4	Aizawl	Good	22	O ₃	1
5	Ajmer	Moderate	193	PM _{2.5}	1
6	Alwar	Moderate	120	PM ₁₀	1
7	Amaravati	Good	31	03	1
8	Ambala	Moderate	173	PM _{2.5}	1
9	Amritsar	Moderate	167	03	1
10	Ankleshwar	Satisfactory	96	PM ₁₀	1
11	Araria	Satisfactory	87	PM _{2.5}	1
12	Arrah	Satisfactory	80	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	73	03	1
14	Aurangabad (Bihar)	Moderate	121	PM _{2.5}	1
15	Baddi	Moderate	152	PM ₁₀	1
16	Bagalkot	Good	46	PM ₁₀	1
17	Bahadurgarh	Moderate	178	PM _{2.5}	1
18	Ballabgarh	Poor	260	PM ₁₀	1
19	Bathinda	Satisfactory	100	PM ₁₀	1
20	Begusarai	Satisfactory	95	PM _{2.5}	1
21	Bengaluru	Satisfactory	53	PM ₁₀ , PM _{2.5}	9
22	Bettiah	Satisfactory	72	PM _{2.5}	1
23	Bhagalpur	Satisfactory	94	NO ₂ , PM ₁₀	2
24	Bhiwadi	Very Poor	314	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	148	PM ₁₀	1
26	Bhopal	Satisfactory	99	O ₃	1
27	Bihar Sharif	Moderate	193	PM ₁₀	1
28	Bilaspur	Satisfactory	64	PM ₁₀	1
29	Bulandshahr	Poor	209	PM ₁₀	1
30	Buxar	Moderate	175	PM ₁₀	1
31	Chamarajanagar	Good	36	PM ₁₀	1
32	Chandigarh	Moderate	144	O ₃ , PM ₁₀	3
33	Chandrapur	Satisfactory	82	PM _{2.5} , CO	2
34	Charkhi Dadri	Moderate	190	PM ₁₀	1
35	Chennai	Satisfactory	64	CO, PM _{2.5} , PM ₁₀	8
36	Chhapra	Moderate	139	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	27	PM ₁₀	1
38	Coimbatore	Good	33	PM _{2.5}	1
39	Damoh	Satisfactory	60	PM ₁₀	1
40	Darbhanga	Moderate	128	PM ₁₀	1
41	Dehradun	Moderate	124	PM ₁₀	1
42	Delhi	Moderate	197	PM ₁₀ , PM _{2.5}	34
43	Dewas	Satisfactory	56	03	1
44	Eloor	Satisfactory	58	PM ₁₀	1
45	Ernakulam	Good	45	со	1
46	Faridabad	Moderate	145	PM ₁₀	3
47	Fatehabad	Moderate	161	PM ₁₀	1
48	Firozabad	Moderate	150	O ₃ , PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	130	PM _{2.5} , PM ₁₀	3
50	Gangtok	Good	41	O ₃	1
51	Gaya	Moderate	104	PM ₁₀ , PM _{2.5}	3
52	Ghaziabad	Moderate	187	PM ₁₀ , O ₃	4
53	Gorakhpur	Good	45	SO ₂	1
54	Greater Noida	Moderate	190	O ₃ , PM ₁₀	2
55	Gurugram	Poor	233	PM ₁₀	2
56	Guwahati	Good	36	PM ₁₀	2
57	Gwalior	Moderate	186	PM ₁₀	1
58	Hajipur	Moderate	133	PM _{2.5}	1
59	Haldia	Good	32	со	1
60	Hapur	Poor	215	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Moderate	175	PM ₁₀	1
62	Howrah	Good	39	PM ₁₀	3
63	Hubballi	Good	50	со	1
64	Hyderabad	Satisfactory	53	CO, PM _{2.5} , PM ₁₀	13
65	Imphal	Satisfactory	93	SO ₂	1
66	Indore	Satisfactory	96	PM _{2.5}	1
67	Jabalpur	Satisfactory	83	PM ₁₀	1
68	Jaipur	Poor	251	PM _{2.5} , PM ₁₀	3
69	Jalandhar	Moderate	120	PM ₁₀	1
70	Jind	Moderate	117	PM ₁₀	1
71	Jodhpur	Poor	278	PM ₁₀	1
72	Kaithal	Moderate	107	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalaburgi	Good	36	03	1
74	Kannur	Satisfactory	53	PM _{2.5}	1
75	Kanpur	Moderate	102	PM ₁₀	2
76	Karnal	Satisfactory	95	PM ₁₀	1
77	Katihar	Moderate	108	PM ₁₀	1
78	Khanna	Satisfactory	97	PM ₁₀	1
79	Khurja	Moderate	139	PM ₁₀	1
80	Kishanganj	Satisfactory	66	O ₃	1
81	Kochi	Satisfactory	66	PM _{2.5}	1
82	Kolkata	Good	43	PM ₁₀ , O ₃ , NO ₂	6
83	Kollam	Satisfactory	55	PM _{2.5}	1
84	Kota	Moderate	136	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	76	PM ₁₀	1
86	Kurukshetra	Moderate	110	PM ₁₀	1
87	Lucknow	Moderate	106	PM ₁₀ , PM _{2.5} , O ₃	6
88	Ludhiana	Moderate	180	03	1
89	Mandi Gobindgarh	Satisfactory	92	PM ₁₀	1
90	Mandideep	Satisfactory	69	03	1
91	Mandikhera	Satisfactory	65	PM _{2.5}	1
92	Manesar	Poor	209	PM _{2.5}	1
93	Meerut	Moderate	149	CO, PM ₁₀	3
94	Moradabad	Moderate	149	PM _{2.5} , O ₃ , PM ₁₀	6
95	Motihari	Moderate	107	PM _{2.5}	1
96	Mumbai	Good	48	CO, SO ₂ , PM ₁₀	14

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Munger	Moderate	119	PM ₁₀	1
98	Muzaffarnagar	Moderate	185	03	1
99	Muzaffarpur	Moderate	117	PM _{2.5}	3
100	Mysuru	Good	36	03	1
101	Nagpur	Satisfactory	70	PM ₁₀	1
102	Narnaul	Satisfactory	87	PM _{2.5}	1
103	Nashik	Good	42	со	1
104	Navi Mumbai	Good	37	со	1
105	Noida	Moderate	188	PM ₁₀	4
106	Pali	Poor	272	PM _{2.5}	1
107	Palwal	Moderate	153	PM ₁₀	1
108	Panchkula	Moderate	109	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panipat	Moderate	121	PM ₁₀	1
110	Patiala	Satisfactory	95	PM ₁₀	1
111	Patna	Moderate	128	PM ₁₀ , PM _{2.5}	6
112	Pithampur	Moderate	108	PM ₁₀	1
113	Prayagraj	Satisfactory	53	SO ₂ , PM ₁₀	2
114	Puducherry	Good	47	PM ₁₀	1
115	Pune	Satisfactory	75	SO ₂ , CO	5
116	Purnia	Moderate	136	PM ₁₀	1
117	Rajamahendravaram	Good	37	PM ₁₀	1
118	Rajgir	Satisfactory	87	со	1
119	Ramanagara	Good	33	PM ₁₀	1
120	Ratlam	Satisfactory	61	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rohtak	Moderate	157	PM _{2.5}	1
122	Rupnagar	Satisfactory	79	PM ₁₀	1
123	Sagar	Satisfactory	56	со	1
124	Saharsa	Poor	232	PM ₁₀	1
125	Samastipur	Moderate	148	PM ₁₀	1
126	Sasaram	Satisfactory	95	03	1
127	Satna	Satisfactory	95	PM ₁₀	1
128	Shillong	Good	17	PM ₁₀	1
129	Shivamogga	Satisfactory	52	PM ₁₀	1
130	Siliguri	Satisfactory	52	PM ₁₀	1
131	Singrauli	Satisfactory	98	NO ₂	1
132	Sirsa	Moderate	133	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Satisfactory	92	PM ₁₀	1
134	Sonipat	Moderate	163	PM ₁₀	1
135	Srinagar	Satisfactory	83	PM ₁₀	1
136	Talcher	Satisfactory	66	со	1
137	Thiruvananthapuram	Good	44	со	1
138	Thoothukudi	Good	29	PM ₁₀	1
139	Thrissur	Good	42	03	1
140	Tirupati	Good	42	со	1
141	Udaipur	Satisfactory	91	PM _{2.5}	1
142	Ujjain	Satisfactory	99	03	1
143	Varanasi	Satisfactory	69	O ₃ , NO ₂	3
144	Vatva	Satisfactory	62	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vijayapura	Good	45	PM ₁₀	1
146	Visakhapatnam	Moderate	102	PM ₁₀	1
147	Vrindavan	Moderate	130	PM ₁₀	1
148	Yadgir	Good	31	СО	1
149	Yamunanagar	Moderate	112	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Notes: Baghpat, Bareilly, Bhilai, Bidar, Brajrajnagar, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Haveri, Jhansi, Jorapokhar, Kalyan, Katni, Kohima, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Siwan, Thane, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.