

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	97	PM _{2.5}	1
2	Agra	Moderate	147	PM _{2.5} , PM ₁₀	4
3	Ahmedabad	Satisfactory	60	PM ₁₀ , PM _{2.5}	6
4	Aizawl	Good	49	PM ₁₀	1
5	Ajmer	Satisfactory	84	PM _{2.5}	1
6	Alwar	Satisfactory	80	PM ₁₀	1
7	Amaravati	Satisfactory	62	PM ₁₀	1
8	Ambala	Moderate	116	PM ₁₀	1
9	Amritsar	Satisfactory	58	со	1
10	Ankleshwar	Moderate	104	PM _{2.5}	1
11	Asansol	Moderate	133	PM _{2.5}	1
12	Aurangabad	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	38	PM _{2.5}	1
14	Baghpat	Poor	227	PM _{2.5}	1
15	Bahadurgarh	Moderate	128	PM ₁₀	1
16	Ballabgarh	Moderate	182	PM _{2.5}	1
17	Bathinda	Good	37	PM ₁₀	1
18	Bengaluru	Good	49	NO ₂ , CO, PM ₁₀	6
19	Bhiwadi	Moderate	131	PM ₁₀	1
20	Bhiwani	Satisfactory	99	PM ₁₀	1
21	Bhopal	Satisfactory	98	03	1
22	Bilaspur	Moderate	111	PM ₁₀	1
23	Bulandshahr	Moderate	160	PM _{2.5}	1
24	Chamarajanagar	Good	42	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	90	PM _{2.5} , PM ₁₀	2
26	Chandrapur	Moderate	134	PM _{2.5} , PM ₁₀	2
27	Charkhi Dadri	Moderate	109	PM ₁₀	1
28	Chennai	Good	46	PM ₁₀ , CO	7
29	Chikkaballapur	Good	30	NO ₂	1
30	Chikkamagaluru	Good	29	PM ₁₀	1
31	Damoh	Satisfactory	60	PM _{2.5}	1
32	Davanagere	Good	24	NO ₂	1
33	Delhi	Moderate	160	PM _{2.5} , PM ₁₀	37
34	Dewas	Satisfactory	79	PM ₁₀	1
35	Durgapur	Poor	226	PM _{2.5}	1
36	Ernakulam	Good	39	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	175	PM _{2.5} , PM ₁₀	3
38	Fatehabad	Satisfactory	80	PM ₁₀	1
39	Firozabad	Satisfactory	91	PM ₁₀	1
40	Gandhinagar	Satisfactory	79	PM _{2.5} , CO, PM ₁₀	3
41	Gaya	Satisfactory	78	PM _{2.5}	2
42	Ghaziabad	Poor	204	PM _{2.5} , PM ₁₀	4
43	Gorakhpur	Moderate	196	PM _{2.5}	1
44	Greater Noida	Moderate	164	PM _{2.5} , PM ₁₀	2
45	Gummidipoondi	Satisfactory	90	PM ₁₀	1
46	Gurugram	Moderate	138	PM _{2.5} , PM ₁₀ , CO	4
47	Guwahati	Moderate	166	PM _{2.5}	2
48	Gwalior	Moderate	124	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Moderate	112	PM _{2.5}	1
50	Haldia	Moderate	162	PM _{2.5}	1
51	Hapur	Moderate	176	PM _{2.5}	1
52	Hassan	Good	23	NO ₂	1
53	Howrah	Moderate	157	PM _{2.5}	3
54	Hubballi	Satisfactory	55	PM ₁₀	1
55	Hyderabad	Moderate	125	PM _{2.5} , PM ₁₀	5
56	Indore	Moderate	114	PM ₁₀	1
57	Jabalpur	Moderate	116	PM ₁₀	1
58	Jaipur	Satisfactory	78	PM ₁₀ , O ₃	2
59	Jalandhar	Moderate	115	PM ₁₀	1
60	Jodhpur	Moderate	111	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	122	PM ₁₀	1
62	Kalaburgi	Moderate	110	PM ₁₀	1
63	Kalyan	Moderate	111	PM ₁₀	1
64	Kannur	Good	44	O ₃	1
65	Kanpur	Satisfactory	86	PM ₁₀ , PM _{2.5}	4
66	Karnal	Moderate	127	PM _{2.5}	1
67	Katni	Moderate	198	PM ₁₀	1
68	Khanna	Moderate	128	PM ₁₀	1
69	Kochi	Good	45	NO ₂	1
70	Kohima	Satisfactory	76	PM ₁₀	1
71	Kolar	Good	47	PM ₁₀	1
72	Kolkata	Moderate	192	PM _{2.5}	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Moderate	120	СО	1
74	Koppal	Good	42	со	1
75	Kota	Satisfactory	71	PM _{2.5}	1
76	Kozhikode	Good	48	PM ₁₀	1
77	Kurukshetra	Moderate	156	PM ₁₀	1
78	Lucknow	Moderate	168	PM ₁₀ , PM _{2.5}	4
79	Mandi Gobindgarh	Moderate	180	PM _{2.5}	1
80	Mandideep	Moderate	164	PM ₁₀	1
81	Mandikhera	Satisfactory	81	PM _{2.5}	1
82	Manesar	Moderate	101	PM _{2.5}	1
83	Manglore	Satisfactory	77	со	1
84	Medikeri	Satisfactory	52	O ₃	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Moderate	157	PM _{2.5} , PM ₁₀	3
86	Moradabad	Moderate	175	PM _{2.5}	1
87	Mumbai	Satisfactory	74	PM ₁₀	13
88	Muzaffarnagar	Moderate	167	PM ₁₀	1
89	Muzaffarpur	Moderate	142	PM _{2.5} , PM ₁₀	2
90	Mysuru	Good	30	03	1
91	Nandesari	Satisfactory	85	PM _{2.5}	1
92	Narnaul	Satisfactory	67	PM _{2.5}	1
93	Nashik	Satisfactory	56	PM ₁₀	1
94	Navi Mumbai	Satisfactory	94	PM ₁₀ , PM _{2.5}	3
95	Noida	Moderate	174	PM _{2.5} , PM ₁₀	4
96	Pali	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Satisfactory	90	PM ₁₀	1
98	Panchkula	Satisfactory	97	PM _{2.5}	1
99	Panipat	Moderate	141	PM ₁₀	1
100	Patiala	Moderate	138	PM _{2.5}	1
101	Patna	Moderate	170	NO ₂ , PM ₁₀ , PM _{2.5}	5
102	Pithampur	Satisfactory	79	PM _{2.5}	1
103	Prayagraj	Moderate	122	PM _{2.5} , PM ₁₀	3
104	Puducherry	Good	49	03	1
105	Pune	Satisfactory	81	PM _{2.5} , PM ₁₀ , CO	3
106	Raichur	Satisfactory	80	PM ₁₀	1
107	Rajamahendravaram	Satisfactory	60	PM ₁₀	1
108	Ramanagara	Good	48	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ratlam	Satisfactory	74	PM ₁₀	1
110	Rohtak	Moderate	137	PM _{2.5}	1
111	Rupnagar	Satisfactory	68	PM ₁₀	1
112	Sagar	Good	38	PM _{2.5}	1
113	Satna	Satisfactory	67	PM ₁₀	1
114	Shivamogga	Good	41	PM ₁₀	1
115	Siliguri	Satisfactory	97	PM _{2.5}	1
116	Singrauli	Poor	246	PM ₁₀	1
117	Sirsa	Satisfactory	65	PM ₁₀	1
118	Sonipat	Poor	233	PM ₁₀	1
119	Srinagar	Good	35	PM ₁₀	1
120	Talcher	Moderate	125	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Moderate	144	PM ₁₀	1
122	Thiruvananthapuram	Good	28	O ₃ , PM ₁₀	2
123	Thoothukudi	Good	40	PM ₁₀	1
124	Thrissur	Good	43	PM ₁₀	1
125	Tirupati	Good	46	со	1
126	Udaipur	Satisfactory	80	PM ₁₀	1
127	Ujjain	Satisfactory	95	PM ₁₀	1
128	Vapi	Satisfactory	99	PM ₁₀	1
129	Varanasi	Satisfactory	99	PM ₁₀	4
130	Vatva	Satisfactory	97	NO ₂	1
131	Vijayapura	Good	49	PM ₁₀	1
132	Visakhapatnam	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Minimal Impact

Good	Minimai impaci
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vrindavan	Moderate	176	PM _{2.5}	1
134	Yamunanagar	Poor	212	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Dharuhera, Eloor, Gadag, Hisar, Jind, Jorapokhar, Ludhiana, Maihar, Motihari, Nagpur, Naharlagun, Shillong, Solapur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.