

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	132	PM ₁₀	2
2	Agra	Satisfactory	90	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	112	NO ₂	1
4	Aizawl	Good	28	PM ₁₀	1
5	Ajmer	Moderate	151	PM _{2.5}	1
6	Alwar	Moderate	122	PM _{2.5}	1
7	Amaravati	Satisfactory	95	PM _{2.5}	1
8	Ambala	Moderate	116	PM _{2.5}	1
9	Amritsar	Moderate	188	PM _{2.5}	1
10	Anantapur	Moderate	107	PM _{2.5}	1
11	Ankleshwar	Moderate	187	PM _{2.5}	1
12	Araria	Very Poor	316	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar,
 Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar,
 Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati,
 Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	242	PM ₁₀	1
14	Asansol	Poor	280	PM _{2.5}	1
15	Aurangabad (Bihar)	Poor	237	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	114	PM _{2.5}	1
17	Baddi	Moderate	127	PM _{2.5}	1
18	Bagalkot	Good	39	PM ₁₀	1
19	Bahadurgarh	Poor	232	PM _{2.5}	1
20	Ballabgarh	Poor	238	PM _{2.5}	1
21	Bareilly	Satisfactory	88	PM ₁₀	2
22	Bathinda	Moderate	175	PM _{2.5}	1
23	Begusarai	Very Poor	370	PM _{2.5}	1
24	Belgaum	Moderate	147	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	98	PM _{2.5} , PM ₁₀	8
26	Bettiah	Very Poor	394	PM _{2.5}	1
27	Bhagalpur	Very Poor	325	PM _{2.5}	2
28	Bhilai	Satisfactory	63	PM ₁₀	1
29	Bhiwadi	Poor	211	PM _{2.5}	1
30	Bhiwani	Moderate	180	PM _{2.5}	1
31	Bhopal	Poor	246	PM _{2.5}	2
32	Bidar	Satisfactory	79	СО	1
33	Bihar Sharif	Very Poor	314	PM _{2.5}	1
34	Bilaspur	Satisfactory	62	со	1
35	Bulandshahr	Poor	223	PM _{2.5}	1
36	Chamarajanagar	Good	36	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar,
 Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar,
 Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati,
 Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	121	O ₃ , PM _{2.5}	3
38	Chandrapur	Moderate	172	PM _{2.5}	1
39	Charkhi Dadri	Moderate	173	PM _{2.5}	1
40	Chennai	Good	44	со	7
41	Chhapra	Very Poor	368	PM ₁₀	1
42	Chikkaballapur	Satisfactory	100	PM ₁₀	1
43	Chikkamagaluru	Satisfactory	70	PM ₁₀	1
44	Coimbatore	Satisfactory	82	со	1
45	Damoh	Satisfactory	95	PM _{2.5}	1
46	Darbhanga	Severe	404	PM _{2.5}	1
47	Davanagere	Moderate	106	PM ₁₀	1
48	Delhi	Very Poor	303	PM _{2.5}	37

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar,
 Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar,
 Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati,
 Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	129	PM ₁₀	1
50	Dharuhera	Poor	250	PM _{2.5}	1
51	Dindigul	Good	42	SO ₂	1
52	Durgapur	Moderate	152	PM ₁₀	1
53	Eloor	Satisfactory	57	PM ₁₀	1
54	Ernakulam	Satisfactory	56	со	1
55	Faridabad	Poor	274	PM _{2.5}	4
56	Fatehabad	Poor	223	PM _{2.5}	1
57	Firozabad	Satisfactory	87	PM _{2.5} , PM ₁₀	2
58	Gadag	Satisfactory	87	PM ₁₀	1
59	Gandhinagar	Moderate	124	SO ₂	1
60	Gangtok	Good	30	PM ₁₀	1

Possible Health Impacts

....

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Poor	206	PM _{2.5}	3
62	Ghaziabad	Poor	236	PM _{2.5}	4
63	Gorakhpur	Moderate	156	PM ₁₀	1
64	Greater Noida	Poor	240	PM ₁₀	2
65	Gurugram	Poor	286	PM ₁₀ , PM _{2.5}	4
66	Guwahati	Moderate	130	PM _{2.5}	3
67	Gwalior	Very Poor	307	PM _{2.5}	2
68	Hajipur	Poor	235	PM _{2.5}	1
69	Haldia	Moderate	118	PM ₁₀	1
70	Hapur	Moderate	170	PM _{2.5}	1
71	Hassan	Satisfactory	98	PM _{2.5}	1
72	Haveri	Moderate	149	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar,
 Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar,
 Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati,
 Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Satisfactory	89	СО	1
74	Howrah	Poor	241	PM _{2.5}	3
75	Hubballi	Moderate	125	PM _{2.5}	1
76	Hyderabad	Satisfactory	83	PM _{2.5} , PM ₁₀	14
77	Imphal	Moderate	166	O ₃	2
78	Indore	Moderate	116	PM ₁₀	1
79	Jabalpur	Poor	220	PM _{2.5}	1
80	Jaipur	Moderate	200	PM _{2.5}	3
81	Jalandhar	Moderate	185	PM _{2.5}	1
82	Jhansi	Moderate	152	PM _{2.5}	1
83	Jind	Poor	299	PM _{2.5}	1
84	Jodhpur	Moderate	188	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Poor	252	PM _{2.5}	1
86	Kalaburgi	Moderate	128	PM _{2.5}	1
87	Kalyan	Moderate	175	PM ₁₀	1
88	Kannur	Satisfactory	87	PM ₁₀	1
89	Kanpur	Poor	237	PM _{2.5}	3
90	Karnal	Moderate	162	PM _{2.5}	1
91	Katihar	Very Poor	385	PM _{2.5}	1
92	Katni	Moderate	196	PM ₁₀	1
93	Khanna	Moderate	102	PM ₁₀	1
94	Khurja	Satisfactory	93	PM _{2.5}	1
95	Kishanganj	Poor	214	PM ₁₀	1
96	Kochi	Poor	246	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kohima	Moderate	116	SO ₂	1
98	Kolar	Satisfactory	75	PM ₁₀	1
99	Kolkata	Poor	214	PM _{2.5}	7
100	Kollam	Satisfactory	84	PM ₁₀	1
101	Koppal	Moderate	125	03	1
102	Kota	Moderate	178	PM _{2.5}	1
103	Kozhikode	Satisfactory	67	PM ₁₀	1
104	Kurukshetra	Moderate	184	PM _{2.5}	1
105	Lucknow	Moderate	190	PM _{2.5}	6
106	Ludhiana	Moderate	165	PM _{2.5}	1
107	Madikeri	Good	38	PM _{2.5}	1
108	Maihar	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Poor	234	PM ₁₀	1
110	Mandideep	Moderate	132	PM ₁₀	1
111	Mandikhera	Satisfactory	98	PM ₁₀	1
112	Manesar	Moderate	184	PM _{2.5}	1
113	Manguraha	Moderate	156	PM _{2.5}	1
114	Meerut	Moderate	200	PM _{2.5}	3
115	Moradabad	Moderate	123	PM _{2.5}	6
116	Motihari	Severe	419	PM _{2.5}	1
117	Mumbai	Moderate	156	NO ₂ , PM ₁₀	17
118	Munger	Poor	252	PM _{2.5}	1
119	Muzaffarnagar	Poor	218	PM _{2.5}	1
120	Muzaffarpur	Poor	255	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar,
 Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar,
 Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati,
 Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Satisfactory	79	PM ₁₀	1
122	Nagpur	Poor	235	PM _{2.5}	1
123	Nandesari	Good	50	со	1
124	Narnaul	Moderate	136	PM _{2.5}	1
125	Nashik	Moderate	128	PM _{2.5}	1
126	Navi Mumbai	Moderate	184	PM _{2.5}	3
127	Noida	Poor	233	PM _{2.5}	4
128	Ooty	Good	48	SO ₂	1
129	Pali	Moderate	118	PM _{2.5}	1
130	Palwal	Satisfactory	69	PM ₁₀	1
131	Panchkula	Satisfactory	91	PM _{2.5}	1
132	Panipat	Moderate	173	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Moderate	148	PM _{2.5}	1
134	Patna	Very Poor	306	PM ₁₀ , PM _{2.5}	6
135	Pithampur	Moderate	144	PM ₁₀	1
136	Prayagraj	Moderate	141	PM _{2.5} , PM ₁₀	3
137	Puducherry	Good	26	СО	1
138	Purnia	Very Poor	379	PM _{2.5}	1
139	Raichur	Moderate	131	PM ₁₀	1
140	Rajamahendravaram	Satisfactory	97	PM ₁₀	1
141	Rajgir	Poor	266	PM _{2.5}	1
142	Ramanagara	Satisfactory	98	PM _{2.5}	1
143	Ramanathapuram	Good	16	со	1
144	Ratlam	Moderate	104	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rohtak	Poor	233	PM _{2.5}	1
146	Rupnagar	Moderate	118	PM ₁₀	1
147	Sagar	Moderate	114	PM _{2.5} , CO	2
148	Saharsa	Very Poor	372	PM _{2.5}	1
149	Salem	Satisfactory	71	SO ₂	1
150	Samastipur	Very Poor	348	PM _{2.5}	1
151	Sasaram	Poor	276	PM _{2.5}	1
152	Satna	Satisfactory	61	PM ₁₀	1
153	Shillong	Satisfactory	62	PM ₁₀ , PM _{2.5}	2
154	Shivamogga	Satisfactory	68	O ₃	1
155	Siliguri	Moderate	105	PM ₁₀	1
156	Singrauli	Poor	294	PM _{2.5}	1

Possible Health Impacts

Poor

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure Severe

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sirsa	Moderate	196	PM _{2.5}	1
158	Sivasagar	Good	42	PM ₁₀	1
159	Siwan	Severe	417	PM _{2.5}	1
160	Solapur	Satisfactory	100	PM _{2.5}	1
161	Sonipat	Poor	211	PM ₁₀	1
162	Surat	Moderate	142	PM ₁₀	1
163	Talcher	Moderate	137	PM _{2.5}	1
164	Thane	Moderate	144	PM ₁₀	1
165	Thiruvananthapuram	Satisfactory	67	со	2
166	Thoothukudi	Good	37	PM ₁₀	1
167	Thrissur	Satisfactory	57	PM ₁₀	1
168	Tirupur	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Udaipur	Moderate	154	PM _{2.5}	1
170	Ujjain	Moderate	117	PM ₁₀	1
171	Varanasi	Moderate	125	PM _{2.5}	4
172	Vatva	Moderate	133	PM _{2.5}	1
173	Vijayapura	Good	46	PM ₁₀	1
174	Visakhapatnam	Moderate	113	PM ₁₀	1
175	Vrindavan	Moderate	128	PM ₁₀	1
176	Yadgir	Moderate	139	PM _{2.5}	1
177	Yamunanagar	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Brajrajnagar, Buxar, Chengalpattu, Dehradun, Gummidipoondi, Hisar, Jorapokhar, Kanchipuram, Korba, Manglore, Naharlagun, Pune, Raipur, Srinagar, Tirupati, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.