

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	21	SO ₂	1
2	Agra	Satisfactory	55	PM ₁₀ , PM _{2.5}	3
3	Ahmedabad	Moderate	113	PM ₁₀ , PM _{2.5} , CO	7
4	Aizawl	Good	12	PM ₁₀	1
5	Ajmer	Satisfactory	91	PM ₁₀	1
6	Alwar	Satisfactory	64	PM ₁₀	1
7	Amaravati	Satisfactory	94	PM ₁₀	1
8	Ambala	Satisfactory	62	03	1
9	Amritsar	Moderate	152	PM _{2.5}	1
10	Ankleshwar	Moderate	119	PM ₁₀	1
11	Asansol	Good	47	PM ₁₀	1
12	Bagalkot	Good	50	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Hajipur, Haldia, Jorapokhar, Kalyan, Kolar, Kozhikode, Maihar, Manesar, Manglore, Mysuru, Nandesari, Rupnagar, Shillong, Siliguri, Solapur, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	79	PM ₁₀	1
14	Bahadurgarh	Satisfactory	54	PM _{2.5}	1
15	Ballabgarh	Satisfactory	99	со	1
16	Bathinda	Satisfactory	97	PM ₁₀	1
17	Bengaluru	Satisfactory	64	PM _{2.5} , PM ₁₀	10
18	Bhiwadi	Satisfactory	93	PM _{2.5}	1
19	Bhiwani	Satisfactory	55	PM ₁₀	1
20	Bhopal	Moderate	103	PM ₁₀	1
21	Bulandshahr	Satisfactory	55	03	1
22	Chamarajanagar	Good	44	PM ₁₀	1
23	Chandigarh	Good	41	O ₃	1
24	Chandrapur	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Hajipur, Haldia, Jorapokhar, Kalyan, Kolar, Kozhikode, Maihar, Manesar, Manglore, Mysuru, Nandesari, Rupnagar, Shillong, Siliguri, Solapur, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	120	PM _{2.5}	1
26	Chennai	Satisfactory	81	SO ₂ , PM ₁₀ , PM _{2.5}	7
27	Chikkaballapur	Satisfactory	68	PM ₁₀	1
28	Chikkamagaluru	Good	48	PM ₁₀	1
29	Damoh	Good	32	PM _{2.5}	1
30	Davanagere	Satisfactory	61	PM ₁₀	1
31	Delhi	Satisfactory	84	PM ₁₀ , O ₃ , PM _{2.5}	34
32	Dewas	Satisfactory	80	PM ₁₀	1
33	Dharuhera	Satisfactory	91	PM ₁₀	1
34	Durgapur	Moderate	145	PM ₁₀	1
35	Eloor	Satisfactory	75	со	1
36	Faridabad	Satisfactory	70	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Hajipur, Haldia, Jorapokhar, Kalyan, Kolar, Kozhikode, Maihar, Manesar, Manglore, Mysuru, Nandesari, Rupnagar, Shillong, Siliguri, Solapur, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Satisfactory	94	03	1
38	Gadag	Good	42	PM _{2.5}	1
39	Gandhinagar	Moderate	129	PM _{2.5} , PM ₁₀	3
40	Gaya	Satisfactory	56	CO, O ₃	2
41	Ghaziabad	Satisfactory	92	O ₃ , PM ₁₀	4
42	Greater Noida	Satisfactory	65	PM ₁₀ , PM _{2.5}	2
43	Gummidipoondi	Moderate	112	PM ₁₀	1
44	Gurugram	Satisfactory	74	O ₃ , PM ₁₀ , PM _{2.5}	4
45	Guwahati	Good	34	SO ₂	1
46	Gwalior	Satisfactory	100	03	1
47	Hapur	Good	25	SO ₂	1
48	Hassan	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Hajipur, Haldia, Jorapokhar, Kalyan, Kolar, Kozhikode, Maihar, Manesar, Manglore, Mysuru, Nandesari, Rupnagar, Shillong, Siliguri, Solapur, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Satisfactory	72	PM ₁₀	1
50	Howrah	Good	50	CO, PM ₁₀	3
51	Hubballi	Satisfactory	81	PM ₁₀	1
52	Hyderabad	Moderate	106	PM ₁₀ , PM _{2.5}	4
53	Indore	Satisfactory	87	PM ₁₀	1
54	Jabalpur	Moderate	104	PM ₁₀	1
55	Jaipur	Moderate	160	PM ₁₀	3
56	Jalandhar	Moderate	112	PM ₁₀	1
57	Jind	Good	34	O ₃	1
58	Jodhpur	Moderate	183	PM _{2.5}	1
59	Kaithal	Satisfactory	52	PM ₁₀	1
60	Kalaburgi	Moderate	114	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Hajipur, Haldia, Jorapokhar, Kalyan, Kolar, Kozhikode, Maihar, Manesar, Manglore, Mysuru, Nandesari, Rupnagar, Shillong, Siliguri, Solapur, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	67	PM ₁₀	1
62	Kanpur	Satisfactory	62	PM _{2.5}	2
63	Karnal	Satisfactory	88	O ₃	1
64	Katni	Moderate	103	PM ₁₀	1
65	Khanna	Satisfactory	56	PM ₁₀	1
66	Kochi	Good	42	PM ₁₀	1
67	Kohima	Good	30	SO ₂	1
68	Kolkata	Satisfactory	51	PM ₁₀ , NO ₂ , O ₃	7
69	Kollam	Satisfactory	100	со	1
70	Koppal	Satisfactory	62	со	1
71	Kota	Satisfactory	83	PM ₁₀	1
72	Kurukshetra	Good	46	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Hajipur, Haldia, Jorapokhar, Kalyan, Kolar, Kozhikode, Maihar, Manesar, Manglore, Mysuru, Nandesari, Rupnagar, Shillong, Siliguri, Solapur, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Satisfactory	74	O ₃ , CO, NH ₃	5
74	Ludhiana	Satisfactory	70	PM ₁₀	1
75	Mandi Gobindgarh	Good	41	PM ₁₀	1
76	Mandideep	Good	44	PM ₁₀	1
77	Mandikhera	Good	50	со	1
78	Medikeri	Good	24	O ₃	1
79	Meerut	Good	38	NO ₂ , PM ₁₀	3
80	Moradabad	Satisfactory	91	PM _{2.5}	1
81	Mumbai	Moderate	117	PM ₁₀ , PM _{2.5}	15
82	Muzaffarnagar	Satisfactory	77	со	1
83	Muzaffarpur	Satisfactory	65	со	1
84	Nagpur	Satisfactory	58	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Hajipur, Haldia, Jorapokhar, Kalyan, Kolar, Kozhikode, Maihar, Manesar, Manglore, Mysuru, Nandesari, Rupnagar, Shillong, Siliguri, Solapur, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Naharlagun	Good	31	SO ₂	1
86	Narnaul	Moderate	127	PM ₁₀	1
87	Nashik	Moderate	106	PM _{2.5}	1
88	Navi Mumbai	Poor	215	PM ₁₀	2
89	Noida	Satisfactory	70	CO, O ₃ , PM ₁₀	4
90	Pali	Moderate	117	PM _{2.5}	1
91	Palwal	Satisfactory	82	PM ₁₀	1
92	Panchkula	Good	39	со	1
93	Panipat	Satisfactory	63	SO ₂	1
94	Patiala	Good	37	PM ₁₀	1
95	Patna	Satisfactory	61	CO, O ₃ , PM _{2.5}	5
96	Pithampur	Satisfactory	58	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Hajipur, Haldia, Jorapokhar, Kalyan, Kolar, Kozhikode, Maihar, Manesar, Manglore, Mysuru, Nandesari, Rupnagar, Shillong, Siliguri, Solapur, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Prayagraj	Satisfactory	64	PM _{2.5} , PM ₁₀	2
98	Puducherry	Satisfactory	73	PM ₁₀	1
99	Pune	Moderate	126	PM _{2.5} , PM ₁₀ , CO	7
100	Raichur	Moderate	112	PM ₁₀	1
101	Rajamahendravaram	Moderate	103	PM ₁₀	1
102	Ramanagara	Satisfactory	64	PM ₁₀	1
103	Ratlam	Satisfactory	61	PM _{2.5}	1
104	Rohtak	Satisfactory	93	O ₃	1
105	Sagar	Good	30	PM _{2.5}	1
106	Satna	Satisfactory	81	PM ₁₀	1
107	Shivamogga	Good	36	PM ₁₀	1
108	Singrauli	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Hajipur, Haldia, Jorapokhar, Kalyan, Kolar, Kozhikode, Maihar, Manesar, Manglore, Mysuru, Nandesari, Rupnagar, Shillong, Siliguri, Solapur, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Moderate	136	PM ₁₀	1
110	Sonipat	Moderate	153	PM ₁₀	1
111	Srinagar	Satisfactory	51	PM ₁₀	1
112	Talcher	Moderate	110	со	1
113	Thane	Moderate	134	PM ₁₀	1
114	Thiruvananthapuram	Satisfactory	100	со	1
115	Thoothukudi	Satisfactory	98	PM ₁₀	1
116	Tirupati	Satisfactory	68	PM ₁₀	1
117	Udaipur	Moderate	110	PM ₁₀	1
118	Ujjain	Satisfactory	88	PM ₁₀	1
119	Vapi	Satisfactory	98	PM ₁₀	1
120	Varanasi	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Hajipur, Haldia, Jorapokhar, Kalyan, Kolar, Kozhikode, Maihar, Manesar, Manglore, Mysuru, Nandesari, Rupnagar, Shillong, Siliguri, Solapur, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Moderate	132	PM _{2.5}	1
122	Vijayapura	Satisfactory	60	СО	1
123	Visakhapatnam	Moderate	121	PM ₁₀	1
124	Yadgir	Moderate	118	PM ₁₀	1
125	Yamunanagar	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Ernakulam, Hajipur, Haldia, Jorapokhar, Kalyan, Kolar, Kozhikode, Maihar, Manesar, Manglore, Mysuru, Nandesari, Rupnagar, Shillong, Siliguri, Solapur, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.