

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	105	PM <sub>2.5</sub>	1
2	Agra	Moderate	137	PM <sub>2.5</sub> , PM <sub>10</sub>	5
3	Ahmedabad	Moderate	194	PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	31	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	79	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	74	PM <sub>10</sub>	1
7	Amaravati	Poor	206	PM <sub>10</sub>	1
8	Ambala	Satisfactory	98	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	91	PM <sub>10</sub>	1
10	Ankleshwar	Poor	263	PM <sub>2.5</sub>	1
11	Araria	Poor	235	PM <sub>2.5</sub>	1
12	Arrah	Poor	205	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	219	PM <sub>2.5</sub>	1
14	Aurangabad	Moderate	154	PM <sub>10</sub>	1
15	Bagalkot	Good	50	PM <sub>2.5</sub>	1
16	Baghpat	Moderate	124	PM <sub>2.5</sub>	1
17	Bahadurgarh	Moderate	118	PM <sub>2.5</sub>	1
18	Ballabgarh	Poor	227	PM <sub>2.5</sub>	1
19	Bathinda	Satisfactory	91	PM <sub>10</sub>	1
20	Bengaluru	Moderate	103	PM <sub>2.5</sub> , PM <sub>10</sub>	10
21	Bettiah	Moderate	180	PM <sub>10</sub>	1
22	Bhagalpur	Very Poor	320	PM <sub>2.5</sub>	2
23	Bhilai	Satisfactory	71	PM <sub>10</sub>	1
24	Bhiwadi	Moderate	198	PM <sub>2.5</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Satisfactory	91	PM <sub>2.5</sub>	1
26	Bhopal	Moderate	119	PM <sub>10</sub>	1
27	Bidar	Severe	437	PM <sub>10</sub>	1
28	Bihar Sharif	Moderate	178	PM <sub>2.5</sub>	1
29	Bilaspur	Satisfactory	52	PM <sub>10</sub>	1
30	Brajrajnagar	Satisfactory	77	PM <sub>10</sub>	1
31	Bulandshahr	Poor	225	PM <sub>2.5</sub>	1
32	Buxar	Poor	300	PM <sub>2.5</sub>	1
33	Chamarajanagar	Good	33	PM <sub>10</sub>	1
34	Chandigarh	Moderate	101	PM <sub>2.5</sub> , PM <sub>10</sub>	2
35	Chandrapur	Very Poor	314	PM <sub>2.5</sub> , PM <sub>10</sub>	2
36	Charkhi Dadri	Moderate	133	СО	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	70	PM <sub>10</sub> , CO	7
38	Chhapra	Very Poor	347	PM <sub>2.5</sub>	1
39	Chikkaballapur	Moderate	105	PM <sub>10</sub>	1
40	Chikkamagaluru	Good	45	PM <sub>10</sub>	1
41	Darbhanga	Poor	290	PM <sub>2.5</sub>	1
42	Davanagere	Poor	204	PM <sub>10</sub>	1
43	Delhi	Poor	234	PM <sub>10</sub> , PM <sub>2.5</sub>	36
44	Dewas	Moderate	112	PM <sub>10</sub>	1
45	Dharuhera	Moderate	193	PM <sub>2.5</sub>	1
46	Durgapur	Poor	226	PM <sub>10</sub>	1
47	Eloor	Satisfactory	70	PM <sub>10</sub>	1
48	Faridabad	Poor	287	PM <sub>2.5</sub> , PM <sub>10</sub>	4

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Satisfactory	85	PM <sub>10</sub>	1
50	Firozabad	Moderate	170	PM <sub>2.5</sub>	1
51	Gadag	Moderate	126	PM <sub>10</sub>	1
52	Gandhinagar	Moderate	157	PM <sub>2.5</sub> , PM <sub>10</sub>	3
53	Gaya	Satisfactory	90	PM <sub>2.5</sub> , PM <sub>10</sub>	2
54	Ghaziabad	Poor	229	PM <sub>2.5</sub>	4
55	Greater Noida	Poor	220	PM <sub>2.5</sub>	1
56	Gurugram	Poor	238	PM <sub>2.5</sub>	4
57	Guwahati	Moderate	120	PM <sub>2.5</sub>	2
58	Gwalior	Moderate	175	PM <sub>2.5</sub>	1
59	Hajipur	Satisfactory	100	PM <sub>10</sub>	1
60	Haldia	Moderate	116	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Satisfactory	100	PM <sub>2.5</sub>	1
62	Hisar	Moderate	129	PM <sub>2.5</sub>	1
63	Howrah	Poor	226	PM <sub>2.5</sub>	3
64	Hubballi	Poor	205	PM <sub>10</sub>	1
65	Hyderabad	Moderate	193	PM <sub>2.5</sub>	5
66	Indore	Moderate	136	PM <sub>10</sub>	1
67	Jabalpur	Moderate	187	PM <sub>10</sub>	1
68	Jaipur	Moderate	103	PM <sub>10</sub>	2
69	Jalandhar	Satisfactory	98	PM <sub>10</sub>	1
70	Jind	Moderate	111	PM <sub>2.5</sub>	1
71	Jodhpur	Moderate	120	PM <sub>10</sub>	1
72	Jorapokhar	Satisfactory	87	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Satisfactory	100	PM <sub>10</sub>	1
74	Kalaburgi	Severe	465	PM <sub>10</sub>	1
75	Kalyan	Poor	226	PM <sub>10</sub>	1
76	Kannur	Poor	203	PM <sub>2.5</sub>	1
77	Kanpur	Moderate	148	NO <sub>2</sub> , PM <sub>10</sub>	3
78	Karnal	Satisfactory	66	PM <sub>10</sub>	1
79	Katihar	Very Poor	359	PM <sub>2.5</sub>	1
80	Katni	Moderate	190	PM <sub>10</sub>	1
81	Khanna	Satisfactory	67	PM <sub>10</sub>	1
82	Kishanganj	Very Poor	316	PM <sub>2.5</sub>	1
83	Kochi	Moderate	103	PM <sub>2.5</sub>	1
84	Kohima	Moderate	108	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Poor	208	PM <sub>2.5</sub>	7
86	Kollam	Satisfactory	57	NO <sub>2</sub>	1
87	Koppal	Moderate	120	PM <sub>10</sub>	1
88	Kota	Moderate	134	PM <sub>2.5</sub>	1
89	Kurukshetra	Moderate	101	PM <sub>10</sub>	1
90	Lucknow	Moderate	123	PM <sub>2.5</sub>	6
91	Ludhiana	Satisfactory	69	PM <sub>10</sub>	1
92	Madikeri	Moderate	127	PM <sub>10</sub>	1
93	Maihar	Satisfactory	59	со	1
94	Mandi Gobindgarh	Satisfactory	97	PM <sub>2.5</sub>	1
95	Mandideep	Satisfactory	73	PM <sub>10</sub>	1
96	Mandikhera	Satisfactory	89	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Poor	210	PM <sub>2.5</sub>	1
98	Manglore	Satisfactory	97	PM <sub>2.5</sub>	1
99	Meerut	Moderate	138	PM <sub>2.5</sub>	3
100	Moradabad	Satisfactory	86	PM <sub>2.5</sub> , PM <sub>10</sub>	4
101	Motihari	Poor	235	PM <sub>2.5</sub>	1
102	Mumbai	Poor	268	PM <sub>2.5</sub> , PM <sub>10</sub>	18
103	Munger	Severe	402	PM <sub>2.5</sub>	1
104	Muzaffarnagar	Poor	207	PM <sub>2.5</sub>	1
105	Muzaffarpur	Poor	286	PM <sub>2.5</sub>	1
106	Mysuru	Satisfactory	86	O <sub>3</sub>	1
107	Naharlagun	Satisfactory	83	PM <sub>10</sub>	1
108	Narnaul	Moderate	110	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Moderate	143	PM <sub>10</sub>	1
110	Navi Mumbai	Poor	252	PM <sub>10</sub>	2
111	Noida	Poor	224	PM <sub>2.5</sub> , PM <sub>10</sub>	4
112	Pali	Satisfactory	96	PM <sub>10</sub>	1
113	Palwal	Moderate	110	PM <sub>10</sub>	1
114	Panchkula	Moderate	140	PM <sub>2.5</sub>	1
115	Panipat	Moderate	102	PM <sub>10</sub>	1
116	Patiala	Satisfactory	72	PM <sub>10</sub>	1
117	Patna	Poor	278	PM <sub>2.5</sub> , PM <sub>10</sub>	6
118	Pithampur	Moderate	129	PM <sub>2.5</sub>	1
119	Prayagraj	Moderate	102	PM <sub>10</sub>	3
120	Puducherry	Good	43	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Poor	250	PM <sub>2.5</sub>	2
122	Purnia	Poor	299	PM <sub>2.5</sub>	1
123	Raichur	Very Poor	390	PM <sub>10</sub>	1
124	Rajamahendravaram	Satisfactory	89	PM <sub>10</sub>	1
125	Ramanagara	Satisfactory	87	PM <sub>10</sub>	1
126	Rohtak	Moderate	134	PM <sub>2.5</sub>	1
127	Rupnagar	Good	46	со	1
128	Saharsa	Very Poor	312	PM <sub>10</sub>	1
129	Sasaram	Poor	293	PM <sub>2.5</sub>	1
130	Satna	Satisfactory	61	PM <sub>10</sub>	1
131	Shivamogga	Satisfactory	51	PM <sub>10</sub>	1
132	Siliguri	Moderate	112	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Poor	246	PM <sub>2.5</sub>	1
134	Sirsa	Satisfactory	73	PM <sub>10</sub>	1
135	Siwan	Very Poor	364	PM <sub>2.5</sub>	1
136	Solapur	Satisfactory	78	PM <sub>2.5</sub>	1
137	Sonipat	Moderate	101	PM <sub>10</sub>	1
138	Srinagar	Moderate	103	PM <sub>10</sub>	1
139	Talcher	Moderate	119	NO <sub>2</sub>	1
140	Thane	Moderate	196	03	1
141	Thiruvananthapuram	Satisfactory	74	PM <sub>10</sub> , PM <sub>2.5</sub>	2
142	Thoothukudi	Satisfactory	82	PM <sub>10</sub>	1
143	Tirupati	Satisfactory	73	PM <sub>10</sub>	1
144	Udaipur	Moderate	156	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	165	PM <sub>2.5</sub>	1
146	Vapi	Very Poor	347	PM <sub>2.5</sub>	1
147	Varanasi	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	4
148	Vatva	Moderate	173	PM <sub>2.5</sub>	1
149	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
150	Visakhapatnam	Satisfactory	83	PM <sub>10</sub>	1
151	Vrindavan	Moderate	124	PM <sub>2.5</sub>	1
152	Yamunanagar	Moderate	116	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Damoh, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Kolar, Kozhikode, Manguraha, Nagpur, Nandesari, Rajgir, Ratlam, Sagar, Shillong, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.