

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	225	PM <sub>2.5</sub>	1
2	Agra	Poor	227	PM <sub>2.5</sub> , PM <sub>10</sub>	4
3	Ahmedabad	Satisfactory	89	PM <sub>10</sub> , PM <sub>2.5</sub>	9
4	Aizawl	Good	29	PM <sub>10</sub>	1
5	Ajmer	Moderate	129	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	82	PM <sub>10</sub>	1
7	Amaravati	Good	42	со	1
8	Ambala	Moderate	197	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	107	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	126	PM <sub>2.5</sub>	1
11	Araria	Moderate	194	PM <sub>2.5</sub>	1
12	Arrah	Moderate	179	03	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar, Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	120	PM <sub>2.5</sub>	1
14	Aurangabad	Satisfactory	99	PM <sub>10</sub>	1
15	Bagalkot	Good	50	PM <sub>2.5</sub>	1
16	Baghpat	Poor	203	PM <sub>2.5</sub>	1
17	Bahadurgarh	Poor	267	PM <sub>2.5</sub>	1
18	Ballabgarh	Poor	283	PM <sub>2.5</sub>	1
19	Bathinda	Moderate	127	PM <sub>10</sub>	1
20	Bengaluru	Satisfactory	87	PM <sub>10</sub> , PM <sub>2.5</sub>	8
21	Bettiah	Poor	271	PM <sub>2.5</sub>	1
22	Bhagalpur	Poor	250	PM <sub>2.5</sub>	2
23	Bhiwadi	Very Poor	339	PM <sub>2.5</sub>	1
24	Bhiwani	Moderate	185	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Very Poor

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Respiratory illness on prolonged exposure

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar, Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	130	PM <sub>2.5</sub>	1
26	Bihar Sharif	Moderate	180	PM <sub>2.5</sub>	1
27	Brajrajnagar	Satisfactory	52	PM <sub>10</sub>	1
28	Bulandshahr	Very Poor	303	PM <sub>2.5</sub>	1
29	Buxar	Poor	284	PM <sub>2.5</sub>	1
30	Chamarajanagar	Good	31	NO <sub>2</sub>	1
31	Chandigarh	Poor	214	PM <sub>2.5</sub>	2
32	Chandrapur	Satisfactory	52	PM <sub>10</sub>	2
33	Charkhi Dadri	Poor	237	PM <sub>2.5</sub>	1
34	Chennai	Good	39	CO, PM <sub>10</sub>	8
35	Chhapra	Poor	272	PM <sub>2.5</sub>	1
36	Chikkaballapur	Satisfactory	66	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar, Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	39	PM <sub>10</sub>	1
38	Coimbatore	Satisfactory	54	PM <sub>2.5</sub>	1
39	Damoh	Moderate	108	PM <sub>2.5</sub>	1
40	Darbhanga	Poor	260	PM <sub>2.5</sub>	1
41	Delhi	Very Poor	348	PM <sub>2.5</sub>	36
42	Dewas	Moderate	121	PM <sub>2.5</sub>	1
43	Dharuhera	Poor	252	PM <sub>2.5</sub>	1
44	Durgapur	Moderate	126	PM <sub>2.5</sub>	1
45	Eloor	Satisfactory	70	PM <sub>10</sub>	1
46	Ernakulam	Satisfactory	63	PM <sub>2.5</sub>	1
47	Faridabad	Very Poor	315	PM <sub>2.5</sub>	3
48	Fatehabad	Moderate	101	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar, Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	200	PM <sub>2.5</sub>	1
50	Gandhinagar	Satisfactory	81	PM <sub>10</sub> , SO <sub>2</sub>	3
51	Gaya	Moderate	159	PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Ghaziabad	Poor	285	PM <sub>2.5</sub>	3
53	Gorakhpur	Satisfactory	78	PM <sub>2.5</sub>	1
54	Greater Noida	Very Poor	305	PM <sub>2.5</sub>	2
55	Gummidipoondi	Good	32	PM <sub>10</sub>	1
56	Gurugram	Very Poor	383	PM <sub>2.5</sub>	4
57	Guwahati	Very Poor	301	PM <sub>2.5</sub>	2
58	Gwalior	Poor	211	PM <sub>2.5</sub>	1
59	Hajipur	Moderate	173	PM <sub>2.5</sub>	1
60	Haldia	Satisfactory	98	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar, Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	225	PM <sub>2.5</sub>	1
62	Hassan	Satisfactory	82	PM <sub>10</sub>	1
63	Hisar	Poor	228	PM <sub>2.5</sub>	1
64	Howrah	Moderate	146	PM <sub>2.5</sub> , PM <sub>10</sub>	3
65	Hubballi	Moderate	108	PM <sub>2.5</sub>	1
66	Hyderabad	Satisfactory	57	PM <sub>10</sub> , NO <sub>2</sub> , PM <sub>2.5</sub>	6
67	Indore	Moderate	126	PM <sub>2.5</sub>	1
68	Jabalpur	Moderate	175	PM <sub>2.5</sub>	1
69	Jaipur	Moderate	116	PM <sub>2.5</sub>	1
70	Jalandhar	Satisfactory	85	PM <sub>2.5</sub>	1
71	Jind	Poor	221	PM <sub>2.5</sub>	1
72	Kalaburgi	Moderate	105	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
  Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar,
  Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher,
  Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	280	PM <sub>2.5</sub>	1
74	Kannur	Satisfactory	66	PM <sub>2.5</sub>	1
75	Kanpur	Moderate	165	PM <sub>2.5</sub>	3
76	Karnal	Moderate	157	PM <sub>2.5</sub>	1
77	Katihar	Poor	233	PM <sub>2.5</sub>	1
78	Katni	Poor	224	PM <sub>2.5</sub>	1
79	Khanna	Moderate	106	PM <sub>10</sub>	1
80	Kishanganj	Poor	283	PM <sub>2.5</sub>	1
81	Kochi	Moderate	126	PM <sub>2.5</sub>	1
82	Kohima	Satisfactory	76	PM <sub>10</sub>	1
83	Kolar	Satisfactory	62	PM <sub>2.5</sub>	1
84	Kolkata	Moderate	142	PM <sub>2.5</sub>	5

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar, Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	90	PM <sub>10</sub>	1
86	Koppal	Satisfactory	61	O <sub>3</sub>	1
87	Kota	Poor	213	PM <sub>2.5</sub>	1
88	Kozhikode	Good	49	PM <sub>10</sub>	1
89	Kurukshetra	Poor	205	PM <sub>2.5</sub>	1
90	Lucknow	Moderate	167	PM <sub>2.5</sub> , PM <sub>10</sub>	6
91	Ludhiana	Moderate	140	PM <sub>2.5</sub>	1
92	Maihar	Good	44	со	1
93	Mandi Gobindgarh	Moderate	114	PM <sub>2.5</sub>	1
94	Mandideep	Satisfactory	95	SO <sub>2</sub>	1
95	Mandikhera	Satisfactory	60	PM <sub>10</sub>	1
96	Manglore	Good	34	СО	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar, Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	270	PM <sub>2.5</sub>	3
98	Moradabad	Moderate	142	PM <sub>2.5</sub>	3
99	Motihari	Poor	203	PM <sub>2.5</sub>	1
100	Mumbai	Poor	208	PM <sub>2.5</sub>	15
101	Munger	Very Poor	304	PM <sub>2.5</sub>	1
102	Muzaffarnagar	Poor	279	PM <sub>2.5</sub>	1
103	Muzaffarpur	Poor	238	PM <sub>2.5</sub>	2
104	Mysuru	Satisfactory	53	03	1
105	Nagpur	Satisfactory	91	со	1
106	Nashik	Moderate	120	PM <sub>2.5</sub>	1
107	Navi Mumbai	Poor	231	PM <sub>2.5</sub> , PM <sub>10</sub>	2
108	Noida	Very Poor	319	PM <sub>2.5</sub>	4

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar, Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Satisfactory	94	PM <sub>2.5</sub>	1
110	Palwal	Satisfactory	58	со	1
111	Panchkula	Poor	284	PM <sub>2.5</sub>	1
112	Panipat	Poor	221	PM <sub>2.5</sub>	1
113	Patiala	Moderate	146	PM <sub>2.5</sub>	1
114	Patna	Poor	210	PM <sub>2.5</sub> , PM <sub>10</sub>	6
115	Pithampur	Moderate	138	PM <sub>2.5</sub>	1
116	Prayagraj	Moderate	120	PM <sub>2.5</sub>	3
117	Puducherry	Good	25	PM <sub>10</sub>	1
118	Pune	Moderate	137	PM <sub>2.5</sub>	2
119	Purnia	Poor	207	PM <sub>2.5</sub>	1
120	Raichur	Moderate	136	PM <sub>10</sub>	1

#### Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar, Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Moderate	102	PM <sub>2.5</sub>	1
122	Rajgir	Poor	228	PM <sub>2.5</sub>	1
123	Ramanagara	Good	47	PM <sub>10</sub>	1
124	Ratlam	Satisfactory	81	PM <sub>10</sub>	1
125	Rohtak	Poor	244	PM <sub>2.5</sub>	1
126	Rupnagar	Moderate	107	PM <sub>2.5</sub>	1
127	Sagar	Satisfactory	51	PM <sub>2.5</sub>	1
128	Saharsa	Poor	212	PM <sub>2.5</sub>	1
129	Sasaram	Poor	237	PM <sub>2.5</sub>	1
130	Satna	Satisfactory	52	PM <sub>10</sub>	1
131	Shillong	Good	23	PM <sub>2.5</sub>	1
132	Shivamogga	Good	48	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar, Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Poor	216	PM <sub>2.5</sub>	1
134	Sirsa	Satisfactory	92	PM <sub>10</sub>	1
135	Siwan	Very Poor	316	PM <sub>2.5</sub>	1
136	Sonipat	Good	47	PM <sub>2.5</sub>	1
137	Srinagar	Poor	222	PM <sub>10</sub>	1
138	Thane	Moderate	191	PM <sub>10</sub>	1
139	Thiruvananthapuram	Satisfactory	73	PM <sub>10</sub> , CO	2
140	Thoothukudi	Good	46	PM <sub>10</sub>	1
141	Tirupati	Good	45	PM <sub>2.5</sub>	1
142	Ujjain	Moderate	112	PM <sub>10</sub>	1
143	Vapi	Poor	266	PM <sub>2.5</sub>	1
144	Varanasi	Moderate	128	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur, Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar, Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher, Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Moderate	102	PM <sub>10</sub>	1
146	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
147	Visakhapatnam	Satisfactory	66	PM <sub>2.5</sub>	1
148	Vrindavan	Moderate	193	PM <sub>2.5</sub>	1
149	Yadgir	Satisfactory	76	PM <sub>10</sub>	1
150	Yamunanagar	Moderate	162	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhilai, Bidar, Bilaspur,
  Davanagere, Gadag, Jodhpur, Jorapokhar, Kaithal, Madikeri, Manesar,
  Manguraha, Naharlagun, Nandesari, Narnaul, Siliguri, Solapur, Talcher,
  Thrissur, Udaipur, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.