

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	77	O ₃	1
2	Ahmedabad	Moderate	131	PM ₁₀	1
3	Aizawl	Satisfactory	51	PM ₁₀	1
4	Ajmer	Moderate	131	PM ₁₀	1
5	Alwar	Satisfactory	83	PM ₁₀	1
6	Amaravati	Good	41	03	1
7	Ambala	Moderate	102	PM ₁₀	1
8	Ankleshwar	Satisfactory	85	O ₃	1
9	Asansol	Moderate	125	PM ₁₀	1
10	Bagalkot	Satisfactory	73	PM _{2.5}	1
11	Baghpat	Poor	204	PM ₁₀	1
12	Ballabgarh	Satisfactory	97	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bahadurgarh, Bhiwani, Bidar, Brajrajnagar, Coimbatore,
 Dharuhera, Ernakulam, Kalaburgi, Karnal, Kurukshetra, Maihar, Mandi
 Gobindgarh, Mandikhera, Nagpur, Narnaul, Nashik, Panchkula, Raichur, Satna,
 Shillong, Solapur, Srinagar, Udupi, Vijayapura as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	86	PM ₁₀	1
14	Bengaluru	Satisfactory	78	O ₃ , PM ₁₀ , PM _{2.5}	8
15	Bhiwadi	Moderate	191	PM _{2.5}	1
16	Bhopal	Moderate	111	PM ₁₀	1
17	Bulandshahr	Moderate	133	PM ₁₀	1
18	Chamarajanagar	Satisfactory	51	PM ₁₀	1
19	Chandigarh	Moderate	113	PM ₁₀	1
20	Chandrapur	Satisfactory	98	PM ₁₀ , PM _{2.5}	2
21	Charkhi Dadri	Satisfactory	96	PM ₁₀	1
22	Chennai	Satisfactory	54	O ₃ , CO, PM ₁₀	7
23	Chikkaballapur	Satisfactory	73	PM ₁₀	1
24	Chikkamagaluru	Satisfactory	53	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bahadurgarh, Bhiwani, Bidar, Brajrajnagar, Coimbatore,
 Dharuhera, Ernakulam, Kalaburgi, Karnal, Kurukshetra, Maihar, Mandi
 Gobindgarh, Mandikhera, Nagpur, Narnaul, Nashik, Panchkula, Raichur, Satna,
 Shillong, Solapur, Srinagar, Udupi, Vijayapura as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Satisfactory	66	PM ₁₀	1
26	Davanagere	Satisfactory	62	PM ₁₀	1
27	Delhi	Moderate	128	PM _{2.5} , PM ₁₀	29
28	Dewas	Moderate	115	PM ₁₀	1
29	Durgapur	Moderate	175	PM ₁₀	1
30	Eloor	Good	48	со	1
31	Faridabad	Moderate	141	PM ₁₀	2
32	Fatehabad	Satisfactory	97	PM ₁₀	1
33	Gadag	Satisfactory	54	SO ₂	1
34	Gandhinagar	Moderate	102	PM ₁₀	1
35	Gaya	Moderate	182	O ₃ , PM _{2.5}	2
36	Ghaziabad	Moderate	157	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bahadurgarh, Bhiwani, Bidar, Brajrajnagar, Coimbatore,
 Dharuhera, Ernakulam, Kalaburgi, Karnal, Kurukshetra, Maihar, Mandi
 Gobindgarh, Mandikhera, Nagpur, Narnaul, Nashik, Panchkula, Raichur, Satna,
 Shillong, Solapur, Srinagar, Udupi, Vijayapura as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Moderate	158	PM ₁₀	2
38	Gummidipoondi	Satisfactory	71	PM _{2.5}	1
39	Gurugram	Moderate	154	PM ₁₀	2
40	Guwahati	Satisfactory	56	PM ₁₀	2
41	Gwalior	Moderate	127	PM ₁₀	1
42	Hajipur	Moderate	200	PM ₁₀	1
43	Haldia	Good	44	PM ₁₀	1
44	Hapur	Satisfactory	96	PM ₁₀	1
45	Hassan	Satisfactory	86	PM ₁₀	1
46	Hisar	Moderate	101	PM ₁₀	1
47	Howrah	Satisfactory	82	PM ₁₀	3
48	Hubballi	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bahadurgarh, Bhiwani, Bidar, Brajrajnagar, Coimbatore,
 Dharuhera, Ernakulam, Kalaburgi, Karnal, Kurukshetra, Maihar, Mandi
 Gobindgarh, Mandikhera, Nagpur, Narnaul, Nashik, Panchkula, Raichur, Satna,
 Shillong, Solapur, Srinagar, Udupi, Vijayapura as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Satisfactory	92	PM ₁₀ , PM _{2.5}	6
50	Indore	Moderate	120	PM ₁₀	1
51	Jabalpur	Moderate	143	PM ₁₀	1
52	Jaipur	Moderate	133	PM ₁₀	3
53	Jalandhar	Satisfactory	93	PM ₁₀	1
54	Jind	Moderate	109	PM _{2.5}	1
55	Jodhpur	Poor	222	PM _{2.5}	1
56	Jorapokhar	Moderate	107	PM ₁₀	1
57	Kaithal	Satisfactory	97	PM ₁₀	1
58	Kalyan	Satisfactory	99	PM ₁₀	1
59	Kannur	Moderate	111	PM ₁₀	1
60	Kanpur	Moderate	114	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: *

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bahadurgarh, Bhiwani, Bidar, Brajrajnagar, Coimbatore,
 Dharuhera, Ernakulam, Kalaburgi, Karnal, Kurukshetra, Maihar, Mandi
 Gobindgarh, Mandikhera, Nagpur, Narnaul, Nashik, Panchkula, Raichur, Satna,
 Shillong, Solapur, Srinagar, Udupi, Vijayapura as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Poor	227	PM ₁₀	1
62	Khanna	Satisfactory	83	PM ₁₀	1
63	Kochi	Satisfactory	79	PM ₁₀	1
64	Kohima	Satisfactory	71	PM ₁₀	1
65	Kolar	Satisfactory	80	03	1
66	Kolkata	Satisfactory	72	PM ₁₀	7
67	Kollam	Satisfactory	78	PM _{2.5}	1
68	Koppal	Satisfactory	56	со	1
69	Kota	Moderate	123	PM ₁₀	1
70	Kozhikode	Satisfactory	56	PM ₁₀	1
71	Lucknow	Poor	204	PM _{2.5} , PM ₁₀	4
72	Ludhiana	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bahadurgarh, Bhiwani, Bidar, Brajrajnagar, Coimbatore,
 Dharuhera, Ernakulam, Kalaburgi, Karnal, Kurukshetra, Maihar, Mandi
 Gobindgarh, Mandikhera, Nagpur, Narnaul, Nashik, Panchkula, Raichur, Satna,
 Shillong, Solapur, Srinagar, Udupi, Vijayapura as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Satisfactory	54	PM ₁₀	1
74	Manesar	Moderate	127	PM ₁₀	1
75	Manglore	Satisfactory	54	PM ₁₀	1
76	Medikeri	Good	42	03	1
77	Meerut	Moderate	101	PM ₁₀ , PM _{2.5}	2
78	Moradabad	Moderate	157	PM ₁₀	1
79	Mumbai	Satisfactory	63	PM _{2.5} , PM ₁₀	19
80	Muzaffarnagar	Moderate	155	PM ₁₀	1
81	Muzaffarpur	Moderate	125	PM ₁₀ , PM _{2.5}	2
82	Mysuru	Satisfactory	93	03	1
83	Naharlagun	Satisfactory	69	PM ₁₀	1
84	Nandesari	Satisfactory	61	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: '

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bahadurgarh, Bhiwani, Bidar, Brajrajnagar, Coimbatore,
 Dharuhera, Ernakulam, Kalaburgi, Karnal, Kurukshetra, Maihar, Mandi
 Gobindgarh, Mandikhera, Nagpur, Narnaul, Nashik, Panchkula, Raichur, Satna,
 Shillong, Solapur, Srinagar, Udupi, Vijayapura as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Moderate	135	PM ₁₀ , O ₃	2
86	Noida	Moderate	114	PM ₁₀ , O ₃	3
87	Pali	Moderate	154	PM ₁₀	1
88	Palwal	Satisfactory	53	PM ₁₀	1
89	Panipat	Good	50	PM _{2.5}	1
90	Patiala	Satisfactory	98	PM ₁₀	1
91	Patna	Moderate	184	PM ₁₀ , PM _{2.5}	5
92	Pithampur	Satisfactory	74	PM ₁₀	1
93	Puducherry	Good	45	03	1
94	Pune	Satisfactory	86	PM _{2.5} , PM ₁₀	3
95	Rajamahendravaram	Good	40	со	1
96	Ramanagara	Satisfactory	85	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bahadurgarh, Bhiwani, Bidar, Brajrajnagar, Coimbatore,
 Dharuhera, Ernakulam, Kalaburgi, Karnal, Kurukshetra, Maihar, Mandi
 Gobindgarh, Mandikhera, Nagpur, Narnaul, Nashik, Panchkula, Raichur, Satna,
 Shillong, Solapur, Srinagar, Udupi, Vijayapura as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ratlam	Moderate	113	PM ₁₀	1
98	Rohtak	Poor	234	PM _{2.5}	1
99	Rupnagar	Moderate	167	PM ₁₀	1
100	Sagar	Satisfactory	90	PM _{2.5}	1
101	Shivamogga	Satisfactory	61	03	1
102	Siliguri	Satisfactory	62	03	1
103	Singrauli	Poor	271	PM _{2.5}	1
104	Sirsa	Satisfactory	77	PM ₁₀	1
105	Sonipat	Moderate	136	PM ₁₀	1
106	Talcher	Satisfactory	74	со	1
107	Thane	Satisfactory	74	PM ₁₀	1
108	Thiruvananthapuram	Good	42	O ₃ , CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bahadurgarh, Bhiwani, Bidar, Brajrajnagar, Coimbatore,
 Dharuhera, Ernakulam, Kalaburgi, Karnal, Kurukshetra, Maihar, Mandi
 Gobindgarh, Mandikhera, Nagpur, Narnaul, Nashik, Panchkula, Raichur, Satna,
 Shillong, Solapur, Srinagar, Udupi, Vijayapura as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thoothukudi	Satisfactory	58	PM ₁₀	1
110	Thrissur	Satisfactory	65	O ₃	1
111	Tirupati	Satisfactory	73	PM _{2.5}	1
112	Udaipur	Moderate	111	PM ₁₀	1
113	Ujjain	Moderate	135	PM ₁₀	1
114	Vapi	Satisfactory	67	PM ₁₀	1
115	Varanasi	Poor	259	PM ₁₀	1
116	Vatva	Poor	285	PM ₁₀	1
117	Visakhapatnam	Good	49	NO ₂	1
118	Yadgir	Satisfactory	97	O ₃	1
119	Yamunanagar	Moderate	159	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar,
 Aurangabad, Bahadurgarh, Bhiwani, Bidar, Brajrajnagar, Coimbatore,
 Dharuhera, Ernakulam, Kalaburgi, Karnal, Kurukshetra, Maihar, Mandi
 Gobindgarh, Mandikhera, Nagpur, Narnaul, Nashik, Panchkula, Raichur, Satna,
 Shillong, Solapur, Srinagar, Udupi, Vijayapura as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.