

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	213	PM _{2.5}	1
2	Agra	Poor	254	PM _{2.5}	1
3	Ahmedabad	Moderate	165	PM ₁₀	1
4	Aizawl	Good	11	SO ₂	1
5	Ajmer	Moderate	148	PM ₁₀	1
6	Alwar	Moderate	148	PM ₁₀	1
7	Amaravati	Very Poor	307	PM _{2.5}	1
8	Ambala	Moderate	131	PM _{2.5}	1
9	Amritsar	Satisfactory	83	PM ₁₀	1
10	Ankleshwar	Poor	204	PM _{2.5}	1
11	Asansol	Poor	256	PM _{2.5}	1
12	Aurangabad	Moderate	122	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Karnal, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	258	PM ₁₀	1
14	Bahadurgarh	Poor	244	PM _{2.5}	1
15	Ballabgarh	Moderate	146	PM _{2.5}	1
16	Bathinda	Moderate	164	PM ₁₀	1
17	Bengaluru	Moderate	111	PM _{2.5} , PM ₁₀	9
18	Bhiwadi	Very Poor	318	PM ₁₀	1
19	Bhiwani	Poor	245	PM ₁₀	1
20	Bhopal	Moderate	193	PM ₁₀	1
21	Brajrajnagar	Poor	208	PM _{2.5}	1
22	Bulandshahr	Poor	249	PM ₁₀	1
23	Chamarajanagar	Good	36	PM ₁₀	1
24	Chandigarh	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Karnal, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	169	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Poor	267	PM ₁₀	1
27	Chennai	Moderate	108	PM _{2.5}	6
28	Chikkaballapur	Moderate	150	PM _{2.5}	1
29	Damoh	Moderate	164	PM _{2.5}	1
30	Delhi	Poor	253	PM ₁₀ , PM _{2.5}	36
31	Dewas	Moderate	174	PM ₁₀	1
32	Durgapur	Poor	218	PM ₁₀	1
33	Eloor	Good	46	PM ₁₀	1
34	Faridabad	Poor	296	PM _{2.5} , PM ₁₀	3
35	Fatehabad	Poor	248	PM ₁₀	1
36	Gandhinagar	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Karnal, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	176	PM _{2.5} , O ₃	2
38	Ghaziabad	Poor	256	PM ₁₀ , O ₃ , PM _{2.5}	4
39	Greater Noida	Poor	237	PM ₁₀ , PM _{2.5}	2
40	Gurugram	Poor	226	PM _{2.5}	4
41	Guwahati	Poor	289	PM _{2.5}	1
42	Gwalior	Moderate	164	PM _{2.5}	1
43	Hajipur	Very Poor	306	PM ₁₀	1
44	Haldia	Moderate	161	PM ₁₀	1
45	Hapur	Moderate	120	PM ₁₀	1
46	Hisar	Poor	276	PM _{2.5}	1
47	Howrah	Very Poor	327	PM ₁₀ , PM _{2.5}	3
48	Hubballi	Moderate	155	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Karnal, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	177	PM _{2.5}	5
50	Indore	Moderate	143	PM ₁₀	1
51	Jabalpur	Moderate	194	PM _{2.5}	1
52	Jaipur	Moderate	177	PM ₁₀	3
53	Jalandhar	Moderate	112	PM ₁₀	1
54	Jind	Poor	285	PM _{2.5}	1
55	Jodhpur	Poor	292	PM _{2.5}	1
56	Kaithal	Moderate	127	PM ₁₀	1
57	Kalaburgi	Moderate	154	PM ₁₀	1
58	Kalyan	Moderate	162	PM _{2.5}	1
59	Kannur	Moderate	144	PM _{2.5}	1
60	Kanpur	Very Poor	360	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Karnal, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Poor	212	PM _{2.5}	1
62	Khanna	Moderate	109	PM ₁₀	1
63	Kochi	Moderate	115	PM _{2.5}	1
64	Kohima	Satisfactory	66	PM ₁₀	1
65	Kolkata	Very Poor	301	PM _{2.5}	7
66	Koppal	Moderate	107	PM ₁₀	1
67	Kota	Poor	218	PM ₁₀	1
68	Kozhikode	Satisfactory	90	со	1
69	Kurukshetra	Poor	240	PM _{2.5}	1
70	Lucknow	Very Poor	356	PM _{2.5}	4
71	Ludhiana	Moderate	120	PM _{2.5}	1
72	Mandi Gobindgarh	Moderate	117	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Karnal, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Poor	234	PM ₁₀	1
74	Mandikhera	Moderate	145	PM ₁₀	1
75	Manesar	Poor	229	PM _{2.5}	1
76	Medikeri	Moderate	126	03	1
77	Meerut	Poor	237	PM ₁₀ , PM _{2.5}	3
78	Moradabad	Very Poor	304	PM _{2.5}	1
79	Mumbai	Moderate	168	PM _{2.5}	16
80	Muzaffarpur	Very Poor	348	PM _{2.5} , PM ₁₀	2
81	Nandesari	Moderate	126	со	1
82	Narnaul	Very Poor	349	PM ₁₀	1
83	Nashik	Satisfactory	80	03	1
84	Navi Mumbai	Poor	202	PM _{2.5}	3

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Karnal, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Noida	Poor	225	PM _{2.5}	3
86	Pali	Moderate	168	PM ₁₀	1
87	Palwal	Moderate	149	PM ₁₀	1
88	Panchkula	Moderate	195	PM _{2.5}	1
89	Panipat	Poor	274	PM ₁₀	1
90	Patiala	Moderate	120	PM ₁₀	1
91	Patna	Very Poor	357	PM _{2.5}	5
92	Pithampur	Moderate	127	PM ₁₀	1
93	Pune	Moderate	136	PM _{2.5}	5
94	Raichur	Moderate	196	PM _{2.5}	1
95	Rajamahendravaram	Poor	299	PM _{2.5}	1
96	Ramanagara	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Karnal, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ratlam	Moderate	194	PM ₁₀	1
98	Rohtak	Poor	265	PM _{2.5}	1
99	Rupnagar	Satisfactory	88	PM _{2.5}	1
100	Sagar	Satisfactory	56	PM _{2.5}	1
101	Satna	Satisfactory	79	PM ₁₀	1
102	Shillong	Good	21	O ₃	1
103	Shivamogga	Moderate	107	PM ₁₀	1
104	Siliguri	Poor	238	PM _{2.5}	1
105	Singrauli	Very Poor	317	PM ₁₀	1
106	Sonipat	Poor	217	PM _{2.5}	1
107	Talcher	Moderate	148	PM _{2.5}	1
108	Thane	Moderate	154	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Karnal, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Satisfactory	88	PM _{2.5}	1
110	Thoothukudi	Satisfactory	76	PM ₁₀	1
111	Thrissur	Moderate	103	PM _{2.5}	1
112	Tirupati	Poor	226	PM _{2.5}	1
113	Udaipur	Moderate	126	PM ₁₀	1
114	Ujjain	Moderate	176	PM ₁₀	1
115	Vapi	Poor	226	PM _{2.5}	1
116	Varanasi	Very Poor	348	PM _{2.5}	1
117	Vatva	Poor	211	PM ₁₀	1
118	Visakhapatnam	Very Poor	302	PM _{2.5}	1
119	Yadgir	Moderate	144	PM _{2.5}	1
120	Yamunanagar	Poor	255	PM _{2.5}	1

Possible Health Impacts

Poor

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Coimbatore, Dharuhera, Ernakulam, Jorapokhar, Karnal, Kollam, Maihar, Muzaffarnagar, Mysuru, Nagpur, Sirsa, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.