

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	308	PM _{2.5}	2
2	Agra	Satisfactory	93	PM _{2.5}	6
3	Ahmedabad	Moderate	120	PM ₁₀ , PM _{2.5}	6
4	Ajmer	Moderate	161	PM _{2.5}	1
5	Alwar	Poor	201	PM _{2.5}	1
6	Amaravati	Moderate	111	PM _{2.5}	1
7	Ambala	Moderate	125	PM _{2.5}	1
8	Amritsar	Moderate	123	PM _{2.5}	1
9	Anantapur	Satisfactory	56	O ₃	1
10	Araria	Very Poor	371	PM _{2.5}	1
11	Ariyalur	Satisfactory	94	PM _{2.5}	1
12	Arrah	Very Poor	323	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bathinda, I

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur,
 Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar,
 Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	334	PM _{2.5}	1
14	Aurangabad (Bihar)	Very Poor	361	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Moderate	141	PM _{2.5}	1
16	Baddi	Moderate	198	PM _{2.5}	1
17	Bagalkot	Good	49	PM ₁₀	1
18	Baghpat	Poor	271	PM ₁₀	1
19	Bahadurgarh	Poor	287	PM _{2.5}	1
20	Ballabgarh	Moderate	159	СО	1
21	Bareilly	Moderate	138	PM _{2.5} , PM ₁₀	2
22	Baripada	Poor	275	PM _{2.5}	1
23	Begusarai	Severe	467	PM _{2.5}	1
24	Belgaum	Moderate	144	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Notes: Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,

Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar, Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	79	PM ₁₀	7
26	Bettiah	Very Poor	378	PM _{2.5}	1
27	Bhagalpur	Very Poor	394	PM _{2.5}	2
28	Bhilai	Satisfactory	82	PM ₁₀	2
29	Bhiwadi	Very Poor	361	PM ₁₀	1
30	Bhiwani	Moderate	150	PM _{2.5}	1
31	Bhopal	Poor	240	PM _{2.5}	2
32	Bidar	Satisfactory	80	со	1
33	Bileipada	Very Poor	315	PM _{2.5}	1
34	Brajrajnagar	Moderate	131	PM ₁₀	1
35	Bulandshahr	Poor	263	PM _{2.5}	1
36	Byrnihat	Very Poor	355	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar, Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	43	PM ₁₀	1
38	Chandigarh	Poor	273	PM _{2.5}	3
39	Chandrapur	Moderate	125	PM _{2.5}	2
40	Charkhi Dadri	Very Poor	301	PM _{2.5}	1
41	Chennai	Moderate	114	PM _{2.5} , PM ₁₀	8
42	Chhapra	Very Poor	331	PM _{2.5}	1
43	Chikkaballapur	Moderate	115	PM ₁₀	1
44	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
45	Coimbatore	Moderate	112	PM ₁₀	1
46	Damoh	Moderate	108	PM _{2.5}	1
47	Davanagere	Satisfactory	71	PM ₁₀	1
48	Delhi	Severe	407	PM _{2.5} , PM ₁₀	38

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bathinda

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur,
 Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar,
 Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	152	PM ₁₀	1
50	Dharuhera	Severe	408	PM _{2.5}	1
51	Durgapur	Poor	242	PM _{2.5}	1
52	Faridabad	Very Poor	400	PM _{2.5}	4
53	Fatehabad	Satisfactory	99	PM _{2.5}	1
54	Firozabad	Moderate	168	PM _{2.5}	2
55	Gadag	Good	48	PM ₁₀	1
56	Gandhinagar	Moderate	133	PM _{2.5} , PM ₁₀	3
57	Gangtok	Satisfactory	99	PM _{2.5}	1
58	Gaya	Very Poor	332	PM _{2.5}	3
59	Ghaziabad	Very Poor	308	PM ₁₀	4
60	Gorakhpur	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar, Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Very Poor	370	PM _{2.5}	2
62	Gummidipoondi	Moderate	162	PM _{2.5}	1
63	Gurugram	Very Poor	360	PM _{2.5}	3
64	Guwahati	Poor	284	PM _{2.5}	4
65	Gwalior	Very Poor	390	PM _{2.5}	3
66	Hajipur	Poor	275	PM _{2.5}	1
67	Haldia	Poor	217	PM _{2.5}	1
68	Hapur	Moderate	156	PM _{2.5}	1
69	Haveri	Satisfactory	96	PM ₁₀	1
70	Hisar	Moderate	102	PM ₁₀	1
71	Howrah	Very Poor	342	PM _{2.5}	3
72	Hubballi	Satisfactory	94	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,

Bathinda, Binar Sharif, Bilaspur, Buxar, Chengalpattu, Chnai, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar, Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Satisfactory	97	CO, PM ₁₀	12
74	Imphal	Moderate	139	PM _{2.5}	2
75	Indore	Moderate	155	PM ₁₀	1
76	Jabalpur	Moderate	161	PM _{2.5}	1
77	Jaipur	Moderate	194	PM _{2.5}	2
78	Jalandhar	Moderate	108	PM ₁₀	1
79	Jhansi	Moderate	165	PM ₁₀	1
80	Jind	Moderate	162	PM _{2.5}	1
81	Jodhpur	Moderate	134	PM ₁₀	1
82	Jorapokhar	Poor	268	PM ₁₀	1
83	Kaithal	Moderate	196	PM _{2.5}	1
84	Kalaburgi	Satisfactory	67	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bathinda,

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur,
 Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar,
 Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	177	PM ₁₀	1
86	Kanchipuram	Satisfactory	78	PM ₁₀	1
87	Kannur	Satisfactory	95	PM _{2.5}	1
88	Kanpur	Poor	247	PM _{2.5}	4
89	Karnal	Poor	226	PM _{2.5}	1
90	Katihar	Severe	431	PM _{2.5}	1
91	Keonjhar	Poor	299	PM _{2.5}	1
92	Khanna	Satisfactory	56	PM ₁₀	1
93	Khurja	Poor	243	PM _{2.5}	1
94	Kishanganj	Very Poor	374	PM _{2.5}	1
95	Kochi	Moderate	170	PM _{2.5}	1
96	Kohima	Satisfactory	92	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: E

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur,
 Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar,
 Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolar	Moderate	167	SO ₂	1
98	Kolkata	Poor	297	PM _{2.5}	7
99	Kollam	Moderate	111	PM ₁₀	1
100	Koppal	Moderate	155	03	1
101	Korba	Moderate	186	PM ₁₀	1
102	Kota	Poor	222	PM _{2.5}	1
103	Kozhikode	Satisfactory	75	PM _{2.5}	1
104	Kurukshetra	Moderate	200	PM _{2.5}	1
105	Lucknow	Poor	221	PM ₁₀	6
106	Ludhiana	Satisfactory	79	PM ₁₀	1
107	Madikeri	Good	34	PM _{2.5}	1
108	Maihar	Moderate	114	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,

Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar, Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Satisfactory	69	PM ₁₀	1
110	Mandideep	Satisfactory	97	PM ₁₀	1
111	Mandikhera	Poor	270	PM ₁₀	1
112	Manesar	Very Poor	374	PM _{2.5}	1
113	Mangalore	Moderate	107	PM ₁₀	1
114	Manguraha	Moderate	125	PM _{2.5}	1
115	Meerut	Very Poor	354	PM _{2.5}	3
116	Moradabad	Moderate	137	PM _{2.5}	6
117	Motihari	Poor	221	PM ₁₀	1
118	Mumbai	Moderate	168	PM _{2.5} , PM ₁₀	19
119	Munger	Very Poor	341	PM _{2.5}	1
120	Muzaffarnagar	Very Poor	350	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,

Bathinda, Binar Sharir, Bilaspur, Buxar, Chengalpattu, Chnai, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar, Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Very Poor	351	PM _{2.5}	3
122	Mysuru	Good	35	PM ₁₀	1
123	Nagpur	Poor	209	PM _{2.5}	1
124	Nalbari	Poor	277	PM _{2.5}	1
125	Narnaul	Very Poor	314	PM _{2.5}	1
126	Navi Mumbai	Poor	224	PM _{2.5}	3
127	Nayagarh	Poor	269	PM _{2.5}	1
128	Noida	Very Poor	352	PM _{2.5}	4
129	Ooty	Satisfactory	81	PM _{2.5}	1
130	Pali	Moderate	108	PM _{2.5}	1
131	Palwal	Moderate	140	PM _{2.5}	1
132	Panchkula	Satisfactory	66	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bathin

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar, Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panipat	Moderate	172	PM ₁₀	1
134	Patiala	Satisfactory	99	PM ₁₀	1
135	Patna	Very Poor	339	PM _{2.5}	6
136	Pithampur	Moderate	112	PM ₁₀	1
137	Prayagraj	Moderate	180	PM ₁₀	3
138	Puducherry	Satisfactory	93	PM _{2.5}	1
139	Pune	Moderate	115	NO ₂ , PM _{2.5}	3
140	Purnia	Severe	410	PM _{2.5}	1
141	Raipur	Satisfactory	88	NO ₂ , PM ₁₀	4
142	Rairangpur	Poor	292	PM _{2.5}	1
143	Rajamahendravaram	Poor	211	PM _{2.5}	1
144	Rajgir	Very Poor	353	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar, Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanagara	Satisfactory	81	PM ₁₀	1
146	Ramanathapuram	Satisfactory	72	PM ₁₀	1
147	Ratlam	Moderate	119	PM ₁₀	1
148	Rohtak	Satisfactory	88	PM _{2.5}	1
149	Rourkela	Poor	211	PM _{2.5}	3
150	Rupnagar	Poor	233	PM ₁₀	1
151	Sagar	Very Poor	308	PM _{2.5}	1
152	Saharsa	Severe	448	PM ₁₀	1
153	Samastipur	Very Poor	368	PM _{2.5}	1
154	Sasaram	Very Poor	326	PM _{2.5}	1
155	Satna	Satisfactory	73	PM ₁₀	1
156	Shillong	Moderate	118	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar, Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shivamogga	Good	40	O ₃	1
158	Siliguri	Moderate	177	PM _{2.5}	1
159	Singrauli	Very Poor	311	PM _{2.5}	1
160	Sirsa	Satisfactory	70	PM ₁₀	1
161	Sivasagar	Good	50	PM ₁₀	1
162	Siwan	Very Poor	389	PM _{2.5}	1
163	Solapur	Moderate	125	PM ₁₀	1
164	Suakati	Very Poor	309	PM _{2.5}	1
165	Surat	Moderate	131	PM _{2.5}	1
166	Talcher	Moderate	179	PM _{2.5}	1
167	Thane	Moderate	187	PM ₁₀	1
168	Thiruvananthapuram	Satisfactory	95	PM _{2.5}	2

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,

Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur, Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar, Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thoothukudi	Moderate	132	03	1
170	Thrissur	Moderate	120	PM ₁₀	1
171	Tirupati	Satisfactory	94	PM _{2.5}	2
172	Tirupur	Satisfactory	90	PM ₁₀	1
173	Udaipur	Moderate	181	PM _{2.5}	1
174	Ujjain	Moderate	174	PM ₁₀	1
175	Vapi	Poor	262	PM _{2.5}	1
176	Varanasi	Moderate	101	PM _{2.5} , PM ₁₀	4
177	Vatva	Moderate	125	PM _{2.5}	1
178	Vijayapura	Good	46	PM ₁₀	1
179	Visakhapatnam	Poor	269	PM _{2.5}	1
180	Vrindavan	Moderate	114	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bathin

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur,
 Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar,
 Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Yadgir	Satisfactory	79	PM _{2.5}	1
182	Yamunanagar	Poor	284	PM _{2.5}	1
183	vellore	Satisfactory	79	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chittoor,
 Darbhanga, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hosur,
 Katni, Kunjemura, Naharlagun, Nandesari, Nashik, Raichur, Salem, Silchar,
 Sonipat, Srinagar, Tensa, Tumakuru, Tumidih, Udupi, Vijayawada as data was
 not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.