



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	56	PM ₁₀	2
2	Agra	Moderate	124	PM ₁₀	5
3	Ahmedabad	Moderate	111	PM ₁₀ , PM _{2.5}	7
4	Aizawl	Good	43	PM ₁₀	1
5	Ajmer	Satisfactory	78	PM ₁₀	1
6	Alwar	Satisfactory	94	PM ₁₀	1
7	Amaravati	Satisfactory	54	O ₃	1
8	Ambala	Moderate	186	PM ₁₀	1
9	Amritsar	Moderate	114	PM ₁₀	1
10	Ankleshwar	Satisfactory	96	PM ₁₀	1
11	Arrah	Moderate	159	PM ₁₀	1
12	Asansol	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Poor	289	PM ₁₀	1
14	Aurangabad	Moderate	102	PM ₁₀	1
15	Baddi	Moderate	155	PM ₁₀	1
16	Bagalkot	Good	50	PM _{2.5}	1
17	Baghpat	Moderate	178	PM ₁₀	1
18	Bahadurgarh	Poor	255	PM _{2.5}	1
19	Ballabgarh	Very Poor	341	PM ₁₀	1
20	Bathinda	Moderate	199	PM ₁₀	1
21	Bengaluru	Satisfactory	93	PM ₁₀ , CO	7
22	Bhagalpur	Moderate	149	PM ₁₀	2
23	Bhiwadi	Very Poor	321	PM _{2.5}	1
24	Bhiwani	Poor	275	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	161	PM ₁₀	1
26	Bidar	Moderate	105	PM ₁₀	1
27	Bilaspur	Satisfactory	61	PM ₁₀	1
28	Brajrajnagar	Moderate	106	PM ₁₀	1
29	Bulandshahr	Poor	246	PM ₁₀	1
30	Buxar	Poor	259	PM ₁₀	1
31	Chamarajanagar	Good	43	PM ₁₀	1
32	Chandigarh	Moderate	143	PM ₁₀	3
33	Chandrapur	Moderate	189	PM _{2.5}	2
34	Charkhi Dadri	Poor	246	PM _{2.5}	1
35	Chennai	Good	40	PM ₁₀ , CO	6
36	Chhapra	Moderate	158	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	57	O ₃	1
38	Coimbatore	Satisfactory	55	PM _{2.5}	1
39	Damoh	Satisfactory	52	PM ₁₀	1
40	Darbhanga	Moderate	121	PM ₁₀	1
41	Davanagere	Satisfactory	55	PM ₁₀	1
42	Delhi	Poor	277	PM ₁₀	31
43	Dewas	Moderate	141	PM _{2.5}	1
44	Dharuhera	Moderate	196	PM _{2.5}	1
45	Durgapur	Moderate	132	PM ₁₀	1
46	Eloor	Satisfactory	70	PM ₁₀	1
47	Ernakulam	Satisfactory	51	PM ₁₀	1
48	Faridabad	Very Poor	332	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Poor	255	PM _{2.5}	1
50	Firozabad	Moderate	141	O ₃	1
51	Gandhinagar	Moderate	140	PM _{2.5} , PM ₁₀	3
52	Gangtok	Satisfactory	59	O ₃	1
53	Gaya	Moderate	158	PM ₁₀ , PM _{2.5}	2
54	Ghaziabad	Poor	262	PM ₁₀	3
55	Gorakhpur	Good	45	PM ₁₀	1
56	Greater Noida	Poor	298	PM ₁₀	2
57	Gummidipoondi	Good	32	PM ₁₀	1
58	Gurugram	Poor	260	PM ₁₀	3
59	Guwahati	Good	47	PM ₁₀ , O ₃	2
60	Hajipur	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	37	PM ₁₀	1
62	Hapur	Very Poor	355	PM ₁₀	1
63	Haveri	Satisfactory	90	CO	1
64	Hisar	Poor	228	PM ₁₀	1
65	Howrah	Satisfactory	63	PM ₁₀	3
66	Hubballi	Satisfactory	63	PM ₁₀	1
67	Hyderabad	Satisfactory	93	PM ₁₀ , PM _{2.5} , NO ₂	5
68	Imphal	Satisfactory	64	SO ₂ , PM ₁₀	2
69	Indore	Moderate	155	O ₃	1
70	Jabalpur	Poor	204	PM ₁₀	1
71	Jaipur	Moderate	145	PM _{2.5} , PM ₁₀	3
72	Jalandhar	Moderate	147	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Poor	214	PM ₁₀	1
74	Jodhpur	Moderate	139	PM ₁₀	1
75	Kaithal	Very Poor	328	PM ₁₀	1
76	Kalaburgi	Satisfactory	87	PM ₁₀	1
77	Kalyan	Moderate	110	PM ₁₀	1
78	Kannur	Satisfactory	84	PM ₁₀	1
79	Kanpur	Moderate	150	PM ₁₀ , PM _{2.5}	3
80	Karnal	Moderate	170	PM _{2.5}	1
81	Katni	Poor	246	PM ₁₀	1
82	Khanna	Moderate	161	PM ₁₀	1
83	Kochi	Moderate	117	PM _{2.5}	1
84	Kolar	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	58	PM ₁₀ , NO ₂ , O ₃	7
86	Kollam	Satisfactory	74	PM ₁₀	1
87	Koppal	Satisfactory	62	PM ₁₀	1
88	Kota	Moderate	124	PM _{2.5}	1
89	Kozhikode	Satisfactory	57	PM ₁₀	1
90	Kurukshetra	Poor	235	PM ₁₀	1
91	Lucknow	Poor	227	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Moderate	125	PM ₁₀	1
93	Madikeri	Satisfactory	65	O ₃	1
94	Mandi Gobindgarh	Poor	250	PM _{2.5}	1
95	Mandideep	Satisfactory	92	PM ₁₀	1
96	Mandikhera	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	57	CO	1
98	Meerut	Poor	246	PM ₁₀	3
99	Moradabad	Moderate	152	PM ₁₀	4
100	Mumbai	Satisfactory	81	PM _{2.5} , CO, PM ₁₀	18
101	Munger	Poor	231	PM ₁₀	1
102	Muzaffarpur	Moderate	125	O ₃ , PM ₁₀ , PM _{2.5}	3
103	Mysuru	Satisfactory	58	O ₃	1
104	Nagpur	Moderate	141	PM _{2.5}	1
105	Nandesari	Satisfactory	76	PM _{2.5}	1
106	Narnaul	Moderate	128	PM _{2.5}	1
107	Nashik	Satisfactory	75	PM ₁₀	1
108	Navi Mumbai	Moderate	117	PM ₁₀ , CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	300	PM ₁₀	3
110	Pali	Moderate	101	PM ₁₀	1
111	Palwal	Moderate	166	PM ₁₀	1
112	Panchkula	Moderate	112	PM _{2.5}	1
113	Panipat	Poor	236	PM ₁₀	1
114	Patiala	Moderate	163	PM ₁₀	1
115	Patna	Poor	202	PM _{2.5} , PM ₁₀	5
116	Pithampur	Moderate	120	PM ₁₀	1
117	Prayagraj	Moderate	142	PM ₁₀ , PM _{2.5}	3
118	Puducherry	Good	31	PM ₁₀	1
119	Pune	Moderate	111	PM _{2.5} , PM ₁₀	7
120	Raichur	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Satisfactory	78	PM ₁₀	1
122	Rajgir	Moderate	132	PM ₁₀	1
123	Ramanagara	Satisfactory	83	PM ₁₀	1
124	Ratlam	Satisfactory	92	PM ₁₀	1
125	Rohtak	Very Poor	302	PM _{2.5}	1
126	Rupnagar	Moderate	122	PM ₁₀	1
127	Sagar	Satisfactory	83	PM _{2.5}	1
128	Samastipur	Poor	288	PM ₁₀	1
129	Sasaram	Poor	202	PM ₁₀	1
130	Satna	Good	49	PM ₁₀	1
131	Shivamogga	Satisfactory	61	PM ₁₀	1
132	Siliguri	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Severe	403	PM ₁₀	1
134	Sirsa	Moderate	199	PM ₁₀	1
135	Siwan	Moderate	195	PM ₁₀	1
136	Solapur	Satisfactory	98	PM ₁₀	1
137	Srinagar	Good	46	NH ₃	1
138	Talcher	Satisfactory	52	O ₃	1
139	Thane	Moderate	118	PM ₁₀	1
140	Thiruvananthapuram	Good	44	PM ₁₀ , CO	2
141	Thoothukudi	Satisfactory	52	PM ₁₀	1
142	Tirupati	Satisfactory	77	PM ₁₀	1
143	Udaipur	Satisfactory	100	PM ₁₀	1
144	Ujjain	Moderate	148	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Moderate	146	PM ₁₀	4
146	Vatva	Satisfactory	100	PM _{2.5}	1
147	Vijayapura	Good	46	PM ₁₀	1
148	Visakhapatnam	Satisfactory	72	PM ₁₀	1
149	Vrindavan	Moderate	134	PM ₁₀	1
150	Yadgir	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Begusarai, Bettiah, Bhilai, Bihar Sharif, Chikkamagaluru, Gadag, Gwalior, Hassan, Jhansi, Jorapokhar, Katihar, Kishanganj, Kohima, Maihar, Manesar, Manguraha, Motihari, Muzaffarnagar, Naharlagun, Purnia, Saharsa, Shillong, Sonapat, Thrissur, Udupi, Vapi, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.