

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	109	PM _{2.5}	1
2	Ahmedabad	Moderate	116	SO ₂	1
3	Ajmer	Moderate	129	PM ₁₀	1
4	Amaravati	Satisfactory	100	PM ₁₀	1
5	Ambala	Moderate	161	PM ₁₀	1
6	Amritsar	Moderate	119	PM ₁₀	1
7	Ankleshwar	Satisfactory	72	PM ₁₀	1
8	Asanol	Satisfactory	77	PM _{2.5}	1
9	Aurangabad	Satisfactory	90	PM _{2.5}	1
10	Bahadurgarh	Poor	270	OZONE	1
11	Ballabgarh	Poor	202	PM _{2.5}	1
12	Bengaluru	Satisfactory	79	PM _{2.5} , PM ₁₀	8

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Baghpat, Bathinda, Damoh, Hapur, Jorapokhar, Kalaburagi, Mandikhera, Moradabad, Muzaffarpur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Moderate	187	PM _{2.5}	1
14	Bhiwani	Poor	220	PM _{2.5}	1
15	Brajrajnagar	Moderate	114	со	1
16	Bulandshahr	Moderate	175	PM ₁₀	1
17	Chandrapur	Moderate	115	PM ₁₀	1
18	Chennai	Moderate	186	OZONE, PM _{2.5}	3
19	Chikkaballapur	Moderate	102	PM ₁₀	1
20	Delhi	Poor	201	PM ₁₀ , PM _{2.5} , OZONE	35
21	Dewas	Moderate	125	PM ₁₀	1
22	Dharuhera	Moderate	152	PM ₁₀	1
23	Durgapur	Satisfactory	55	PM ₁₀	1
24	Eloor	Good	32	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Baghpat, Bathinda, Damoh, Hapur, Jorapokhar, Kalaburagi, Mandikhera, Moradabad, Muzaffarpur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Moderate	140	PM _{2.5}	1
26	Fatehabad	Poor	243	PM ₁₀	1
27	GandhiNagar	Satisfactory	95	PM ₁₀	1
28	Gaya	Moderate	135	PM _{2.5}	1
29	Ghaziabad	Poor	213	PM ₁₀	2
30	Greater_Noida	Moderate	177	PM ₁₀	1
31	Gurugram	Poor	217	PM _{2.5}	1
32	Guwahati	Moderate	114	PM _{2.5}	1
33	Haldia	Satisfactory	71	PM ₁₀	1
34	Hisar	Poor	201	PM _{2.5}	1
35	Howrah	Satisfactory	82	PM ₁₀	3
36	Hubballi	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Baghpat, Bathinda, Damoh, Hapur, Jorapokhar, Kalaburagi, Mandikhera, Moradabad, Muzaffarpur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hyderabad	Moderate	112	PM ₁₀ , PM _{2.5}	6
38	Jaipur	Moderate	118	PM ₁₀	3
39	Jalandhar	Moderate	194	PM ₁₀	1
40	Jind	Moderate	178	PM ₁₀	1
41	Jodhpur	Poor	221	PM _{2.5}	1
42	Kaithal	Moderate	157	PM ₁₀	1
43	Kanpur	Moderate	117	PM _{2.5}	1
44	Karnal	Moderate	185	PM _{2.5}	1
45	Khanna	Moderate	144	PM ₁₀	1
46	Kolkata	Satisfactory	78	PM ₁₀	2
47	Kota	Moderate	108	PM ₁₀	1
48	Kurukshetra	Moderate	157	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Baghpat, Bathinda, Damoh, Hapur, Jorapokhar, Kalaburagi, Mandikhera, Moradabad, Muzaffarpur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Loni_Dehat	Poor	251	OZONE	1
50	Lucknow	Moderate	175	PM _{2.5}	4
51	Ludhiana	Poor	221	PM _{2.5}	1
52	Maihar	Satisfactory	86	PM ₁₀	1
53	Mandi Gobindgarh	Moderate	147	PM ₁₀	1
54	Mandideep	Moderate	137	PM ₁₀	1
55	Manesar	Moderate	167	PM ₁₀	1
56	Mumbai	Satisfactory	79	СО	1
57	Muzaffarnagar	Moderate	169	PM ₁₀	1
58	Nagpur	Satisfactory	95	PM _{2.5}	1
59	Narnaul	Moderate	123	PM _{2.5}	1
60	Nashik	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Baghpat, Bathinda, Damoh, Hapur, Jorapokhar, Kalaburagi, Mandikhera, Moradabad, Muzaffarpur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Navi Mumbai	Moderate	107	со	1
62	Noida	Poor	204	PM ₁₀	2
63	Pali	Moderate	176	PM ₁₀	1
64	Palwal	Poor	277	PM _{2.5}	1
65	Panchkula	Moderate	107	PM _{2.5}	1
66	Panipat	Moderate	143	PM ₁₀	1
67	Patiala	Moderate	141	PM ₁₀	1
68	Patna	Moderate	135	OZONE	1
69	Pithampur	Moderate	148	PM ₁₀	1
70	Pune	Satisfactory	59	PM _{2.5}	1
71	Rajamahendravaram	Moderate	120	OZONE	1
72	Ratlam	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Baghpat, Bathinda, Damoh, Hapur, Jorapokhar, Kalaburagi, Mandikhera, Moradabad, Muzaffarpur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rohtak	Poor	214	PM _{2.5}	1
74	Rupnagar	Moderate	128	PM ₁₀	1
75	Satna	Satisfactory	87	со	1
76	Siliguri	Satisfactory	76	PM ₁₀	1
77	Singrauli	Poor	276	PM ₁₀	1
78	Sirsa	Moderate	171	PM ₁₀	1
79	Solapur	Satisfactory	85	PM ₁₀	1
80	Sonipat	Moderate	196	OZONE	1
81	Talcher	Satisfactory	95	PM ₁₀	1
82	Thane	Satisfactory	66	PM ₁₀	1
83	Thiruvananthapuram	Good	44	PM ₁₀	1
84	Tirupati	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Baghpat, Bathinda, Damoh, Hapur, Jorapokhar, Kalaburagi, Mandikhera, Moradabad, Muzaffarpur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Udaipur	Moderate	148	PM ₁₀	1
86	Ujjain	Moderate	116	PM ₁₀	1
87	Vapi	Satisfactory	57	PM ₁₀	1
88	Varanasi	Poor	235	PM ₁₀	1
89	Vatva	Moderate	112	PM ₁₀	1
90	Vijayawada	Satisfactory	80	PM _{2.5}	1
91	Visakhapatnam	Satisfactory	91	PM _{2.5}	1
92	Yamunanagar	Moderate	195	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Baghpat, Bathinda, Damoh, Hapur, Jorapokhar, Kalaburagi, Mandikhera, Moradabad, Muzaffarpur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.