

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	252	PM _{2.5}	1
2	Agra	Poor	284	PM _{2.5}	4
3	Ahmedabad	Poor	243	PM _{2.5} , NO ₂ , PM ₁₀	9
4	Aizawl	Satisfactory	73	PM ₁₀	1
5	Ajmer	Moderate	150	PM _{2.5}	1
6	Alwar	Moderate	142	PM _{2.5}	1
7	Amaravati	Poor	260	PM _{2.5}	1
8	Ambala	Very Poor	309	PM _{2.5}	1
9	Amritsar	Poor	218	PM _{2.5}	1
10	Ankleshwar	Poor	251	PM _{2.5}	1
11	Arrah	Very Poor	389	PM _{2.5}	1
12	Asansol	Poor	241	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	147	PM ₁₀	1
14	Bagalkot	Satisfactory	97	PM _{2.5}	1
15	Baghpat	Severe	403	PM _{2.5}	1
16	Bahadurgarh	Very Poor	398	PM _{2.5}	1
17	Ballabgarh	Very Poor	352	PM _{2.5}	1
18	Bathinda	Moderate	177	PM _{2.5}	1
19	Bengaluru	Moderate	144	PM _{2.5}	9
20	Bettiah	Very Poor	394	PM _{2.5}	1
21	Bhagalpur	Very Poor	358	PM _{2.5}	2
22	Bhilai	Satisfactory	64	PM ₁₀	1
23	Bhiwadi	Very Poor	317	PM _{2.5}	1
24	Bhiwani	Very Poor	315	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	195	PM _{2.5}	1
26	Bidar	Satisfactory	98	PM ₁₀	1
27	Bihar Sharif	Very Poor	371	PM ₁₀	1
28	Bilaspur	Satisfactory	92	PM ₁₀	1
29	Brajrajnagar	Satisfactory	85	03	1
30	Bulandshahr	Severe	407	PM _{2.5}	1
31	Chamarajanagar	Good	43	PM ₁₀	1
32	Chandigarh	Moderate	180	PM _{2.5}	2
33	Chandrapur	Moderate	190	O ₃ , PM _{2.5}	2
34	Charkhi Dadri	Very Poor	323	PM _{2.5}	1
35	Chennai	Moderate	171	PM _{2.5} , PM ₁₀ , O ₃	8
36	Chhapra	Very Poor	375	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Moderate	135	PM _{2.5}	1
38	Chikkamagaluru	Satisfactory	73	PM _{2.5}	1
39	Coimbatore	Moderate	130	PM _{2.5}	1
40	Damoh	Moderate	179	PM _{2.5}	1
41	Darbhanga	Severe	413	PM _{2.5}	1
42	Davanagere	Moderate	146	PM _{2.5}	1
43	Delhi	Severe	423	PM _{2.5}	35
44	Dewas	Satisfactory	68	PM ₁₀	1
45	Dharuhera	Poor	297	PM ₁₀	1
46	Eloor	Satisfactory	70	PM ₁₀	1
47	Ernakulam	Moderate	141	PM _{2.5}	1
48	Faridabad	Severe	452	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Poor	253	PM _{2.5}	1
50	Firozabad	Very Poor	305	PM _{2.5}	1
51	Gandhinagar	Moderate	178	PM _{2.5}	3
52	Gaya	Poor	251	PM _{2.5}	3
53	Ghaziabad	Severe	411	PM _{2.5}	4
54	Gorakhpur	Moderate	152	PM _{2.5}	1
55	Greater Noida	Severe	412	PM _{2.5}	2
56	Gurugram	Very Poor	362	PM _{2.5}	4
57	Guwahati	Poor	219	PM _{2.5}	2
58	Gwalior	Poor	226	PM _{2.5}	1
59	Hajipur	Poor	293	PM _{2.5}	1
60	Haldia	Moderate	181	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Very Poor	354	PM _{2.5}	1
62	Hassan	Satisfactory	98	PM ₁₀	1
63	Hisar	Very Poor	366	PM _{2.5}	1
64	Howrah	Poor	288	PM _{2.5}	3
65	Hubballi	Poor	234	PM _{2.5}	1
66	Hyderabad	Moderate	172	PM _{2.5}	4
67	Indore	Moderate	170	PM _{2.5}	1
68	Jabalpur	Moderate	194	PM ₁₀	1
69	Jaipur	Moderate	194	PM _{2.5}	2
70	Jalandhar	Moderate	179	PM _{2.5}	1
71	Jind	Very Poor	342	PM _{2.5}	1
72	Jodhpur	Very Poor	308	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Very Poor	328	PM _{2.5}	1
74	Kalaburgi	Moderate	191	PM _{2.5}	1
75	Kalyan	Very Poor	304	PM _{2.5}	1
76	Kannur	Moderate	117	PM _{2.5}	1
77	Kanpur	Very Poor	325	PM ₁₀ , PM _{2.5}	3
78	Karnal	Poor	229	PM _{2.5}	1
79	Katihar	Very Poor	331	PM _{2.5}	1
80	Katni	Poor	266	PM _{2.5}	1
81	Khanna	Moderate	170	PM _{2.5}	1
82	Kishanganj	Very Poor	373	PM _{2.5}	1
83	Kochi	Satisfactory	59	СО	1
84	Kohima	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Actory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Moderate	160	PM _{2.5}	1
86	Kolkata	Poor	272	PM _{2.5}	7
87	Kollam	Moderate	163	PM ₁₀	1
88	Koppal	Satisfactory	78	PM _{2.5}	1
89	Kota	Poor	251	PM _{2.5}	1
90	Kozhikode	Satisfactory	63	PM ₁₀	1
91	Kurukshetra	Poor	294	PM _{2.5}	1
92	Lucknow	Very Poor	302	PM _{2.5} , PM ₁₀	6
93	Ludhiana	Poor	233	PM _{2.5}	1
94	Madikeri	Satisfactory	65	PM ₁₀	1
95	Maihar	Satisfactory	70	СО	1
96	Mandi Gobindgarh	Poor	218	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Moderate	197	PM ₁₀	1
98	Mandikhera	Poor	235	PM _{2.5}	1
99	Manesar	Very Poor	389	PM _{2.5}	1
100	Manglore	Satisfactory	55	PM _{2.5}	1
101	Meerut	Very Poor	352	PM _{2.5}	2
102	Moradabad	Moderate	145	PM _{2.5} , CO	3
103	Motihari	Very Poor	305	PM _{2.5}	1
104	Mumbai	Poor	214	PM _{2.5} , PM ₁₀	20
105	Munger	Poor	253	PM ₁₀	1
106	Muzaffarnagar	Poor	273	PM _{2.5}	1
107	Muzaffarpur	Very Poor	353	PM _{2.5}	3
108	Mysuru	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Moderate	111	PM ₁₀	1
110	Nandesari	Moderate	120	PM _{2.5}	1
111	Nashik	Moderate	125	PM _{2.5}	1
112	Navi Mumbai	Poor	293	PM _{2.5}	3
113	Noida	Severe	432	PM ₁₀ , PM _{2.5}	4
114	Pali	Moderate	161	PM _{2.5}	1
115	Palwal	Poor	240	PM ₁₀	1
116	Panchkula	Moderate	157	PM _{2.5}	1
117	Panipat	Very Poor	361	PM ₁₀	1
118	Patiala	Poor	254	PM _{2.5}	1
119	Patna	Very Poor	316	PM _{2.5} , PM ₁₀	6
120	Pithampur	Moderate	106	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Poor	262	PM _{2.5}	3
122	Puducherry	Moderate	159	PM _{2.5}	1
123	Pune	Moderate	196	PM _{2.5}	4
124	Purnia	Very Poor	325	PM _{2.5}	1
125	Raichur	Moderate	175	PM ₁₀	1
126	Rajamahendravaram	Moderate	183	PM _{2.5}	1
127	Rajgir	Very Poor	342	PM _{2.5}	1
128	Ramanagara	Moderate	124	PM _{2.5}	1
129	Ratlam	Moderate	115	PM ₁₀	1
130	Rohtak	Very Poor	328	PM _{2.5}	1
131	Rupnagar	Poor	217	PM ₁₀	1
132	Sagar	Moderate	120	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Poor	264	PM _{2.5}	1
134	Sasaram	Poor	299	PM _{2.5}	1
135	Satna	Satisfactory	82	PM ₁₀	1
136	Shillong	Good	11	03	1
137	Shivamogga	Good	50	PM ₁₀	1
138	Siliguri	Moderate	107	PM ₁₀	1
139	Singrauli	Very Poor	328	PM _{2.5}	1
140	Sirsa	Poor	210	PM _{2.5}	1
141	Siwan	Very Poor	347	PM _{2.5}	1
142	Sonipat	Very Poor	306	PM ₁₀	1
143	Srinagar	Moderate	121	PM ₁₀	1
144	Talcher	Moderate	199	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thane	Very Poor	302	PM ₁₀	1
146	Thiruvananthapuram	Moderate	120	PM ₁₀ , PM _{2.5}	2
147	Thoothukudi	Satisfactory	78	PM ₁₀	1
148	Thrissur	Moderate	122	PM ₁₀	1
149	Tirupati	Poor	210	PM _{2.5}	1
150	Udaipur	Moderate	144	PM _{2.5}	1
151	Udupi	Good	43	NO ₂	1
152	Ujjain	Poor	213	PM ₁₀	1
153	Vapi	Poor	274	PM _{2.5}	1
154	Varanasi	Moderate	171	PM _{2.5} , O ₃	4
155	Vatva	Very Poor	325	PM _{2.5}	1
156	Vijayapura	Satisfactory	68	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Visakhapatnam	Poor	242	PM _{2.5}	1
158	Vrindavan	Poor	285	PM _{2.5}	1
159	Yadgir	Moderate	131	PM _{2.5}	1
160	Yamunanagar	Very Poor	311	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Buxar, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Manguraha, Naharlagun, Narnaul, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.