



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	274	PM _{2.5}	2
2	Agra	Moderate	138	PM _{2.5}	6
3	Ahmedabad	Moderate	116	NO ₂	1
4	Ajmer	Poor	229	PM _{2.5}	1
5	Alwar	Poor	234	PM _{2.5}	1
6	Amaravati	Satisfactory	100	PM ₁₀	1
7	Amritsar	Satisfactory	71	PM _{2.5}	1
8	Anantapur	Satisfactory	64	O ₃	1
9	Ankleshwar	Moderate	146	PM _{2.5}	1
10	Araria	Very Poor	346	PM _{2.5}	1
11	Ariyalur	Good	43	PM _{2.5}	1
12	Asansol	Very Poor	346	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Severe	402	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Moderate	131	PM _{2.5}	1
15	Baddi	Very Poor	344	PM _{2.5}	1
16	Bagalkot	Good	46	O ₃	1
17	Bahadurgarh	Poor	248	PM _{2.5}	1
18	Ballabgarh	Poor	284	PM _{2.5}	1
19	Bareilly	Moderate	156	PM _{2.5}	2
20	Baripada	Moderate	144	PM _{2.5}	1
21	Begusarai	Severe	453	PM _{2.5}	1
22	Belgaum	Moderate	175	PM _{2.5}	1
23	Bengaluru	Satisfactory	76	PM _{2.5} , PM ₁₀	8
24	Bettiah	Severe	456	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Bagpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Severe	426	PM _{2.5}	2
26	Bhiwadi	Poor	264	PM _{2.5}	1
27	Bhiwani	Moderate	182	PM _{2.5}	1
28	Bhopal	Moderate	124	PM ₁₀	2
29	Bilaspur	Satisfactory	97	PM ₁₀	1
30	Bileipada	Poor	212	PM _{2.5}	1
31	Brajrajnagar	Moderate	106	PM ₁₀	1
32	Bulandshahr	Poor	265	PM _{2.5}	1
33	Byrnihat	Very Poor	362	PM _{2.5}	1
34	Chamarajanagar	Good	43	PM ₁₀	1
35	Chandigarh	Poor	258	PM _{2.5}	2
36	Chandrapur	Moderate	153	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Poor	246	PM _{2.5}	1
38	Chennai	Satisfactory	67	PM _{2.5} , PM ₁₀	8
39	Chhapra	Severe	451	PM _{2.5}	1
40	Chikkaballapur	Satisfactory	93	PM ₁₀	1
41	Chikkamagaluru	Good	44	PM ₁₀	1
42	Chittoor	Satisfactory	56	O ₃	1
43	Coimbatore	Satisfactory	87	PM _{2.5}	1
44	Darbhanga	Severe	470	PM _{2.5}	1
45	Davanagere	Satisfactory	59	PM ₁₀	1
46	Dehradun	Moderate	150	PM _{2.5}	1
47	Delhi	Very Poor	349	PM _{2.5}	38
48	Dewas	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Very Poor	374	PM _{2.5}	1
50	Dindigul	Poor	217	NO ₂	1
51	Durgapur	Poor	284	PM _{2.5}	1
52	Faridabad	Poor	258	PM _{2.5}	4
53	Fatehabad	Moderate	174	PM _{2.5}	1
54	Firozabad	Moderate	148	PM _{2.5}	2
55	Gadag	Satisfactory	55	O ₃	1
56	Gandhinagar	Satisfactory	78	PM ₁₀	1
57	Gangtok	Satisfactory	70	PM _{2.5}	1
58	Gaya	Very Poor	380	PM _{2.5}	3
59	Ghaziabad	Very Poor	322	PM _{2.5}	4
60	Gorakhpur	Poor	250	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Very Poor	353	PM _{2.5}	2
62	Gummidipoondi	Moderate	135	PM _{2.5}	1
63	Gurugram	Very Poor	326	PM _{2.5}	4
64	Guwahati	Poor	292	PM _{2.5}	3
65	Gwalior	Very Poor	386	PM _{2.5}	3
66	Hajipur	Very Poor	391	PM ₁₀	1
67	Haldia	Moderate	152	PM _{2.5}	1
68	Hapur	Moderate	188	PM _{2.5}	1
69	Hassan	Good	48	PM _{2.5}	1
70	Haveri	Satisfactory	68	PM ₁₀	1
71	Hosur	Moderate	119	PM _{2.5}	1
72	Howrah	Very Poor	306	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Satisfactory	94	PM ₁₀	2
74	Hyderabad	Moderate	109	PM _{2.5} , PM ₁₀	13
75	Imphal	Moderate	108	PM _{2.5} , SO ₂	2
76	Indore	Moderate	140	PM ₁₀	1
77	Jabalpur	Poor	207	PM ₁₀	1
78	Jaipur	Poor	235	PM _{2.5}	3
79	Jalandhar	Moderate	137	PM _{2.5}	1
80	Jhansi	Moderate	161	PM ₁₀	1
81	Jind	Poor	266	PM _{2.5}	1
82	Jodhpur	Moderate	141	PM _{2.5}	1
83	Kaithal	Moderate	187	PM _{2.5}	1
84	Kalaburgi	Satisfactory	87	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Poor	217	PM ₁₀	1
86	Kannur	Satisfactory	74	PM _{2.5}	1
87	Kanpur	Moderate	191	PM _{2.5}	4
88	Karnal	Poor	276	PM _{2.5}	1
89	Katihar	Severe	419	PM _{2.5}	1
90	Katni	Moderate	190	PM _{2.5}	1
91	Keonjhar	Poor	217	O ₃	1
92	Khanna	Moderate	113	PM ₁₀	1
93	Khurja	Poor	262	PM _{2.5}	1
94	Kishanganj	Poor	291	PM _{2.5}	1
95	Kochi	Satisfactory	79	PM _{2.5}	1
96	Kohima	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Poor	284	PM _{2.5}	7
98	Kollam	Satisfactory	72	PM ₁₀	1
99	Koppal	Satisfactory	58	CO	1
100	Kota	Poor	249	PM _{2.5}	1
101	Kozhikode	Satisfactory	75	PM _{2.5}	1
102	Kurukshetra	Poor	210	PM _{2.5}	1
103	Lucknow	Very Poor	306	PM _{2.5}	6
104	Ludhiana	Moderate	148	PM _{2.5}	1
105	Madikeri	Good	40	O ₃	1
106	Maihar	Satisfactory	57	PM ₁₀	1
107	Mandi Gobindgarh	Poor	215	PM _{2.5}	1
108	Mandideep	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandikhera	Moderate	162	PM ₁₀	1
110	Manesar	Very Poor	345	PM _{2.5}	1
111	Mangalore	Satisfactory	79	PM ₁₀	1
112	Manguraha	Moderate	158	PM _{2.5}	1
113	Meerut	Poor	288	PM ₁₀	3
114	Moradabad	Moderate	140	PM _{2.5}	6
115	Motihari	Very Poor	381	PM ₁₀	1
116	Mumbai	Poor	222	PM _{2.5} , PM ₁₀	17
117	Munger	Very Poor	365	PM ₁₀	1
118	Muzaffarnagar	Very Poor	392	PM _{2.5}	1
119	Muzaffarpur	Severe	449	PM _{2.5}	2
120	Mysuru	Satisfactory	62	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagpur	Poor	211	PM _{2.5}	1
122	Nalbari	Very Poor	315	PM _{2.5}	1
123	Narnaul	Poor	280	PM _{2.5}	1
124	Navi Mumbai	Very Poor	370	PM _{2.5}	3
125	Nayagarh	Moderate	116	PM ₁₀	1
126	Noida	Very Poor	324	PM _{2.5}	4
127	Ooty	Satisfactory	86	PM ₁₀	1
128	Palwal	Moderate	101	PM ₁₀	1
129	Panchkula	Moderate	180	PM _{2.5}	1
130	Panipat	Moderate	187	PM ₁₀	1
131	Patiala	Moderate	132	PM _{2.5}	1
132	Patna	Severe	419	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pithampur	Moderate	117	PM ₁₀	1
134	Prayagraj	Poor	242	PM _{2.5}	3
135	Puducherry	Good	42	PM ₁₀	1
136	Purnia	Severe	420	PM _{2.5}	1
137	Rairangpur	Satisfactory	95	PM ₁₀	1
138	Rajamahendravaram	Satisfactory	94	PM ₁₀	1
139	Rajgir	Severe	461	PM _{2.5}	1
140	Ramanagara	Satisfactory	62	PM ₁₀	1
141	Ramanathapuram	Good	44	PM ₁₀	1
142	Ratlam	Satisfactory	84	PM ₁₀	1
143	Rohtak	Poor	224	PM _{2.5}	1
144	Rourkela	Poor	206	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rupnagar	Moderate	187	PM ₁₀	1
146	Sagar	Satisfactory	84	PM _{2.5} , CO	2
147	Salem	Satisfactory	71	SO ₂	1
148	Samastipur	Severe	459	PM _{2.5}	1
149	Sasaram	Very Poor	374	PM _{2.5}	1
150	Satna	Moderate	102	PM ₁₀	1
151	Shillong	Satisfactory	90	PM _{2.5}	1
152	Shivamogga	Good	46	PM ₁₀	1
153	Siliguri	Moderate	183	PM _{2.5}	1
154	Singrauli	Poor	288	PM _{2.5}	1
155	Sirsa	Satisfactory	74	O ₃	1
156	Sivasagar	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siwan	Severe	469	PM _{2.5}	1
158	Solapur	Satisfactory	76	PM ₁₀	1
159	Sonipat	Poor	244	PM ₁₀	1
160	Srinagar	Good	47	NO ₂	1
161	Suakati	Moderate	119	O ₃	1
162	Surat	Moderate	151	PM _{2.5}	1
163	Talcher	Poor	236	PM _{2.5}	1
164	Tensa	Satisfactory	85	PM _{2.5}	1
165	Thane	Moderate	192	O ₃	1
166	Thiruvananthapuram	Satisfactory	57	PM _{2.5}	2
167	Thrissur	Satisfactory	74	PM ₁₀	1
168	Tirupati	Satisfactory	80	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupur	Satisfactory	63	PM ₁₀	1
170	Udaipur	Satisfactory	95	PM ₁₀	1
171	Udupi	Satisfactory	99	CO	1
172	Ujjain	Moderate	149	PM ₁₀	1
173	Vapi	Poor	281	PM _{2.5}	1
174	Varanasi	Moderate	189	PM _{2.5}	4
175	Vatva	Moderate	105	PM ₁₀	1
176	Vijayapura	Satisfactory	53	PM ₁₀	1
177	Visakhapatnam	Moderate	173	PM _{2.5}	1
178	Yamunanagar	Moderate	187	PM _{2.5}	1
179	vellore	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Ambala, Arrah, Baghpat, Bathinda, Bhilai, Bidar, Bihar Sharif, Buxar, Chengalpattu, Damoh, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Naharlagun, Nandesari, Nashik, Pali, Pune, Raichur, Raipur, Saharsa, Thoothukudi, Tumakuru, Vrindavan, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.