



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	63	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	42	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	84	CO, PM <sub>10</sub>	2
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Moderate	106	PM <sub>10</sub>	1
6	Alwar	Satisfactory	70	PM <sub>10</sub>	1
7	Amaravati	Good	46	O <sub>3</sub>	1
8	Ambala	Moderate	158	PM <sub>2.5</sub>	1
9	Anantapur	Good	42	PM <sub>2.5</sub>	1
10	Ankleshwar	Satisfactory	80	PM <sub>10</sub>	1
11	Asansol	Moderate	128	PM <sub>10</sub>	1
12	Aurangabad (Maharashtra)	Satisfactory	94	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidiipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	109	PM <sub>10</sub>	1
14	Bagalkot	Good	43	PM <sub>10</sub>	1
15	Baghpat	Satisfactory	76	PM <sub>10</sub>	1
16	Bahadurgarh	Satisfactory	59	PM <sub>10</sub>	1
17	Ballabgarh	Moderate	103	PM <sub>10</sub>	1
18	Bareilly	Moderate	103	PM <sub>2.5</sub>	1
19	Bathinda	Satisfactory	58	PM <sub>10</sub>	1
20	Belgaum	Good	47	PM <sub>2.5</sub>	1
21	Bengaluru	Good	44	CO, NO <sub>2</sub> , SO <sub>2</sub>	6
22	Bettiah	Moderate	183	PM <sub>10</sub>	1
23	Bhagalpur	Moderate	121	NO <sub>2</sub>	1
24	Bhiwadi	Moderate	119	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidiipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Satisfactory	63	O <sub>3</sub>	1
26	Bhopal	Moderate	101	PM <sub>10</sub>	1
27	Bihar Sharif	Satisfactory	77	PM <sub>10</sub>	1
28	Bilaspur	Satisfactory	68	PM <sub>10</sub>	1
29	Brajrajnagar	Satisfactory	59	PM <sub>10</sub>	1
30	Bulandshahr	Moderate	115	PM <sub>10</sub>	1
31	Chamarajanagar	Good	40	PM <sub>10</sub>	1
32	Chandigarh	Satisfactory	62	PM <sub>10</sub>	3
33	Chandrapur	Satisfactory	64	PM <sub>10</sub>	1
34	Charkhi Dadri	Satisfactory	83	PM <sub>10</sub>	1
35	Chengalpattu	Satisfactory	56	SO <sub>2</sub>	1
36	Chennai	Good	50	CO, PM <sub>2.5</sub> , O <sub>3</sub>	9

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidiipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Moderate	126	PM <sub>2.5</sub>	1
38	Chikkaballapur	Good	29	CO	1
39	Chikkamagaluru	Good	41	PM <sub>10</sub>	1
40	Coimbatore	Good	33	CO	1
41	Damoh	Good	40	PM <sub>10</sub>	1
42	Darbhanga	Moderate	104	PM <sub>10</sub>	1
43	Dehradun	Satisfactory	75	PM <sub>10</sub>	1
44	Delhi	Moderate	105	PM <sub>10</sub> , O <sub>3</sub>	36
45	Dewas	Satisfactory	68	PM <sub>10</sub>	1
46	Dharuhera	Moderate	143	PM <sub>10</sub>	1
47	Durgapur	Moderate	123	PM <sub>10</sub>	1
48	Eloor	Satisfactory	53	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidiipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Good	45	CO	1
50	Faridabad	Moderate	170	PM <sub>2.5</sub>	1
51	Firozabad	Satisfactory	75	PM <sub>2.5</sub>	2
52	Gadag	Good	34	PM <sub>2.5</sub>	1
53	Gandhinagar	Satisfactory	69	PM <sub>10</sub>	1
54	Gangtok	Good	18	PM <sub>2.5</sub>	1
55	Gaya	Moderate	147	PM <sub>2.5</sub> , PM <sub>10</sub>	3
56	Ghaziabad	Moderate	103	PM <sub>10</sub>	4
57	Gorakhpur	Satisfactory	58	PM <sub>2.5</sub>	1
58	Greater Noida	Satisfactory	99	PM <sub>10</sub>	1
59	Gurugram	Moderate	106	PM <sub>10</sub>	3
60	Guwahati	Satisfactory	66	PM <sub>10</sub> , PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidiipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Satisfactory	94	PM <sub>10</sub>	1
62	Hapur	Satisfactory	81	PM <sub>10</sub>	1
63	Hassan	Good	26	PM <sub>2.5</sub>	1
64	Haveri	Satisfactory	55	CO	1
65	Hisar	Satisfactory	74	PM <sub>10</sub>	1
66	Howrah	Satisfactory	79	PM <sub>10</sub>	3
67	Hyderabad	Satisfactory	66	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	12
68	Imphal	Satisfactory	77	O <sub>3</sub> , PM <sub>10</sub>	2
69	Indore	Satisfactory	86	PM <sub>10</sub>	1
70	Jabalpur	Moderate	123	PM <sub>10</sub>	1
71	Jaipur	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub>	3
72	Jalandhar	Satisfactory	74	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Satisfactory	62	PM <sub>10</sub>	1
74	Jind	Satisfactory	64	PM <sub>10</sub>	1
75	Jodhpur	Moderate	147	PM <sub>10</sub>	1
76	Kaithal	Satisfactory	52	PM <sub>10</sub>	1
77	Kalaburgi	Good	29	SO <sub>2</sub>	1
78	Kannur	Satisfactory	60	PM <sub>10</sub>	1
79	Kanpur	Good	48	PM <sub>10</sub> , PM <sub>2.5</sub>	4
80	Karnal	Satisfactory	75	PM <sub>10</sub>	1
81	Katihar	Moderate	116	PM <sub>10</sub>	1
82	Katni	Satisfactory	86	PM <sub>10</sub>	1
83	Khanna	Good	46	PM <sub>10</sub>	1
84	Khurja	Moderate	118	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidiipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Moderate	141	PM <sub>2.5</sub>	1
86	Kochi	Moderate	105	PM <sub>2.5</sub>	1
87	Kohima	Satisfactory	55	SO <sub>2</sub>	1
88	Kolkata	Satisfactory	65	O <sub>3</sub> , PM <sub>10</sub>	7
89	Kollam	Satisfactory	56	PM <sub>10</sub>	1
90	Kota	Satisfactory	78	PM <sub>10</sub>	1
91	Kozhikode	Satisfactory	69	PM <sub>10</sub>	1
92	Kurukshetra	Satisfactory	59	PM <sub>10</sub>	1
93	Lucknow	Satisfactory	59	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6
94	Ludhiana	Satisfactory	61	PM <sub>10</sub>	1
95	Madikeri	Good	23	SO <sub>2</sub>	1
96	Maihar	Good	30	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidiipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Moderate	103	PM <sub>10</sub>	1
98	Mandideep	Satisfactory	60	PM <sub>10</sub>	1
99	Mandikhera	Good	42	PM <sub>10</sub>	1
100	Manesar	Satisfactory	91	PM <sub>10</sub>	1
101	Manglore	Satisfactory	53	CO	1
102	Meerut	Moderate	116	PM <sub>10</sub> , CO	2
103	Moradabad	Satisfactory	99	PM <sub>10</sub>	6
104	Motihari	Moderate	130	PM <sub>2.5</sub>	1
105	Mumbai	Satisfactory	73	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	18
106	Muzaffarnagar	Satisfactory	75	PM <sub>10</sub>	1
107	Muzaffarpur	Satisfactory	82	PM <sub>2.5</sub> , PM <sub>10</sub>	3
108	Mysuru	Satisfactory	56	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidiipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Satisfactory	56	O <sub>3</sub>	1
110	Nandesari	Moderate	112	CO	1
111	Narnaul	Good	42	PM <sub>2.5</sub>	1
112	Navi Mumbai	Moderate	127	PM <sub>2.5</sub> , PM <sub>10</sub>	3
113	Noida	Moderate	101	PM <sub>10</sub>	4
114	Ooty	Satisfactory	56	CO	1
115	Pali	Satisfactory	80	PM <sub>10</sub>	1
116	Palwal	Satisfactory	89	PM <sub>10</sub>	1
117	Panchkula	Satisfactory	54	PM <sub>2.5</sub>	1
118	Panipat	Satisfactory	79	PM <sub>10</sub>	1
119	Patiala	Good	45	PM <sub>10</sub>	1
120	Patna	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidiipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	108	PM <sub>10</sub>	1
122	Prayagraj	Satisfactory	91	PM <sub>2.5</sub> , SO <sub>2</sub> , PM <sub>10</sub>	3
123	Puducherry	Good	46	CO	1
124	Purnia	Poor	297	PM <sub>2.5</sub>	1
125	Raichur	Satisfactory	56	CO	1
126	Rajamahendravaram	Satisfactory	77	PM <sub>10</sub>	1
127	Rajgir	Satisfactory	68	PM <sub>10</sub>	1
128	Ramanathapuram	Good	28	PM <sub>10</sub>	1
129	Ratlam	Satisfactory	73	PM <sub>10</sub>	1
130	Rupnagar	Satisfactory	68	PM <sub>2.5</sub>	1
131	Sagar	Satisfactory	55	CO	1
132	Saharsa	Poor	272	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Samastipur	Moderate	118	PM <sub>10</sub>	1
134	Sasaram	Satisfactory	55	CO	1
135	Satna	Satisfactory	67	PM <sub>10</sub>	1
136	Shillong	Good	45	PM <sub>2.5</sub>	1
137	Shivamogga	Good	43	PM <sub>10</sub>	1
138	Siliguri	Satisfactory	65	PM <sub>10</sub>	1
139	Singrauli	Satisfactory	92	NO <sub>2</sub>	1
140	Sirsa	Satisfactory	77	PM <sub>10</sub>	1
141	Siwan	Moderate	103	NO <sub>2</sub>	1
142	Solapur	Satisfactory	80	PM <sub>10</sub>	1
143	Sonipat	Satisfactory	90	PM <sub>10</sub>	1
144	Srinagar	Good	37	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidiipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Talcher	Satisfactory	99	CO	1
146	Thane	Moderate	103	O <sub>3</sub>	1
147	Thiruvananthapuram	Good	32	PM <sub>2.5</sub> , CO	2
148	Thoothukudi	Good	33	PM <sub>10</sub>	1
149	Tirupati	Good	40	CO	1
150	Tiruppur	Satisfactory	92	PM <sub>10</sub>	1
151	Udaipur	Moderate	112	PM <sub>10</sub>	1
152	Udupi	Satisfactory	61	CO	1
153	Varanasi	Satisfactory	56	PM <sub>10</sub>	3
154	Vatva	Satisfactory	78	PM <sub>2.5</sub>	1
155	Visakhapatnam	Satisfactory	100	PM <sub>10</sub>	1
156	Vrindavan	Good	45	SO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidiipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, Vellore as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 27, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Good	31	CO	1
158	Yamunanagar	Moderate	106	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Aurangabad (Bihar), Begusarai, Bhilai, Bidar, Buxar, Davanagere, Fatehabad, Gummidipoondi, Gwalior, Haldia, Hosur, Hubballi, Jorapokhar, Kalyan, Kolar, Koppal, Manguraha, Munger, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Thrissur, Ujjain, Vapi, Vijayapura, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.