



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	55	PM ₁₀	1
2	Agra	Moderate	141	PM ₁₀	5
3	Ahmedabad	Moderate	102	PM ₁₀ , PM _{2.5}	7
4	Aizawl	Good	48	PM ₁₀	1
5	Ajmer	Satisfactory	92	PM _{2.5}	1
6	Alwar	Moderate	105	PM ₁₀	1
7	Amaravati	Good	39	O ₃	1
8	Ambala	Moderate	123	PM ₁₀	1
9	Amritsar	Satisfactory	90	PM ₁₀	1
10	Ankleshwar	Satisfactory	90	PM _{2.5}	1
11	Araria	Poor	228	PM _{2.5}	1
12	Arrah	Poor	231	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonapat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	156	O ₃	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Bahadurgarh	Poor	240	PM ₁₀	1
16	Ballabgarh	Moderate	125	PM ₁₀	1
17	Bathinda	Satisfactory	80	PM ₁₀	1
18	Bengaluru	Satisfactory	83	PM ₁₀ , CO, O ₃	6
19	Bettiah	Satisfactory	91	PM _{2.5}	1
20	Bhagalpur	Poor	300	PM ₁₀	2
21	Bhiwadi	Very Poor	344	PM _{2.5}	1
22	Bhiwani	Poor	285	PM _{2.5}	1
23	Bhopal	Moderate	136	PM ₁₀	1
24	Bihar Sharif	Poor	263	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonapat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	67	CO	1
26	Brajrajnagar	Moderate	173	O ₃	1
27	Bulandshahr	Poor	230	PM ₁₀	1
28	Buxar	Very Poor	330	PM ₁₀	1
29	Chamarajanagar	Good	44	PM ₁₀	1
30	Chandigarh	Moderate	134	O ₃ , PM ₁₀	3
31	Chandrapur	Moderate	199	PM _{2.5} , PM ₁₀	2
32	Charkhi Dadri	Poor	270	PM ₁₀	1
33	Chennai	Good	38	CO, PM ₁₀ , O ₃	5
34	Chhapra	Moderate	196	PM ₁₀	1
35	Chikkaballapur	Satisfactory	57	O ₃	1
36	Coimbatore	Good	29	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonapat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Satisfactory	52	PM ₁₀	1
38	Darbhanga	Very Poor	301	PM ₁₀	1
39	Davanagere	Satisfactory	51	PM ₁₀	1
40	Delhi	Poor	253	PM ₁₀	34
41	Dewas	Moderate	178	PM _{2.5}	1
42	Dharuhera	Very Poor	359	PM ₁₀	1
43	Durgapur	Poor	268	PM _{2.5}	1
44	Eloor	Satisfactory	66	PM ₁₀	1
45	Ernakulam	Good	25	NO ₂	1
46	Faridabad	Very Poor	324	PM _{2.5} , PM ₁₀	2
47	Fatehabad	Poor	212	PM _{2.5}	1
48	Firozabad	Moderate	159	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonapat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	146	PM _{2.5} , PM ₁₀	3
50	Gaya	Moderate	163	PM ₁₀ , PM _{2.5}	3
51	Ghaziabad	Poor	227	PM ₁₀	3
52	Gorakhpur	Satisfactory	89	PM ₁₀	1
53	Greater Noida	Poor	288	PM ₁₀	2
54	Gummidipoondi	Good	34	PM ₁₀	1
55	Gurugram	Poor	253	PM ₁₀ , PM _{2.5}	3
56	Guwahati	Satisfactory	76	PM ₁₀	2
57	Hajipur	Moderate	195	PM _{2.5}	1
58	Haldia	Good	49	PM ₁₀	1
59	Hapur	Moderate	190	PM _{2.5}	1
60	Hassan	Good	46	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonapat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haveri	Satisfactory	90	CO	1
62	Hisar	Poor	210	PM ₁₀	1
63	Howrah	Satisfactory	98	O ₃ , PM ₁₀	2
64	Hubballi	Satisfactory	68	PM ₁₀	1
65	Hyderabad	Moderate	103	PM ₁₀ , O ₃ , PM _{2.5}	5
66	Indore	Moderate	173	PM _{2.5}	1
67	Jabalpur	Moderate	170	PM ₁₀	1
68	Jaipur	Moderate	138	PM ₁₀	2
69	Jalandhar	Moderate	123	PM ₁₀	1
70	Jind	Moderate	153	PM ₁₀	1
71	Jodhpur	Moderate	172	PM _{2.5}	1
72	Kaithal	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonipat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalaburgi	Satisfactory	88	PM ₁₀	1
74	Kalyan	Moderate	124	PM ₁₀	1
75	Kanpur	Moderate	128	PM ₁₀ , PM _{2.5}	3
76	Karnal	Moderate	120	PM _{2.5}	1
77	Katihar	Poor	225	PM ₁₀	1
78	Katni	Moderate	200	PM ₁₀	1
79	Khanna	Moderate	118	PM ₁₀	1
80	Kishanganj	Poor	208	PM ₁₀	1
81	Kochi	Satisfactory	55	CO	1
82	Kohima	Satisfactory	100	PM ₁₀	1
83	Kolkata	Satisfactory	71	PM ₁₀ , O ₃	7
84	Kollam	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonapat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	62	PM ₁₀	1
86	Kota	Moderate	119	PM _{2.5}	1
87	Kozhikode	Satisfactory	58	PM ₁₀	1
88	Kurukshetra	Moderate	174	O ₃	1
89	Lucknow	Moderate	193	PM _{2.5} , PM ₁₀	6
90	Ludhiana	Moderate	103	PM ₁₀	1
91	Madikeri	Good	49	O ₃	1
92	Mandi Gobindgarh	Moderate	184	PM _{2.5}	1
93	Mandideep	Satisfactory	90	PM ₁₀	1
94	Mandikhera	Satisfactory	99	PM ₁₀	1
95	Manglore	Good	41	CO	1
96	Manguraha	Moderate	174	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonipat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Moderate	183	PM ₁₀	1
98	Moradabad	Moderate	113	PM ₁₀	4
99	Motihari	Poor	245	PM _{2.5}	1
100	Mumbai	Satisfactory	89	PM _{2.5} , PM ₁₀ , CO	15
101	Munger	Very Poor	318	PM ₁₀	1
102	Muzaffarpur	Very Poor	314	PM ₁₀ , PM _{2.5}	3
103	Mysuru	Good	38	PM ₁₀	1
104	Nagpur	Moderate	112	PM ₁₀	1
105	Narnaul	Moderate	177	PM _{2.5}	1
106	Nashik	Satisfactory	65	PM ₁₀	1
107	Navi Mumbai	Moderate	119	PM ₁₀ , CO	2
108	Noida	Poor	271	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonipat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Moderate	137	PM _{2.5}	1
110	Panchkula	Poor	245	O ₃	1
111	Panipat	Moderate	168	PM ₁₀	1
112	Patiala	Moderate	111	O ₃	1
113	Patna	Poor	264	PM ₁₀ , PM _{2.5} , NO ₂	6
114	Pithampur	Moderate	156	PM ₁₀	1
115	Prayagraj	Moderate	144	PM ₁₀	3
116	Puducherry	Good	50	CO	1
117	Pune	Satisfactory	85	PM _{2.5} , PM ₁₀	5
118	Purnia	Moderate	143	PM ₁₀	1
119	Raichur	Satisfactory	87	PM ₁₀	1
120	Rajamahendravaram	Good	24	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonipat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Moderate	192	PM ₁₀	1
122	Ramanagara	Good	47	PM ₁₀	1
123	Ratlam	Moderate	121	PM ₁₀	1
124	Rohtak	Poor	291	PM _{2.5}	1
125	Rupnagar	Moderate	115	PM ₁₀	1
126	Sagar	Satisfactory	86	PM _{2.5}	1
127	Saharsa	Poor	231	PM ₁₀	1
128	Samastipur	Very Poor	309	PM ₁₀	1
129	Sasaram	Moderate	183	PM ₁₀	1
130	Satna	Satisfactory	57	PM ₁₀	1
131	Shivamogga	Satisfactory	51	PM ₁₀	1
132	Siliguri	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonipat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Very Poor	371	PM ₁₀	1
134	Sirsa	Poor	204	PM ₁₀	1
135	Siwan	Poor	228	PM ₁₀	1
136	Srinagar	Good	45	NH ₃	1
137	Thane	Moderate	199	O ₃	1
138	Thiruvananthapuram	Good	41	CO, PM ₁₀	2
139	Thoothukudi	Good	30	PM ₁₀	1
140	Tirupati	Satisfactory	87	PM ₁₀	1
141	Udaipur	Moderate	141	PM ₁₀	1
142	Ujjain	Moderate	155	PM ₁₀	1
143	Varanasi	Moderate	119	PM ₁₀	4
144	Vatva	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghpat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonipat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vijayapura	Good	46	PM ₁₀	1
146	Visakhapatnam	Satisfactory	85	PM ₁₀	1
147	Vrindavan	Moderate	163	PM ₁₀	1
148	Yadgir	Satisfactory	72	PM ₁₀	1
149	Yamunanagar	Moderate	160	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aurangabad, Aurangabad, Baddi, Baghat, Begusarai, Bhilai, Bidar, Chikkamagaluru, Gadag, Gangtok, Gwalior, Jhansi, Jorapokhar, Kannur, Kolar, Maihar, Manesar, Muzaffarnagar, Naharlagun, Nandesari, Palwal, Shillong, Solapur, Sonapat, Talcher, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.