

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	34	PM ₁₀	2
2	Agra	Good	26	O ₃ , CO, PM ₁₀	4
3	Ahmedabad	Satisfactory	65	PM ₁₀	1
4	Aizawl	Good	20	SO ₂	1
5	Alwar	Satisfactory	60	PM ₁₀	1
6	Amaravati	Good	29	03	1
7	Ambala	Satisfactory	92	PM ₁₀	1
8	Ankleshwar	Moderate	126	со	1
9	Araria	Moderate	124	PM _{2.5}	1
10	Arrah	Satisfactory	59	03	1
11	Asansol	Satisfactory	82	PM ₁₀	1
12	Aurangabad (Maharashtra)	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Satisfactory	70	PM ₁₀	1
14	Bagalkot	Satisfactory	51	PM ₁₀	1
15	Baghpat	Good	48	O ₃	1
16	Bahadurgarh	Satisfactory	52	PM ₁₀	1
17	Ballabgarh	Satisfactory	58	PM ₁₀	1
18	Bareilly	Good	50	PM _{2.5} , PM ₁₀	2
19	Bathinda	Moderate	115	PM ₁₀	1
20	Begusarai	Satisfactory	85	03	1
21	Belgaum	Good	46	со	1
22	Bengaluru	Satisfactory	62	PM ₁₀ , CO, PM _{2.5}	8
23	Bettiah	Good	43	PM ₁₀	1
24	Bhagalpur	Satisfactory	94	NO ₂ , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Satisfactory	57	PM ₁₀	1
26	Bhiwani	Satisfactory	92	03	1
27	Bhopal	Good	37	со	1
28	Bilaspur	Satisfactory	70	со	1
29	Brajrajnagar	Good	49	со	1
30	Bulandshahr	Satisfactory	53	PM ₁₀	1
31	Buxar	Moderate	150	PM ₁₀	1
32	Chandigarh	Good	44	O ₃ , PM ₁₀	3
33	Chandrapur	Satisfactory	62	CO, PM ₁₀	2
34	Charkhi Dadri	Satisfactory	65	PM _{2.5}	1
35	Chengalpattu	Satisfactory	60	SO ₂	1
36	Chennai	Satisfactory	66	PM ₁₀	8

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Satisfactory	90	СО	1
38	Chikkaballapur	Good	29	со	1
39	Chikkamagaluru	Good	37	PM ₁₀	1
40	Coimbatore	Good	29	PM _{2.5}	1
41	Damoh	Good	22	со	1
42	Darbhanga	Satisfactory	81	PM ₁₀	1
43	Davanagere	Good	12	PM ₁₀	1
44	Dehradun	Good	28	03	1
45	Delhi	Satisfactory	80	O ₃ , PM ₁₀ , CO	32
46	Dewas	Good	42	PM ₁₀	1
47	Dharuhera	Moderate	107	PM ₁₀	1
48	Eloor	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Good	49	со	1
50	Faridabad	Moderate	140	O ₃ , PM ₁₀ , SO ₂	4
51	Fatehabad	Satisfactory	55	PM ₁₀	1
52	Firozabad	Good	50	PM ₁₀	1
53	Gadag	Good	41	PM _{2.5}	1
54	Gandhinagar	Good	23	со	1
55	Gaya	Satisfactory	60	PM ₁₀ , PM _{2.5}	3
56	Ghaziabad	Satisfactory	58	PM ₁₀	4
57	Gorakhpur	Good	45	SO ₂	1
58	Greater Noida	Satisfactory	87	со	2
59	Gummidipoondi	Good	23	NO ₂	1
60	Gurugram	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes: '

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Satisfactory	62	O ₃ , PM ₁₀	2
62	Gwalior	Good	28	PM ₁₀	1
63	Hajipur	Good	44	PM ₁₀	1
64	Haldia	Good	36	PM ₁₀	1
65	Hapur	Good	45	со	1
66	Hassan	Satisfactory	58	SO ₂	1
67	Haveri	Good	49	со	1
68	Hisar	Satisfactory	72	PM ₁₀	1
69	Hosur	Good	44	PM ₁₀	1
70	Howrah	Satisfactory	67	PM ₁₀	3
71	Hubballi	Satisfactory	51	со	1
72	Hyderabad	Good	46	CO, PM ₁₀ , PM _{2.5}	14

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Satisfactory	66	O ₃ , SO ₂	2
74	Indore	Good	46	03	1
75	Jabalpur	Satisfactory	83	со	1
76	Jaipur	Good	38	o ₃ , co	2
77	Jalandhar	Good	48	PM ₁₀	1
78	Jhansi	Good	30	PM ₁₀	1
79	Jind	Good	45	со	1
80	Jodhpur	Satisfactory	77	PM ₁₀	1
81	Kaithal	Moderate	199	03	1
82	Kalyan	Satisfactory	53	PM ₁₀	1
83	Kannur	Satisfactory	55	PM ₁₀	1
84	Kanpur	Good	30	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Karnal	Good	44	PM ₁₀	1
86	Katihar	Satisfactory	82	PM ₁₀	1
87	Katni	Good	22	СО	1
88	Khanna	Good	49	PM ₁₀	1
89	Khurja	Satisfactory	98	PM ₁₀	1
90	Kishanganj	Satisfactory	80	PM ₁₀	1
91	Kolkata	Satisfactory	52	PM ₁₀	7
92	Kollam	Satisfactory	61	PM ₁₀	1
93	Koppal	Satisfactory	74	O ₃	1
94	Kota	Good	36	со	1
95	Kozhikode	Satisfactory	64	PM ₁₀	1
96	Kurukshetra	Good	43	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Lucknow	Satisfactory	57	CO, O ₃ , PM _{2.5}	4
98	Ludhiana	Satisfactory	84	PM ₁₀	1
99	Madikeri	Good	22	SO ₂	1
100	Maihar	Good	44	со	1
101	Mandi Gobindgarh	Satisfactory	91	PM _{2.5}	1
102	Mandideep	Good	37	03	1
103	Mandikhera	Good	20	PM ₁₀	1
104	Manesar	Satisfactory	62	PM ₁₀	1
105	Manglore	Good	46	со	1
106	Manguraha	Good	44	PM ₁₀	1
107	Meerut	Satisfactory	71	PM ₁₀ , O ₃	3
108	Moradabad	Satisfactory	59	PM ₁₀ , O ₃	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Motihari	Satisfactory	71	03	1
110	Mumbai	Good	45	CO, PM ₁₀	14
111	Muzaffarnagar	Satisfactory	65	PM ₁₀	1
112	Muzaffarpur	Satisfactory	66	O ₃ , PM _{2.5} , CO	3
113	Mysuru	Good	35	PM ₁₀	1
114	Nagpur	Good	37	PM ₁₀	1
115	Narnaul	Good	48	со	1
116	Nashik	Good	45	03	1
117	Navi Mumbai	Satisfactory	56	CO, PM ₁₀	3
118	Noida	Satisfactory	59	CO, PM ₁₀	4
119	Palwal	Satisfactory	70	PM ₁₀	1
120	Panchkula	Good	31	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)


S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panipat	Satisfactory	78	PM ₁₀	1
122	Patiala	Good	49	PM _{2.5}	1
123	Patna	Satisfactory	80	PM ₁₀ , NO ₂ , O ₃	4
124	Pithampur	Good	45	03	1
125	Prayagraj	Satisfactory	73	SO ₂ , O ₃	2
126	Puducherry	Good	49	PM ₁₀	1
127	Purnia	Moderate	161	PM _{2.5}	1
128	Rajamahendravaram	Good	50	PM ₁₀	1
129	Rajgir	Moderate	101	со	1
130	Ramanathapuram	Moderate	106	со	1
131	Ratlam	Good	24	NO ₂	1
132	Rohtak	Satisfactory	59	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AC

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Satisfactory	86	PM ₁₀	1
134	Saharsa	Satisfactory	79	PM _{2.5}	1
135	Sasaram	Satisfactory	89	со	1
136	Satna	Good	15	NO ₂	1
137	Shillong	Good	24	PM ₁₀	2
138	Shivamogga	Good	44	PM ₁₀	1
139	Singrauli	Satisfactory	98	NO ₂	1
140	Sirsa	Satisfactory	68	O ₃	1
141	Solapur	Satisfactory	74	PM ₁₀	1
142	Srinagar	Good	37	PM ₁₀	1
143	Thiruvananthapuram	Good	42	PM _{2.5} , PM ₁₀	2
144	Thoothukudi	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Good	45	PM _{2.5}	1
146	Tirupati	Good	45	со	1
147	Udupi	Satisfactory	57	со	1
148	Ujjain	Good	43	PM ₁₀	1
149	Varanasi	Satisfactory	55	PM ₁₀ , O ₃ , SO ₂	4
150	Vatva	Good	49	PM ₁₀	1
151	Vijayapura	Good	40	PM ₁₀	1
152	Visakhapatnam	Satisfactory	90	PM ₁₀	1
153	Vrindavan	Good	42	SO ₂	1
154	Yadgir	Good	30	со	1
155	Yamunanagar	Satisfactory	81	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: *

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar,
 Aurangabad (Bihar), Bhilai, Bidar, Bihar Sharif, Chamarajanagar, Durgapur,
 Gangtok, Jorapokhar, Kalaburgi, Kochi, Kohima, Kolar, Munger, Naharlagun,
 Nandesari, Pali, Pune, Raichur, Ramanagara, Sagar, Samastipur, Siliguri,
 Siwan, Sonipat, Talcher, Thane, Udaipur, Vapi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.