

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	40	PM <sub>10</sub>	2
2	Agra	Moderate	183	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	75	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	7
4	Aizawl	Good	30	PM <sub>10</sub>	1
5	Ajmer	Moderate	114	PM <sub>2.5</sub>	1
6	Alwar	Moderate	116	PM <sub>10</sub>	1
7	Amaravati	Good	49	03	1
8	Ambala	Moderate	182	PM <sub>10</sub>	1
9	Amritsar	Moderate	136	PM <sub>2.5</sub>	1
10	Ankleshwar	Satisfactory	51	NO <sub>2</sub>	1
11	Arrah	Moderate	122	PM <sub>10</sub>	1
12	Asansol	Satisfactory	71	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	183	PM <sub>10</sub>	1
14	Baddi	Moderate	167	PM <sub>10</sub>	1
15	Bagalkot	Good	50	PM <sub>2.5</sub>	1
16	Baghpat	Moderate	177	PM <sub>10</sub>	1
17	Bahadurgarh	Poor	281	PM <sub>10</sub>	1
18	Ballabgarh	Poor	207	PM <sub>10</sub>	1
19	Bareilly	Satisfactory	100	PM <sub>2.5</sub>	1
20	Bathinda	Moderate	119	PM <sub>10</sub>	1
21	Begusarai	Satisfactory	58	PM <sub>10</sub>	1
22	Bengaluru	Satisfactory	68	PM <sub>10</sub> , CO	9
23	Bettiah	Moderate	129	PM <sub>10</sub>	1
24	Bhagalpur	Moderate	118	PM <sub>10</sub>	2

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Very Poor	327	PM <sub>2.5</sub>	1
26	Bhiwani	Poor	237	PM <sub>2.5</sub>	1
27	Bhopal	Moderate	113	PM <sub>10</sub>	1
28	Bihar Sharif	Moderate	199	PM <sub>10</sub>	1
29	Bilaspur	Satisfactory	61	PM <sub>10</sub>	1
30	Bulandshahr	Poor	253	PM <sub>10</sub>	1
31	Buxar	Moderate	130	PM <sub>2.5</sub>	1
32	Chamarajanagar	Good	37	PM <sub>10</sub>	1
33	Chandigarh	Moderate	169	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	3
34	Chandrapur	Satisfactory	86	PM <sub>10</sub> , O <sub>3</sub>	2
35	Charkhi Dadri	Poor	218	PM <sub>10</sub>	1
36	Chennai	Satisfactory	60	PM <sub>10</sub> , CO	8

### Possible Health Impacts

Good	Minimal Impact			
Satisfactory	Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases			
Poor	Breathing discomfort to most people on prolonged exposure			
Very Poor	Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases			

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Satisfactory	91	PM <sub>10</sub>	1
38	Chikkaballapur	Good	30	O <sub>3</sub>	1
39	Chikkamagaluru	Good	37	03	1
40	Coimbatore	Good	40	PM <sub>10</sub>	1
41	Damoh	Satisfactory	56	PM <sub>10</sub>	1
42	Darbhanga	Satisfactory	51	PM <sub>2.5</sub>	1
43	Davanagere	Good	27	PM <sub>10</sub>	1
44	Dehradun	Moderate	175	03	1
45	Delhi	Very Poor	303	PM <sub>10</sub> , PM <sub>2.5</sub>	37
46	Dewas	Moderate	113	PM <sub>10</sub>	1
47	Dharuhera	Very Poor	308	PM <sub>10</sub>	1
48	Durgapur	Moderate	111	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	62	PM <sub>10</sub>	1
50	Ernakulam	Good	47	со	1
51	Faridabad	Poor	297	PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Firozabad	Moderate	107	PM <sub>10</sub> , PM <sub>2.5</sub>	2
53	Gandhinagar	Satisfactory	79	PM <sub>2.5</sub> , PM <sub>10</sub>	3
54	Gaya	Moderate	138	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	3
55	Ghaziabad	Very Poor	304	PM <sub>10</sub>	4
56	Greater Noida	Very Poor	319	PM <sub>10</sub>	2
57	Gurugram	Very Poor	310	PM <sub>10</sub> , PM <sub>2.5</sub>	4
58	Guwahati	Good	50	PM <sub>10</sub>	1
59	Gwalior	Moderate	169	PM <sub>10</sub>	1
60	Hajipur	Satisfactory	100	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Satisfactory	58	PM <sub>10</sub>	1
62	Hapur	Very Poor	316	PM <sub>10</sub>	1
63	Hassan	Good	42	PM <sub>10</sub>	1
64	Hisar	Poor	247	PM <sub>10</sub>	1
65	Howrah	Satisfactory	68	PM <sub>10</sub>	3
66	Hubballi	Satisfactory	51	со	1
67	Hyderabad	Satisfactory	68	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	13
68	Imphal	Satisfactory	81	SO <sub>2</sub> , PM <sub>10</sub>	2
69	Indore	Satisfactory	94	PM <sub>10</sub>	1
70	Jabalpur	Moderate	138	PM <sub>10</sub>	1
71	Jaipur	Moderate	177	PM <sub>2.5</sub> , PM <sub>10</sub>	3
72	Jalandhar	Moderate	104	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	163	PM <sub>10</sub>	1
74	Jind	Poor	228	PM <sub>10</sub>	1
75	Jodhpur	Moderate	138	PM <sub>2.5</sub>	1
76	Kaithal	Very Poor	325	PM <sub>10</sub>	1
77	Kalaburgi	Good	40	O <sub>3</sub>	1
78	Kalyan	Good	47	PM <sub>10</sub>	1
79	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
80	Kanpur	Moderate	172	PM <sub>2.5</sub>	3
81	Karnal	Moderate	170	PM <sub>10</sub>	1
82	Katihar	Moderate	124	PM <sub>10</sub>	1
83	Katni	Moderate	144	PM <sub>10</sub>	1
84	Khanna	Moderate	110	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Very Poor

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Respiratory illness on prolonged exposure

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Moderate	193	PM <sub>10</sub>	1
86	Kishanganj	Satisfactory	85	PM <sub>10</sub>	1
87	Kochi	Satisfactory	95	со	1
88	Kohima	Satisfactory	86	PM <sub>10</sub>	1
89	Kolkata	Satisfactory	69	PM <sub>10</sub>	7
90	Kollam	Satisfactory	92	PM <sub>10</sub>	1
91	Kota	Moderate	113	PM <sub>10</sub>	1
92	Kozhikode	Satisfactory	67	PM <sub>10</sub>	1
93	Kurukshetra	Poor	201	PM <sub>2.5</sub>	1
94	Lucknow	Moderate	159	PM <sub>2.5</sub> , PM <sub>10</sub>	6
95	Ludhiana	Poor	208	PM <sub>2.5</sub>	1
96	Madikeri	Good	34	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	47	со	1
98	Mandi Gobindgarh	Moderate	107	PM <sub>2.5</sub>	1
99	Mandideep	Moderate	113	PM <sub>10</sub>	1
100	Mandikhera	Moderate	173	PM <sub>10</sub>	1
101	Manesar	Poor	279	PM <sub>2.5</sub>	1
102	Manglore	Satisfactory	55	со	1
103	Manguraha	Good	41	03	1
104	Meerut	Poor	259	PM <sub>10</sub>	3
105	Moradabad	Moderate	167	PM <sub>10</sub>	4
106	Motihari	Satisfactory	97	03	1
107	Mumbai	Satisfactory	62	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	15
108	Munger	Moderate	163	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarnagar	Poor	294	PM <sub>10</sub>	1
110	Muzaffarpur	Satisfactory	85	PM <sub>2.5</sub> , PM <sub>10</sub>	3
111	Mysuru	Good	41	O <sub>3</sub>	1
112	Nagpur	Satisfactory	82	O <sub>3</sub>	1
113	Naharlagun	Good	27	PM <sub>2.5</sub>	1
114	Nandesari	Moderate	127	СО	1
115	Narnaul	Moderate	156	PM <sub>10</sub>	1
116	Nashik	Good	38	O <sub>3</sub>	1
117	Navi Mumbai	Satisfactory	68	CO, PM <sub>10</sub>	2
118	Noida	Very Poor	342	PM <sub>10</sub>	4
119	Palwal	Moderate	184	PM <sub>10</sub>	1
120	Panchkula	Moderate	176	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panipat	Poor	261	PM <sub>10</sub>	1
122	Patiala	Moderate	161	PM <sub>10</sub>	1
123	Patna	Moderate	114	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	5
124	Pithampur	Satisfactory	97	PM <sub>10</sub>	1
125	Prayagraj	Moderate	138	PM <sub>10</sub>	3
126	Puducherry	Good	50	PM <sub>10</sub>	1
127	Pune	Satisfactory	77	со	4
128	Purnia	Poor	226	PM <sub>2.5</sub>	1
129	Raichur	Good	46	со	1
130	Rajamahendravaram	Satisfactory	60	PM <sub>10</sub>	1
131	Ramanagara	Good	31	SO <sub>2</sub>	1
132	Ratlam	Satisfactory	80	PM <sub>10</sub>	1

### Possible Health Impacts

## · ....

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rohtak	Very Poor	311	PM <sub>2.5</sub>	1
134	Rupnagar	Moderate	108	PM <sub>10</sub>	1
135	Sagar	Poor	231	NO <sub>2</sub>	1
136	Saharsa	Moderate	163	PM <sub>10</sub>	1
137	Samastipur	Moderate	134	PM <sub>10</sub>	1
138	Sasaram	Moderate	147	PM <sub>10</sub>	1
139	Satna	Good	50	O <sub>3</sub>	1
140	Shillong	Good	35	PM <sub>10</sub>	1
141	Shivamogga	Good	49	PM <sub>10</sub>	1
142	Siliguri	Good	40	NO <sub>2</sub>	1
143	Singrauli	Poor	242	PM <sub>10</sub>	1
144	Sirsa	Poor	226	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Solapur	Moderate	111	PM <sub>10</sub>	1
146	Sonipat	Poor	205	PM <sub>10</sub>	1
147	Srinagar	Good	50	PM <sub>10</sub>	1
148	Thiruvananthapuram	Satisfactory	60	PM <sub>2.5</sub> , PM <sub>10</sub>	2
149	Thoothukudi	Good	36	PM <sub>10</sub>	1
150	Thrissur	Satisfactory	55	PM <sub>2.5</sub>	1
151	Tirupati	Good	43	со	1
152	Udaipur	Satisfactory	73	PM <sub>10</sub>	1
153	Ujjain	Moderate	113	PM <sub>10</sub>	1
154	Varanasi	Satisfactory	86	PM <sub>10</sub>	4
155	Vatva	Satisfactory	78	PM <sub>10</sub>	1
156	Vijayapura	Satisfactory	55	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Visakhapatnam	Moderate	113	PM <sub>10</sub>	1
158	Vrindavan	Moderate	175	PM <sub>10</sub>	1
159	Yadgir	Good	29	со	1
160	Yamunanagar	Poor	278	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Araria, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Fatehabad, Gadag, Gangtok, Gorakhpur, Gummidipoondi, Haveri, Jorapokhar, Kolar, Koppal, Pali, Rajgir, Siwan, Talcher, Thane, Udupi, Vapi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.