

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	153	PM <sub>2.5</sub>	1
2	Agra	Poor	229	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	127	PM <sub>10</sub>	1
4	Aizawl	Good	15	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	79	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	71	PM <sub>2.5</sub>	1
7	Amaravati	Good	25	03	1
8	Ambala	Satisfactory	99	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	63	PM <sub>10</sub>	1
10	Ankleshwar	Poor	249	PM <sub>2.5</sub>	1
11	Asansol	Moderate	112	PM <sub>10</sub>	1
12	Aurangabad	Satisfactory	67	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Kochi, Kohima, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	56	NO <sub>2</sub>	1
14	Baghpat	Moderate	116	PM <sub>10</sub>	1
15	Bahadurgarh	Satisfactory	82	PM <sub>2.5</sub>	1
16	Ballabgarh	Moderate	108	PM <sub>10</sub>	1
17	Bathinda	Satisfactory	71	PM <sub>10</sub>	1
18	Bengaluru	Good	48	CO, NO <sub>2</sub> , PM <sub>10</sub>	8
19	Bhiwadi	Poor	244	PM <sub>2.5</sub>	1
20	Bhiwani	Poor	236	03	1
21	Bhopal	Poor	239	PM <sub>2.5</sub>	1
22	Brajrajnagar	Moderate	152	PM <sub>2.5</sub>	1
23	Bulandshahr	Poor	208	PM <sub>2.5</sub>	1
24	Chandigarh	Good	46	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Kochi, Kohima, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	85	PM <sub>10</sub>	2
26	Charkhi Dadri	Moderate	128	PM <sub>2.5</sub>	1
27	Chennai	Satisfactory	60	O <sub>3</sub> , CO	3
28	Chikkaballapur	Good	40	PM <sub>2.5</sub>	1
29	Chikkamagaluru	Satisfactory	72	03	1
30	Damoh	Poor	219	PM <sub>2.5</sub>	1
31	Delhi	Moderate	137	PM <sub>2.5</sub>	35
32	Dewas	Poor	212	PM <sub>2.5</sub>	1
33	Dharuhera	Moderate	133	PM <sub>10</sub>	1
34	Eloor	Good	38	со	1
35	Ernakulam	Satisfactory	65	со	1
36	Faridabad	Moderate	134	PM <sub>2.5</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Kochi, Kohima, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	153	PM <sub>2.5</sub>	1
38	Gandhinagar	Satisfactory	89	PM <sub>10</sub>	1
39	Gaya	Moderate	174	PM <sub>2.5</sub>	2
40	Ghaziabad	Moderate	166	PM <sub>2.5</sub> , PM <sub>10</sub>	4
41	Greater Noida	Moderate	129	PM <sub>10</sub>	2
42	Gurugram	Moderate	107	PM <sub>2.5</sub>	3
43	Guwahati	Moderate	107	PM <sub>2.5</sub>	1
44	Gwalior	Poor	240	PM <sub>2.5</sub>	1
45	Hajipur	Moderate	103	PM <sub>2.5</sub>	1
46	Hapur	Moderate	106	со	1
47	Hisar	Moderate	112	PM <sub>2.5</sub>	1
48	Howrah	Moderate	173	PM <sub>2.5</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Kochi, Kohima, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Satisfactory	63	PM <sub>10</sub>	1
50	Hyderabad	Satisfactory	86	PM <sub>2.5</sub> , PM <sub>10</sub>	6
51	Indore	Moderate	199	PM <sub>2.5</sub>	1
52	Jabalpur	Poor	268	PM <sub>2.5</sub>	1
53	Jaipur	Satisfactory	79	NO <sub>2</sub> , PM <sub>2.5</sub>	3
54	Jalandhar	Moderate	113	PM <sub>10</sub>	1
55	Jind	Satisfactory	80	PM <sub>2.5</sub>	1
56	Jodhpur	Moderate	149	PM <sub>2.5</sub>	1
57	Jorapokhar	Satisfactory	86	PM <sub>10</sub>	1
58	Kaithal	Satisfactory	70	PM <sub>10</sub>	1
59	Kalaburgi	Moderate	106	PM <sub>10</sub>	1
60	Kalyan	Poor	206	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Kochi, Kohima, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	60	PM <sub>10</sub>	1
62	Kanpur	Very Poor	318	PM <sub>2.5</sub>	1
63	Karnal	Satisfactory	62	PM <sub>10</sub>	1
64	Katni	Poor	294	PM <sub>2.5</sub>	1
65	Khanna	Satisfactory	70	со	1
66	Kolkata	Moderate	186	PM <sub>2.5</sub>	7
67	Kollam	Poor	235	PM <sub>2.5</sub>	1
68	Kota	Moderate	149	PM <sub>2.5</sub>	1
69	Kozhikode	Satisfactory	74	PM <sub>10</sub>	1
70	Kurukshetra	Satisfactory	85	PM <sub>2.5</sub>	1
71	Lucknow	Very Poor	346	PM <sub>2.5</sub>	3
72	Ludhiana	Satisfactory	77	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Kochi, Kohima, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Satisfactory	54	PM <sub>10</sub>	1
74	Mandi Gobindgarh	Satisfactory	84	PM <sub>2.5</sub>	1
75	Mandideep	Moderate	152	PM <sub>10</sub>	1
76	Mandikhera	Satisfactory	90	со	1
77	Manesar	Satisfactory	79	PM <sub>2.5</sub>	1
78	Medikeri	Good	48	03	1
79	Meerut	Moderate	141	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	3
80	Moradabad	Poor	208	PM <sub>2.5</sub>	1
81	Mumbai	Moderate	182	PM <sub>2.5</sub> , PM <sub>10</sub>	16
82	Muzaffarnagar	Moderate	119	PM <sub>10</sub>	1
83	Muzaffarpur	Poor	274	PM <sub>2.5</sub> , PM <sub>10</sub>	2
84	Mysuru	Good	39	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Kochi, Kohima, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nagpur	Satisfactory	57	PM <sub>2.5</sub>	1
86	Nandesari	Moderate	188	СО	1
87	Narnaul	Satisfactory	86	PM <sub>2.5</sub>	1
88	Nashik	Satisfactory	100	PM <sub>2.5</sub>	1
89	Navi Mumbai	Moderate	149	PM <sub>2.5</sub> , PM <sub>10</sub>	2
90	Noida	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	4
91	Pali	Satisfactory	95	PM <sub>10</sub>	1
92	Palwal	Moderate	101	СО	1
93	Panchkula	Good	45	PM <sub>2.5</sub>	1
94	Panipat	Moderate	114	SO <sub>2</sub>	1
95	Patiala	Satisfactory	74	PM <sub>10</sub>	1
96	Patna	Very Poor	316	PM <sub>2.5</sub>	6

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Kochi, Kohima, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Poor	242	PM <sub>2.5</sub>	1
98	Pune	Moderate	120	PM <sub>2.5</sub>	3
99	Rajamahendravaram	Good	42	O <sub>3</sub>	1
100	Ratlam	Moderate	132	PM <sub>2.5</sub>	1
101	Rohtak	Good	49	NO <sub>2</sub>	1
102	Rupnagar	Moderate	112	PM <sub>10</sub>	1
103	Sagar	Moderate	156	PM <sub>2.5</sub>	1
104	Satna	Satisfactory	64	PM <sub>10</sub>	1
105	Shillong	Good	26	PM <sub>10</sub>	1
106	Shivamogga	Good	50	PM <sub>10</sub>	1
107	Singrauli	Poor	258	PM <sub>2.5</sub>	1
108	Sirsa	Satisfactory	94	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Kochi, Kohima, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Solapur	Satisfactory	99	PM <sub>10</sub>	1
110	Sonipat	Satisfactory	92	PM <sub>10</sub>	1
111	Talcher	Moderate	119	PM <sub>10</sub>	1
112	Thane	Moderate	169	PM <sub>10</sub>	1
113	Thiruvananthapuram	Satisfactory	83	PM <sub>10</sub>	2
114	Thoothukudi	Satisfactory	70	PM <sub>10</sub>	1
115	Thrissur	Satisfactory	83	PM <sub>10</sub>	1
116	Tirupati	Good	34	СО	1
117	Udaipur	Moderate	104	PM <sub>2.5</sub>	1
118	Ujjain	Poor	213	PM <sub>2.5</sub>	1
119	Vapi	Poor	242	PM <sub>2.5</sub>	1
120	Varanasi	Very Poor	330	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Kochi, Kohima, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Moderate	131	PM <sub>10</sub>	1
122	Vijayapura	Satisfactory	57	PM <sub>2.5</sub>	1
123	Yamunanagar	Moderate	107	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chamarajanagar, Coimbatore, Kochi, Kohima, Ramanagara, Siliguri, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.