

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	199	PM _{2.5}	1
2	Agra	Satisfactory	89	PM ₁₀	6
3	Ahmedabad	Satisfactory	87	PM ₁₀ , CO	8
4	Aizawl	Moderate	116	PM ₁₀	1
5	Ajmer	Satisfactory	90	PM _{2.5}	1
6	Alwar	Moderate	104	PM ₁₀	1
7	Amaravati	Satisfactory	81	PM ₁₀	1
8	Ambala	Good	41	PM ₁₀	1
9	Amritsar	Satisfactory	64	PM _{2.5}	1
10	Anantapur	Satisfactory	64	PM ₁₀	1
11	Ankleshwar	Moderate	109	со	1
12	Ariyalur	Satisfactory	55	NO ₂	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	198	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	91	PM ₁₀	1
15	Baddi	Satisfactory	81	O ₃	1
16	Bagalkot	Good	46	PM ₁₀	1
17	Bahadurgarh	Moderate	131	PM ₁₀	1
18	Ballabgarh	Moderate	138	PM _{2.5}	1
19	Banswara	Moderate	141	PM ₁₀	1
20	Bareilly	Moderate	135	PM ₁₀	2
21	Baripada	Moderate	145	PM _{2.5}	1
22	Barmer	Moderate	150	PM ₁₀	1
23	Bathinda	Moderate	104	PM _{2.5}	1
24	Bengaluru	Satisfactory	97	PM ₁₀	10

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Moderate	116	PM _{2.5}	1
26	Bhagalpur	Poor	216	PM ₁₀	2
27	Bharatpur	Poor	206	PM ₁₀	1
28	Bhilai	Satisfactory	61	PM ₁₀ , O ₃	3
29	Bhiwadi	Poor	215	PM ₁₀	1
30	Bhiwani	Moderate	136	PM ₁₀	1
31	Bhopal	Moderate	101	PM ₁₀	3
32	Bidar	Satisfactory	58	PM ₁₀	1
33	Bihar Sharif	Moderate	170	PM ₁₀	1
34	Bikaner	Moderate	174	PM ₁₀	1
35	Bileipada	Poor	219	PM ₁₀	1
36	Bulandshahr	Moderate	113	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Moderate	164	PM ₁₀	1
38	Chamarajanagar	Good	42	PM ₁₀	1
39	Chandigarh	Satisfactory	65	O ₃ , PM ₁₀	3
40	Chandrapur	Moderate	113	03	1
41	Charkhi Dadri	Poor	253	PM _{2.5}	1
42	Chennai	Satisfactory	70	со	6
43	Chhal	Moderate	112	PM ₁₀	1
44	Chhapra	Poor	266	PM ₁₀	1
45	Chikkaballapur	Satisfactory	97	PM ₁₀	1
46	Chikkamagaluru	Satisfactory	57	O ₃	1
47	Churu	Moderate	116	PM ₁₀	1
48	Cuddalore	Good	43	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Damoh	Good	26	PM _{2.5}	1
50	Dausa	Poor	207	PM ₁₀	1
51	Davanagere	Satisfactory	65	PM ₁₀	1
52	Dehradun	Moderate	118	со	1
53	Delhi	Moderate	159	PM ₁₀ , CO	38
54	Dhanbad	Poor	298	PM _{2.5}	1
55	Dharwad	Moderate	133	PM _{2.5}	1
56	Dholpur	Satisfactory	63	PM ₁₀	1
57	Dindigul	Satisfactory	60	PM ₁₀	1
58	Durgapur	Moderate	149	PM ₁₀	1
59	Faridabad	Moderate	139	PM _{2.5}	3
60	Firozabad	Moderate	110	PM ₁₀	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gadag	Satisfactory	55	PM _{2.5}	1
62	Gandhinagar	Moderate	117	PM _{2.5} , PM ₁₀	3
63	Gangtok	Good	48	03	1
64	Gaya	Moderate	127	PM ₁₀ , PM _{2.5}	3
65	Ghaziabad	Moderate	160	PM ₁₀	4
66	Gorakhpur	Satisfactory	92	PM ₁₀	1
67	Greater Noida	Moderate	190	PM ₁₀	2
68	Gummidipoondi	Satisfactory	96	PM ₁₀	1
69	Gurugram	Poor	245	PM _{2.5}	3
70	Guwahati	Moderate	127	03	4
71	Gwalior	Moderate	152	PM ₁₀	3
72	Hajipur	Very Poor	306	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asanso

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haldia	Satisfactory	83	PM ₁₀	1
74	Hanumangarh	Moderate	124	PM _{2.5}	1
75	Hapur	Satisfactory	87	O ₃	1
76	Hassan	Moderate	106	PM ₁₀	1
77	Haveri	Satisfactory	70	PM ₁₀	1
78	Howrah	Moderate	110	PM ₁₀	3
79	Hubballi	Moderate	108	PM ₁₀	2
80	Hyderabad	Moderate	102	PM _{2.5} , PM ₁₀	12
81	Imphal	Moderate	108	PM ₁₀ , SO ₂	2
82	Indore	Satisfactory	90	PM ₁₀ , CO	2
83	Jabalpur	Moderate	114	PM ₁₀	1
84	Jaipur	Moderate	166	PM ₁₀	5

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jalandhar	Satisfactory	66	PM ₁₀	1
86	Jhalawar	Satisfactory	100	PM ₁₀	1
87	Jhansi	Satisfactory	97	PM ₁₀	1
88	Jhunjhunu	Moderate	186	03	1
89	Jodhpur	Moderate	187	PM _{2.5}	4
90	Jorapokhar	Moderate	148	PM ₁₀	1
91	Kaithal	Satisfactory	69	PM ₁₀	1
92	Kalaburgi	Satisfactory	82	PM ₁₀	2
93	Kalyan	Satisfactory	78	PM _{2.5}	1
94	Kanchipuram	Satisfactory	57	PM ₁₀	1
95	Kanpur	Moderate	110	PM ₁₀	4
96	Karauli	Satisfactory	71	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karnal	Good	48	PM ₁₀	1
98	Katihar	Moderate	118	PM ₁₀	1
99	Katni	Moderate	163	PM ₁₀	1
100	Keonjhar	Moderate	135	PM _{2.5}	1
101	Khanna	Moderate	101	PM ₁₀	1
102	Khurja	Satisfactory	82	PM _{2.5}	1
103	Kishanganj	Moderate	168	PM ₁₀	1
104	Kochi	Satisfactory	65	PM ₁₀	1
105	Kolkata	Satisfactory	90	PM ₁₀	7
106	Koppal	Satisfactory	52	O ₃	1
107	Korba	Moderate	150	PM ₁₀ , PM _{2.5}	2
108	Kota	Satisfactory	99	PM _{2.5}	3

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kunjemura	Moderate	130	PM ₁₀	1
110	Kurukshetra	Satisfactory	61	PM ₁₀	1
111	Lucknow	Moderate	165	PM _{2.5}	6
112	Ludhiana	Satisfactory	84	PM ₁₀	1
113	Madikeri	Good	43	03	1
114	Maihar	Good	49	со	1
115	Mandi Gobindgarh	Moderate	116	PM _{2.5}	1
116	Mandikhera	Satisfactory	71	PM ₁₀	1
117	Manesar	Poor	214	PM _{2.5}	1
118	Mangalore	Satisfactory	70	PM ₁₀	1
119	Meerut	Moderate	135	PM ₁₀	3
120	Milupara	Satisfactory	66	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Moradabad	Satisfactory	68	PM ₁₀	6
122	Motihari	Moderate	135	PM ₁₀	1
123	Mumbai	Moderate	106	PM ₁₀	15
124	Munger	Poor	296	PM ₁₀	1
125	Muzaffarnagar	Moderate	103	PM ₁₀	1
126	Muzaffarpur	Poor	219	PM _{2.5}	3
127	Mysuru	Satisfactory	61	03	1
128	Nagpur	Satisfactory	99	03	1
129	Naharlagun	Good	24	PM ₁₀	1
130	Nalbari	Satisfactory	76	03	1
131	Nandesari	Good	47	со	1
132	Narnaul	Moderate	118	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nashik	Satisfactory	71	PM ₁₀	1
134	Navi Mumbai	Moderate	154	PM ₁₀	3
135	Nayagarh	Poor	263	PM _{2.5}	1
136	Noida	Moderate	165	PM ₁₀	4
137	Ooty	Satisfactory	90	PM _{2.5}	1
138	Pali	Moderate	106	PM ₁₀	1
139	Palkalaiperur	Good	50	SO ₂	1
140	Panchkula	Good	43	PM _{2.5}	1
141	Panipat	Satisfactory	84	PM ₁₀	1
142	Patiala	Satisfactory	61	O ₃	1
143	Patna	Poor	259	PM ₁₀ , PM _{2.5}	6
144	Pithampur	Moderate	111	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pratapgarh	Moderate	120	PM ₁₀	1
146	Prayagraj	Satisfactory	78	PM ₁₀	3
147	Puducherry	Satisfactory	54	O ₃	1
148	Pune	Very Poor	366	PM _{2.5}	3
149	Raipur	Satisfactory	87	PM ₁₀	4
150	Rairangpur	Moderate	186	PM _{2.5}	1
151	Rajamahendravaram	Satisfactory	72	PM ₁₀	1
152	Rajgir	Moderate	136	PM ₁₀	1
153	Rajsamand	Satisfactory	73	PM ₁₀	1
154	Ramanagara	Satisfactory	86	PM ₁₀	1
155	Ramanathapuram	Good	30	PM ₁₀	1
156	Ratlam	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rishikesh	Good	35	PM ₁₀	1
158	Rohtak	Moderate	138	PM _{2.5}	1
159	Rourkela	Poor	201	PM _{2.5} , PM ₁₀	3
160	Rupnagar	Satisfactory	76	PM ₁₀	1
161	Sagar	Satisfactory	98	PM ₁₀	1
162	Saharsa	Poor	205	PM ₁₀	1
163	Samastipur	Poor	240	PM ₁₀	1
164	Satna	Moderate	117	PM ₁₀	1
165	Sawai Madhopur	Moderate	129	PM ₁₀	1
166	Shillong	Moderate	166	PM _{2.5}	1
167	Shivamogga	Satisfactory	68	O ₃	1
168	Sikar	Moderate	154	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Siliguri	Satisfactory	85	PM ₁₀	1
170	Singrauli	Moderate	166	PM ₁₀	1
171	Sirsa	Satisfactory	98	PM ₁₀	1
172	Sivasagar	Good	28	PM _{2.5}	1
173	Siwan	Poor	224	PM ₁₀	1
174	Solapur	Moderate	116	PM ₁₀	1
175	Sonipat	Moderate	149	PM ₁₀	1
176	Srinagar	Good	39	PM ₁₀	1
177	Suakati	Moderate	142	PM _{2.5}	1
178	Talcher	Moderate	156	PM _{2.5}	1
179	Tensa	Moderate	111	PM ₁₀	1
180	Thane	Moderate	178	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thiruvananthapuram	Satisfactory	54	PM ₁₀	2
182	Thoothukudi	Satisfactory	70	PM ₁₀	1
183	Thrissur	Satisfactory	90	PM ₁₀	1
184	Tirupati	Moderate	147	PM ₁₀	2
185	Tirupur	Good	42	PM ₁₀	1
186	Tonk	Moderate	187	PM ₁₀	1
187	Tumidih	Satisfactory	80	PM ₁₀	1
188	Udaipur	Satisfactory	85	PM ₁₀	1
189	Vapi	Moderate	142	PM _{2.5}	1
190	Varanasi	Satisfactory	85	PM ₁₀ , PM _{2.5}	4
191	Vatva	Moderate	104	PM ₁₀	1
192	Vijayapura	Good	46	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Argria, Asangal

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vijayawada	Moderate	112	PM _{2.5}	1
194	Visakhapatnam	Moderate	152	PM ₁₀	1
195	Vrindavan	Moderate	159	PM ₁₀	1
196	Yadgir	Moderate	111	PM ₁₀	1
197	Yamunanagar	Satisfactory	77	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.