



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	26	O <sub>3</sub> , PM <sub>2.5</sub> , CO	6
3	Ahmedabad	Satisfactory	65	PM <sub>10</sub>	1
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Good	46	SO <sub>2</sub>	1
6	Alwar	Good	48	PM <sub>10</sub>	1
7	Amaravati	Good	36	CO	1
8	Ambala	Good	44	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	59	NO <sub>2</sub>	1
10	Ankleshwar	Satisfactory	60	PM <sub>10</sub>	1
11	Araria	Satisfactory	64	PM <sub>10</sub>	1
12	Asansol	Satisfactory	68	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udipi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	84	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Good	35	PM <sub>2.5</sub>	1
15	Baddi	Satisfactory	54	PM <sub>10</sub>	1
16	Bagalkot	Good	42	PM <sub>10</sub>	1
17	Bahadurgarh	Good	45	PM <sub>10</sub>	1
18	Ballabgarh	Good	42	PM <sub>10</sub>	1
19	Bareilly	Good	44	PM <sub>10</sub>	1
20	Bathinda	Good	47	PM <sub>10</sub>	1
21	Begusarai	Good	44	PM <sub>10</sub>	1
22	Bengaluru	Satisfactory	57	PM <sub>10</sub> , O <sub>3</sub>	7
23	Bettiah	Good	45	O <sub>3</sub>	1
24	Bhagalpur	Satisfactory	66	PM <sub>10</sub> , O <sub>3</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Good	44	PM <sub>10</sub>	1
26	Bhiwani	Satisfactory	61	O <sub>3</sub>	1
27	Bhopal	Satisfactory	87	CO	1
28	Bihar Sharif	Good	26	CO	1
29	Bilaspur	Satisfactory	84	CO	1
30	Brajrajnagar	Good	47	CO	1
31	Bulandshahr	Good	45	O <sub>3</sub>	1
32	Buxar	Satisfactory	80	CO	1
33	Chamarajanagar	Good	41	PM <sub>10</sub>	1
34	Chandigarh	Good	34	CO, O <sub>3</sub> , PM <sub>10</sub>	3
35	Chandrapur	Satisfactory	77	PM <sub>2.5</sub> , CO	2
36	Charkhi Dadri	Satisfactory	64	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Good	47	CO, PM <sub>10</sub>	7
38	Chhapra	Satisfactory	53	CO	1
39	Chikkaballapur	Good	29	CO	1
40	Chikkamagaluru	Good	32	PM <sub>10</sub>	1
41	Coimbatore	Good	33	PM <sub>10</sub>	1
42	Darbhanga	Moderate	102	PM <sub>10</sub>	1
43	Davanagere	Good	8	CO	1
44	Dehradun	Good	25	PM <sub>10</sub>	1
45	Delhi	Satisfactory	61	O <sub>3</sub> , CO	35
46	Dewas	Good	40	PM <sub>10</sub>	1
47	Durgapur	Good	34	PM <sub>10</sub>	1
48	Eloor	Satisfactory	52	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Good	36	CO	1
50	Faridabad	Satisfactory	70	SO <sub>2</sub> , PM <sub>10</sub>	2
51	Fatehabad	Satisfactory	52	PM <sub>10</sub>	1
52	Gadag	Satisfactory	58	PM <sub>10</sub>	1
53	Gandhinagar	Good	28	PM <sub>10</sub>	1
54	Gangtok	Good	20	O <sub>3</sub>	1
55	Gaya	Satisfactory	57	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	3
56	Ghaziabad	Good	48	CO, PM <sub>10</sub> , NO <sub>2</sub>	3
57	Gorakhpur	Good	47	SO <sub>2</sub>	1
58	Greater Noida	Satisfactory	51	CO	2
59	Gummidipoondi	Good	8	PM <sub>10</sub>	1
60	Gurugram	Satisfactory	70	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udipi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Satisfactory	52	O <sub>3</sub> , PM <sub>10</sub>	2
62	Gwalior	Good	49	O <sub>3</sub>	1
63	Hajipur	Satisfactory	69	PM <sub>10</sub>	1
64	Haldia	Good	33	O <sub>3</sub>	1
65	Hapur	Satisfactory	57	CO	1
66	Hassan	Good	36	SO <sub>2</sub>	1
67	Haveri	Satisfactory	54	CO	1
68	Howrah	Good	41	CO, PM <sub>10</sub>	3
69	Hyderabad	Good	48	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	13
70	Imphal	Satisfactory	62	O <sub>3</sub> , PM <sub>10</sub>	2
71	Indore	Satisfactory	55	PM <sub>10</sub>	1
72	Jabalpur	Satisfactory	55	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Good	44	CO, O <sub>3</sub>	2
74	Jalandhar	Good	37	PM <sub>10</sub>	1
75	Jhansi	Good	32	PM <sub>10</sub>	1
76	Jind	Moderate	114	CO	1
77	Jodhpur	Moderate	114	PM <sub>10</sub>	1
78	Kaithal	Good	43	O <sub>3</sub>	1
79	Kalaburgi	Good	28	PM <sub>10</sub>	1
80	Kalyan	Satisfactory	57	PM <sub>10</sub>	1
81	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
82	Kanpur	Good	41	PM <sub>10</sub>	3
83	Karnal	Good	28	PM <sub>10</sub>	1
84	Katni	Satisfactory	55	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udipi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Good	44	CO	1
86	Khurja	Good	20	CO	1
87	Kishanganj	Satisfactory	72	PM <sub>10</sub>	1
88	Kochi	Moderate	123	CO	1
89	Kolkata	Good	34	O <sub>3</sub> , CO	6
90	Kollam	Good	48	PM <sub>10</sub>	1
91	Kota	Satisfactory	51	PM <sub>10</sub>	1
92	Kurukshetra	Good	39	O <sub>3</sub>	1
93	Lucknow	Satisfactory	84	O <sub>3</sub> , PM <sub>10</sub>	4
94	Ludhiana	Good	50	PM <sub>10</sub>	1
95	Madikeri	Good	29	SO <sub>2</sub>	1
96	Mandideep	Satisfactory	61	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	55	CO	1
98	Manglore	Satisfactory	66	NO <sub>2</sub>	1
99	Manguraha	Good	33	PM <sub>10</sub>	1
100	Meerut	Satisfactory	91	O <sub>3</sub> , CO, PM <sub>10</sub>	3
101	Moradabad	Satisfactory	66	PM <sub>10</sub> , CO	6
102	Motihari	Satisfactory	57	O <sub>3</sub>	1
103	Mumbai	Satisfactory	64	PM <sub>10</sub> , SO <sub>2</sub> , PM <sub>2.5</sub>	11
104	Muzaffarnagar	Satisfactory	69	PM <sub>10</sub>	1
105	Muzaffarpur	Satisfactory	73	PM <sub>10</sub> , PM <sub>2.5</sub>	3
106	Mysuru	Good	38	PM <sub>10</sub>	1
107	Nagpur	Satisfactory	53	PM <sub>10</sub>	1
108	Naharlagun	Good	23	SO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Satisfactory	58	CO, PM <sub>10</sub>	2
110	Noida	Satisfactory	69	CO, PM <sub>10</sub>	4
111	Pali	Satisfactory	66	PM <sub>2.5</sub>	1
112	Palwal	Good	48	PM <sub>10</sub>	1
113	Panchkula	Good	36	PM <sub>2.5</sub>	1
114	Patna	Satisfactory	82	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	5
115	Pithampur	Good	47	PM <sub>10</sub>	1
116	Prayagraj	Satisfactory	74	SO <sub>2</sub> , PM <sub>10</sub>	2
117	Puducherry	Good	29	O <sub>3</sub>	1
118	Pune	Satisfactory	60	CO	1
119	Purnia	Satisfactory	81	PM <sub>10</sub>	1
120	Rajamahendravaram	Good	34	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Good	26	O <sub>3</sub>	1
122	Ramanagara	Good	30	SO <sub>2</sub>	1
123	Ratlam	Good	30	PM <sub>10</sub>	1
124	Rohtak	Satisfactory	51	NO <sub>2</sub>	1
125	Rupnagar	Good	25	CO	1
126	Saharsa	Moderate	126	PM <sub>2.5</sub>	1
127	Sasaram	Good	46	O <sub>3</sub>	1
128	Satna	Satisfactory	63	PM <sub>10</sub>	1
129	Shillong	Good	32	O <sub>3</sub>	1
130	Shivamogga	Good	37	PM <sub>10</sub>	1
131	Siliguri	Satisfactory	59	PM <sub>10</sub>	1
132	Sirsa	Satisfactory	84	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siwan	Satisfactory	70	PM <sub>10</sub>	1
134	Solapur	Satisfactory	70	PM <sub>10</sub>	1
135	Sonipat	Satisfactory	51	PM <sub>10</sub>	1
136	Srinagar	Satisfactory	62	PM <sub>10</sub>	1
137	Thiruvananthapuram	Good	28	CO	1
138	Thoothukudi	Good	38	PM <sub>10</sub>	1
139	Tirupati	Good	38	CO	1
140	Udaipur	Satisfactory	59	PM <sub>10</sub>	1
141	Ujjain	Satisfactory	62	PM <sub>10</sub>	1
142	Varanasi	Good	46	PM <sub>10</sub> , NO <sub>2</sub>	3
143	Vijayapura	Good	49	PM <sub>10</sub>	1
144	Visakhapatnam	Satisfactory	88	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jul 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yadgir	Good	28	CO	1
146	Yamunanagar	Moderate	104	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Baghpat, Bhilai, Bidar, Damoh, Dharuhera, Firozabad, Hisar, Hubballi, Jorapokhar, Katihar, Kohima, Kolar, Koppal, Kozhikode, Maihar, Mandi Gobindgarh, Manesar, Munger, Nandesari, Narnaul, Nashik, Panipat, Patiala, Raichur, Sagar, Samastipur, Singrauli, Talcher, Thane, Thrissur, Udupi, Vapi, Vatva, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.