

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	132	PM <sub>10</sub> , PM <sub>2.5</sub>	2
2	Agra	Moderate	158	PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	152	NO <sub>2</sub>	1
4	Aizawl	Good	37	PM <sub>10</sub>	1
5	Alwar	Satisfactory	91	PM <sub>2.5</sub>	1
6	Amaravati	Moderate	145	PM <sub>2.5</sub>	1
7	Ambala	Poor	233	PM <sub>2.5</sub>	1
8	Amritsar	Poor	297	PM <sub>2.5</sub>	1
9	Anantapur	Satisfactory	79	O <sub>3</sub>	1
10	Ankleshwar	Moderate	142	PM <sub>2.5</sub>	1
11	Araria	Poor	246	PM <sub>2.5</sub>	1
12	Arrah	Very Poor	383	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	310	PM <sub>2.5</sub>	1
14	Aurangabad (Bihar)	Very Poor	363	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Satisfactory	70	PM <sub>10</sub>	1
16	Baddi	Poor	232	PM <sub>2.5</sub>	1
17	Bagalkot	Good	42	PM <sub>10</sub>	1
18	Bahadurgarh	Poor	276	PM <sub>2.5</sub>	1
19	Ballabgarh	Poor	251	PM <sub>2.5</sub>	1
20	Bareilly	Moderate	183	PM <sub>2.5</sub>	2
21	Baripada	Poor	226	PM <sub>2.5</sub>	1
22	Bathinda	Moderate	150	PM <sub>2.5</sub>	1
23	Begusarai	Severe	471	PM <sub>2.5</sub>	1
24	Belgaum	Moderate	156	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
  \* In case of a city with multiple monitoring loca
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Moderate	155	PM <sub>2.5</sub>	7
26	Bettiah	Very Poor	304	PM <sub>2.5</sub>	1
27	Bhagalpur	Very Poor	394	PM <sub>2.5</sub>	2
28	Bhiwadi	Poor	259	PM <sub>10</sub>	1
29	Bhiwani	Poor	266	PM <sub>2.5</sub>	1
30	Bhopal	Moderate	136	PM <sub>10</sub>	2
31	Bidar	Satisfactory	87	SO <sub>2</sub>	1
32	Bilaspur	Satisfactory	70	со	1
33	Bileipada	Moderate	165	PM <sub>10</sub>	1
34	Bulandshahr	Poor	266	PM <sub>2.5</sub>	1
35	Chamarajanagar	Good	41	PM <sub>10</sub>	1
36	Chandigarh	Poor	238	PM <sub>2.5</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Moderate	136	PM <sub>2.5</sub>	2
38	Charkhi Dadri	Poor	241	PM <sub>10</sub>	1
39	Chennai	Satisfactory	88	PM <sub>2.5</sub> , PM <sub>10</sub>	8
40	Chikkaballapur	Moderate	143	PM <sub>10</sub>	1
41	Chikkamagaluru	Good	44	PM <sub>10</sub>	1
42	Damoh	Good	38	PM <sub>2.5</sub>	1
43	Darbhanga	Severe	407	PM <sub>2.5</sub>	1
44	Davanagere	Satisfactory	96	PM <sub>10</sub>	1
45	Delhi	Severe	410	PM <sub>2.5</sub>	34
46	Dewas	Satisfactory	98	PM <sub>10</sub>	1
47	Dharuhera	Very Poor	346	PM <sub>2.5</sub>	1
48	Dindigul	Poor	201	NO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Moderate	174	PM <sub>10</sub>	1
50	Faridabad	Very Poor	388	PM <sub>10</sub> , PM <sub>2.5</sub>	4
51	Fatehabad	Poor	208	PM <sub>2.5</sub>	1
52	Firozabad	Moderate	161	PM <sub>2.5</sub>	1
53	Gadag	Satisfactory	62	03	1
54	Gandhinagar	Satisfactory	81	PM <sub>10</sub>	1
55	Gangtok	Good	44	PM <sub>10</sub>	1
56	Gaya	Poor	296	PM <sub>2.5</sub>	3
57	Ghaziabad	Very Poor	373	PM <sub>2.5</sub>	4
58	Gorakhpur	Moderate	182	PM <sub>2.5</sub>	1
59	Greater Noida	Severe	442	PM <sub>10</sub> , PM <sub>2.5</sub>	2
60	Gurugram	Very Poor	383	PM <sub>2.5</sub>	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Poor	206	PM <sub>2.5</sub>	2
62	Gwalior	Poor	273	PM <sub>2.5</sub> , PM <sub>10</sub>	2
63	Hajipur	Very Poor	316	PM <sub>10</sub>	1
64	Haldia	Moderate	177	PM <sub>10</sub>	1
65	Hapur	Poor	207	PM <sub>2.5</sub>	1
66	Hassan	Satisfactory	96	PM <sub>2.5</sub>	1
67	Haveri	Moderate	120	PM <sub>2.5</sub>	1
68	Hisar	Poor	259	PM <sub>2.5</sub>	1
69	Hosur	Moderate	104	PM <sub>10</sub>	1
70	Howrah	Poor	296	PM <sub>2.5</sub>	2
71	Hubballi	Moderate	109	PM <sub>2.5</sub>	2
72	Hyderabad	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	11

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Moderate	118	PM <sub>2.5</sub> , SO <sub>2</sub>	2
74	Indore	Satisfactory	89	PM <sub>10</sub>	1
75	Jabalpur	Moderate	186	PM <sub>10</sub>	1
76	Jaipur	Moderate	152	PM <sub>2.5</sub> , PM <sub>10</sub>	3
77	Jalandhar	Poor	274	PM <sub>2.5</sub>	1
78	Jhansi	Moderate	163	PM <sub>2.5</sub>	1
79	Jind	Very Poor	304	PM <sub>2.5</sub>	1
80	Jodhpur	Moderate	153	PM <sub>10</sub>	1
81	Kaithal	Poor	297	PM <sub>2.5</sub>	1
82	Kalaburgi	Satisfactory	96	PM <sub>2.5</sub>	1
83	Kannur	Satisfactory	74	PM <sub>2.5</sub>	1
84	Kanpur	Poor	222	PM <sub>2.5</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Karnal	Poor	261	PM <sub>2.5</sub>	1
86	Katihar	Very Poor	398	PM <sub>2.5</sub>	1
87	Katni	Poor	231	PM <sub>2.5</sub>	1
88	Keonjhar	Moderate	197	PM <sub>2.5</sub>	1
89	Khanna	Moderate	173	PM <sub>2.5</sub>	1
90	Khurja	Poor	294	PM <sub>2.5</sub>	1
91	Kishanganj	Poor	231	PM <sub>2.5</sub>	1
92	Kochi	Moderate	156	PM <sub>2.5</sub>	1
93	Kohima	Satisfactory	55	PM <sub>2.5</sub>	1
94	Kolkata	Poor	283	PM <sub>2.5</sub>	7
95	Koppal	Moderate	194	O <sub>3</sub>	1
96	Kota	Moderate	174	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kurukshetra	Poor	261	PM <sub>2.5</sub>	1
98	Lucknow	Very Poor	302	PM <sub>2.5</sub>	6
99	Ludhiana	Poor	251	PM <sub>2.5</sub>	1
100	Madikeri	Good	41	PM <sub>2.5</sub>	1
101	Maihar	Satisfactory	54	PM <sub>10</sub>	1
102	Mandi Gobindgarh	Moderate	176	PM <sub>2.5</sub>	1
103	Mandideep	Moderate	107	PM <sub>10</sub>	1
104	Mandikhera	Moderate	128	PM <sub>10</sub>	1
105	Manesar	Poor	287	PM <sub>2.5</sub>	1
106	Mangalore	Moderate	108	PM <sub>2.5</sub>	1
107	Manguraha	Satisfactory	100	PM <sub>2.5</sub>	1
108	Meerut	Poor	223	PM <sub>2.5</sub>	3

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Moradabad	Moderate	155	PM <sub>2.5</sub>	6
110	Motihari	Poor	286	PM <sub>10</sub>	1
111	Mumbai	Moderate	138	PM <sub>2.5</sub> , PM <sub>10</sub>	15
112	Munger	Very Poor	352	PM <sub>2.5</sub>	1
113	Muzaffarnagar	Poor	284	PM <sub>2.5</sub>	1
114	Muzaffarpur	Very Poor	368	PM <sub>2.5</sub>	2
115	Mysuru	Satisfactory	57	PM <sub>10</sub>	1
116	Nagpur	Moderate	130	PM <sub>2.5</sub>	1
117	Narnaul	Moderate	160	PM <sub>2.5</sub>	1
118	Nashik	Satisfactory	70	PM <sub>2.5</sub>	1
119	Navi Mumbai	Moderate	166	PM <sub>2.5</sub>	2
120	Nayagarh	Moderate	186	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Noida	Very Poor	377	PM <sub>2.5</sub> , PM <sub>10</sub>	4
122	Ooty	Satisfactory	70	СО	1
123	Pali	Moderate	123	PM <sub>2.5</sub>	1
124	Palwal	Satisfactory	79	PM <sub>10</sub>	1
125	Panchkula	Moderate	150	PM <sub>2.5</sub>	1
126	Panipat	Moderate	116	СО	1
127	Patiala	Moderate	182	PM <sub>2.5</sub>	1
128	Patna	Severe	404	PM <sub>10</sub> , PM <sub>2.5</sub>	6
129	Pithampur	Moderate	102	PM <sub>10</sub>	1
130	Prayagraj	Moderate	117	PM <sub>10</sub>	3
131	Puducherry	Satisfactory	66	PM <sub>10</sub>	1
132	Purnia	Very Poor	351	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rairangpur	Poor	250	PM <sub>2.5</sub>	1
134	Rajamahendravaram	Moderate	159	PM <sub>2.5</sub>	1
135	Ramanathapuram	Satisfactory	56	PM <sub>10</sub>	1
136	Ratlam	Satisfactory	81	PM <sub>10</sub>	1
137	Rohtak	Poor	259	PM <sub>2.5</sub>	1
138	Rourkela	Poor	210	PM <sub>10</sub>	1
139	Rupnagar	Moderate	139	PM <sub>10</sub>	1
140	Sagar	Satisfactory	97	O <sub>3</sub> , CO	2
141	Saharsa	Very Poor	381	PM <sub>2.5</sub>	1
142	Salem	Satisfactory	92	PM <sub>2.5</sub>	1
143	Samastipur	Very Poor	380	PM <sub>2.5</sub>	1
144	Sasaram	Very Poor	368	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Satna	Satisfactory	90	O <sub>3</sub>	1
146	Shillong	Good	25	PM <sub>2.5</sub>	1
147	Shivamogga	Satisfactory	55	PM <sub>10</sub>	1
148	Siliguri	Moderate	113	PM <sub>10</sub>	1
149	Singrauli	Very Poor	368	PM <sub>2.5</sub>	1
150	Sirsa	Poor	210	PM <sub>2.5</sub>	1
151	Sivasagar	Good	49	PM <sub>10</sub>	1
152	Siwan	Severe	440	PM <sub>2.5</sub>	1
153	Srinagar	Satisfactory	94	PM <sub>10</sub>	1
154	Suakati	Poor	206	PM <sub>2.5</sub>	1
155	Surat	Moderate	147	PM <sub>2.5</sub>	1
156	Talcher	Moderate	175	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Tensa	Moderate	156	PM <sub>2.5</sub>	1
158	Thane	Moderate	138	PM <sub>10</sub>	1
159	Thiruvananthapuram	Moderate	102	PM <sub>2.5</sub>	2
160	Thoothukudi	Satisfactory	65	03	1
161	Tirupati	Moderate	101	PM <sub>2.5</sub>	2
162	Tirupur	Satisfactory	96	PM <sub>10</sub>	1
163	Udaipur	Moderate	174	PM <sub>2.5</sub>	1
164	Ujjain	Moderate	143	PM <sub>10</sub>	1
165	Vapi	Poor	220	PM <sub>2.5</sub>	1
166	Varanasi	Moderate	111	PM <sub>2.5</sub>	4
167	Vatva	Moderate	108	PM <sub>10</sub>	1
168	Vijayapura	Satisfactory	58	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Visakhapatnam	Moderate	184	PM <sub>10</sub>	1
170	Vrindavan	Moderate	125	PM <sub>2.5</sub>	1
171	Yadgir	Satisfactory	69	PM <sub>10</sub>	1
172	Yamunanagar	Moderate	143	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Notes: Bihar Sharif, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gummidipoondi, Jorapokha Kalyan, Kanchipuram, Kolar, Kollam, Korba, Kozhikode, Naharlagun, Nalbari, Nandesari, Pune, Raichur, Raipur, Rajgir, Ramanagara, Solapur, Sonipat, Thrissur, Tumakuru, Udupi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.