

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	283	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	165	O <sub>3</sub>	1
3	Ajmer	Satisfactory	86	PM <sub>10</sub>	1
4	Alwar	Satisfactory	85	PM <sub>10</sub>	1
5	Amaravati	Good	37	O <sub>3</sub>	1
6	Ambala	Poor	226	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	174	PM <sub>2.5</sub>	1
8	Ankleshwar	Poor	249	PM <sub>2.5</sub>	1
9	Asansol	Moderate	125	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	58	PM <sub>10</sub>	1
11	Bagalkot	Satisfactory	51	PM <sub>2.5</sub>	1
12	Baghpat	Very Poor	333	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Mandideep, Mysuru, Nagpur, Pune, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	217	PM <sub>2.5</sub>	1
14	Ballabgarh	Moderate	161	O <sub>3</sub>	1
15	Bathinda	Satisfactory	69	PM <sub>10</sub>	1
16	Bengaluru	Good	43	PM <sub>2.5</sub>	6
17	Bhiwadi	Poor	266	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	189	O <sub>3</sub>	1
19	Bhopal	Moderate	164	PM <sub>10</sub>	1
20	Brajrajnagar	Satisfactory	67	PM <sub>10</sub>	1
21	Bulandshahr	Poor	299	PM <sub>10</sub>	1
22	Chandigarh	Moderate	109	PM <sub>10</sub>	1
23	Chandrapur	Good	50	PM <sub>10</sub>	2
24	Charkhi Dadri	Poor	253	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Mandideep, Mysuru, Nagpur, Pune, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	55	CO, O <sub>3</sub>	3
26	Chikkaballapur	Good	49	PM <sub>2.5</sub>	1
27	Chikkamagaluru	Good	42	PM <sub>10</sub>	1
28	Coimbatore	Good	42	со	1
29	Damoh	Satisfactory	97	PM <sub>2.5</sub>	1
30	Delhi	Poor	261	PM <sub>2.5</sub> , PM <sub>10</sub>	32
31	Dewas	Moderate	125	PM <sub>10</sub>	1
32	Dharuhera	Poor	228	PM <sub>10</sub>	1
33	Eloor	Good	35	со	1
34	Ernakulam	Satisfactory	83	со	1
35	Faridabad	Poor	224	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
36	Fatehabad	Moderate	193	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Mandideep, Mysuru, Nagpur, Pune, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	89	PM <sub>10</sub>	1
38	Gaya	Satisfactory	56	PM <sub>10</sub>	1
39	Ghaziabad	Very Poor	302	PM <sub>2.5</sub>	4
40	Greater Noida	Poor	292	PM <sub>10</sub> , PM <sub>2.5</sub>	2
41	Gurugram	Poor	259	PM <sub>2.5</sub> , O <sub>3</sub>	4
42	Guwahati	Satisfactory	81	PM <sub>10</sub>	1
43	Gwalior	Poor	231	PM <sub>2.5</sub>	1
44	Hajipur	Moderate	180	PM <sub>2.5</sub>	1
45	Hapur	Poor	236	PM <sub>10</sub>	1
46	Hisar	Moderate	187	PM <sub>2.5</sub>	1
47	Howrah	Satisfactory	93	PM <sub>10</sub>	1
48	Hubballi	Good	37	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Mandideep, Mysuru, Nagpur, Pune, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Good	45	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	6
50	Indore	Moderate	128	PM <sub>10</sub>	1
51	Jabalpur	Satisfactory	68	PM <sub>10</sub>	1
52	Jaipur	Moderate	104	PM <sub>10</sub>	2
53	Jalandhar	Moderate	136	PM <sub>2.5</sub>	1
54	Jind	Poor	294	PM <sub>2.5</sub>	1
55	Kaithal	Moderate	146	PM <sub>10</sub>	1
56	Kalyan	Moderate	181	PM <sub>2.5</sub>	1
57	Kannur	Good	47	СО	1
58	Kanpur	Moderate	125	PM <sub>2.5</sub>	1
59	Karnal	Poor	279	PM <sub>2.5</sub>	1
60	Katni	Moderate	108	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Mandideep, Mysuru, Nagpur, Pune, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	114	PM <sub>10</sub>	1
62	Kohima	Satisfactory	64	PM <sub>10</sub>	1
63	Kolkata	Satisfactory	74	PM <sub>10</sub>	7
64	Kollam	Good	47	со	1
65	Kota	Moderate	107	PM <sub>2.5</sub>	1
66	Kozhikode	Good	48	СО	1
67	Kurukshetra	Very Poor	315	PM <sub>2.5</sub>	1
68	Lucknow	Moderate	187	PM <sub>2.5</sub>	4
69	Ludhiana	Moderate	153	PM <sub>2.5</sub>	1
70	Maihar	Good	46	PM <sub>10</sub>	1
71	Mandi Gobindgarh	Moderate	180	PM <sub>10</sub>	1
72	Mandikhera	Moderate	113	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Mandideep, Mysuru, Nagpur, Pune, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Poor	213	PM <sub>2.5</sub>	1
74	Meerut	Poor	257	PM <sub>2.5</sub>	3
75	Moradabad	Poor	291	PM <sub>2.5</sub>	1
76	Mumbai	Satisfactory	99	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	6
77	Muzaffarnagar	Poor	240	PM <sub>2.5</sub>	1
78	Muzaffarpur	Moderate	153	PM <sub>10</sub> , PM <sub>2.5</sub>	2
79	Nandesari	Moderate	188	со	1
80	Narnaul	Moderate	166	PM <sub>10</sub>	1
81	Nashik	Satisfactory	89	03	1
82	Navi Mumbai	Satisfactory	89	PM <sub>2.5</sub>	1
83	Noida	Poor	274	PM <sub>2.5</sub>	4
84	Pali	Moderate	110	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Aizawl, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Mandideep, Mysuru, Nagpur, Pune, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Palwal	Moderate	150	PM <sub>10</sub>	1
86	Panchkula	Moderate	120	PM <sub>2.5</sub>	1
87	Panipat	Very Poor	329	PM <sub>10</sub>	1
88	Patiala	Moderate	115	PM <sub>10</sub>	1
89	Patna	Moderate	128	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	6
90	Pithampur	Moderate	125	PM <sub>10</sub>	1
91	Rajamahendravaram	Good	43	СО	1
92	Ramanagara	Good	44	O <sub>3</sub>	1
93	Ratlam	Poor	203	PM <sub>10</sub>	1
94	Rohtak	Moderate	176	PM <sub>2.5</sub>	1
95	Rupnagar	Moderate	118	PM <sub>10</sub>	1
96	Sagar	Satisfactory	94	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Mandideep, Mysuru, Nagpur, Pune, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Satna	Satisfactory	78	PM <sub>10</sub>	1
98	Shillong	Good	24	PM <sub>2.5</sub>	1
99	Siliguri	Satisfactory	86	PM <sub>10</sub>	1
100	Singrauli	Moderate	179	PM <sub>2.5</sub>	1
101	Sirsa	Moderate	149	PM <sub>10</sub>	1
102	Sonipat	Poor	207	PM <sub>10</sub>	1
103	Talcher	Satisfactory	64	со	1
104	Thane	Moderate	119	PM <sub>10</sub>	1
105	Thiruvananthapuram	Good	44	PM <sub>10</sub>	1
106	Tirupati	Good	39	со	1
107	Udaipur	Satisfactory	84	PM <sub>10</sub>	1
108	Ujjain	Poor	225	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Mandideep, Mysuru, Nagpur, Pune, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vapi	Moderate	179	PM <sub>2.5</sub>	1
110	Varanasi	Moderate	147	PM <sub>10</sub>	1
111	Vatva	Moderate	159	PM <sub>10</sub>	1
112	Vijayapura	Good	41	со	1
113	Visakhapatnam	Good	23	NO <sub>2</sub>	1
114	Yadgir	Good	21	NO <sub>2</sub>	1
115	Yamunanagar	Poor	217	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate Breathing discomfort to the people with lungs, asthma and heart disease			
Poor Breathing discomfort to most people on prolonged exposure			
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Aizawl, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Mandideep, Mysuru, Nagpur, Pune, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.