

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	241	PM _{2.5}	2
2	Agra	Moderate	114	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Moderate	176	PM _{2.5} , PM ₁₀	8
4	Aizawl	Moderate	105	PM ₁₀	1
5	Ajmer	Moderate	115	PM ₁₀	1
6	Alwar	Moderate	107	PM ₁₀	1
7	Amaravati	Good	50	O ₃	1
8	Ambala	Moderate	198	PM _{2.5}	1
9	Amritsar	Moderate	113	PM ₁₀	1
10	Ankleshwar	Moderate	148	PM _{2.5}	1
11	Araria	Poor	219	PM _{2.5}	1
12	Arrah	Moderate	159	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	275	03	1
14	Baddi	Moderate	110	PM ₁₀	1
15	Bagalkot	Satisfactory	51	PM ₁₀	1
16	Baghpat	Poor	277	PM _{2.5}	1
17	Bahadurgarh	Poor	253	PM _{2.5}	1
18	Ballabgarh	Moderate	116	PM ₁₀	1
19	Bathinda	Moderate	144	PM ₁₀	1
20	Bengaluru	Satisfactory	87	CO, PM ₁₀	8
21	Bettiah	Poor	292	PM _{2.5}	1
22	Bhagalpur	Poor	231	PM _{2.5}	1
23	Bhiwadi	Moderate	184	PM _{2.5}	1
24	Bhiwani	Moderate	184	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	122	PM ₁₀	1
26	Bihar Sharif	Very Poor	365	PM _{2.5}	1
27	Bilaspur	Satisfactory	61	PM ₁₀	1
28	Brajrajnagar	Poor	216	O ₃	1
29	Bulandshahr	Moderate	196	PM _{2.5}	1
30	Buxar	Poor	254	PM _{2.5}	1
31	Chamarajanagar	Good	45	PM ₁₀	1
32	Chandigarh	Moderate	177	O ₃ , PM _{2.5} , PM ₁₀	3
33	Chandrapur	Moderate	106	PM ₁₀	2
34	Charkhi Dadri	Poor	234	PM _{2.5}	1
35	Chennai	Satisfactory	96	O ₃ , PM ₁₀ , PM _{2.5}	5
36	Chhapra	Poor	270	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	85	PM ₁₀	1
38	Chikkamagaluru	Satisfactory	58	PM ₁₀	1
39	Coimbatore	Satisfactory	86	SO ₂	1
40	Damoh	Moderate	103	PM ₁₀	1
41	Darbhanga	Poor	218	PM _{2.5}	1
42	Davanagere	Satisfactory	79	PM ₁₀	1
43	Delhi	Poor	242	PM ₁₀ , PM _{2.5}	38
44	Dewas	Moderate	112	PM ₁₀	1
45	Dharuhera	Poor	202	PM _{2.5}	1
46	Durgapur	Poor	273	PM _{2.5}	1
47	Eloor	Satisfactory	66	PM ₁₀	1
48	Ernakulam	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Poor	202	PM _{2.5} , PM ₁₀	2
50	Firozabad	Moderate	173	O ₃	1
51	Gandhinagar	Moderate	178	PM _{2.5} , PM ₁₀	3
52	Gaya	Moderate	186	PM _{2.5} , PM ₁₀	3
53	Ghaziabad	Poor	291	PM _{2.5}	4
54	Gorakhpur	Satisfactory	72	PM _{2.5}	1
55	Greater Noida	Poor	242	O ₃	1
56	Gurugram	Poor	228	PM _{2.5}	3
57	Guwahati	Very Poor	307	PM _{2.5}	2
58	Gwalior	Moderate	110	PM _{2.5}	1
59	Hajipur	Satisfactory	99	PM ₁₀	1
60	Haldia	Good	39	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	192	PM _{2.5}	1
62	Hassan	Satisfactory	67	PM _{2.5}	1
63	Hisar	Poor	230	PM _{2.5}	1
64	Howrah	Satisfactory	77	PM ₁₀	1
65	Hubballi	Satisfactory	86	PM ₁₀	1
66	Hyderabad	Moderate	106	PM _{2.5} , PM ₁₀	6
67	Indore	Moderate	114	PM ₁₀	1
68	Jabalpur	Moderate	173	PM ₁₀	1
69	Jaipur	Moderate	165	PM _{2.5} , PM ₁₀	3
70	Jalandhar	Satisfactory	96	PM ₁₀	1
71	Jhansi	Moderate	142	PM ₁₀	1
72	Jind	Poor	214	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Poor	216	PM _{2.5}	1
74	Kaithal	Moderate	177	PM _{2.5}	1
75	Kannur	Satisfactory	51	PM _{2.5}	1
76	Kanpur	Moderate	128	PM _{2.5}	3
77	Karnal	Moderate	123	PM _{2.5}	1
78	Katihar	Very Poor	325	PM _{2.5}	1
79	Katni	Moderate	184	PM _{2.5}	1
80	Khanna	Moderate	129	PM ₁₀	1
81	Kishanganj	Poor	274	PM _{2.5}	1
82	Kochi	Satisfactory	58	PM _{2.5}	1
83	Kohima	Moderate	145	PM ₁₀	1
84	Kolar	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	88	PM ₁₀	7
86	Kollam	Satisfactory	81	PM ₁₀	1
87	Koppal	Good	43	O ₃	1
88	Kota	Moderate	108	PM ₁₀	1
89	Kozhikode	Satisfactory	55	PM ₁₀	1
90	Kurukshetra	Poor	264	PM _{2.5}	1
91	Lucknow	Moderate	172	PM _{2.5} , PM ₁₀	5
92	Ludhiana	Moderate	179	PM _{2.5}	1
93	Madikeri	Satisfactory	57	PM ₁₀	1
94	Mandi Gobindgarh	Moderate	110	PM _{2.5}	1
95	Mandideep	Moderate	101	PM ₁₀	1
96	Mandikhera	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Poor	275	PM _{2.5}	1
98	Manglore	Satisfactory	51	СО	1
99	Manguraha	Moderate	108	03	1
100	Meerut	Poor	276	PM _{2.5} , PM ₁₀	3
101	Moradabad	Moderate	137	PM _{2.5} , PM ₁₀	4
102	Mumbai	Moderate	106	PM _{2.5} , PM ₁₀	18
103	Munger	Poor	247	PM ₁₀	1
104	Muzaffarnagar	Poor	280	PM _{2.5}	1
105	Muzaffarpur	Very Poor	301	PM _{2.5}	3
106	Mysuru	Satisfactory	64	PM ₁₀	1
107	Nagpur	Moderate	109	со	1
108	Naharlagun	Moderate	187	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Moderate	128	PM ₁₀	1
110	Nashik	Satisfactory	53	PM ₁₀	1
111	Navi Mumbai	Moderate	168	PM ₁₀	1
112	Noida	Poor	230	PM _{2.5}	4
113	Pali	Moderate	146	PM _{2.5}	1
114	Palwal	Moderate	135	PM ₁₀	1
115	Panipat	Poor	233	PM _{2.5}	1
116	Patiala	Moderate	122	PM ₁₀	1
117	Patna	Poor	222	PM _{2.5}	5
118	Pithampur	Satisfactory	83	PM ₁₀	1
119	Prayagraj	Moderate	123	PM ₁₀ , PM _{2.5}	3
120	Pune	Moderate	127	PM _{2.5} , CO	5

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Satisfactory	61	PM ₁₀	1
122	Rajgir	Poor	206	PM _{2.5}	1
123	Ramanagara	Satisfactory	94	PM ₁₀	1
124	Ratlam	Moderate	112	PM ₁₀	1
125	Rohtak	Very Poor	303	PM _{2.5}	1
126	Rupnagar	Poor	247	PM ₁₀	1
127	Saharsa	Severe	409	PM ₁₀	1
128	Sasaram	Poor	300	PM _{2.5}	1
129	Satna	Satisfactory	59	PM ₁₀	1
130	Shillong	Satisfactory	71	PM _{2.5}	1
131	Shivamogga	Satisfactory	60	PM ₁₀	1
132	Siliguri	Poor	250	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Very Poor	308	PM ₁₀	1
134	Sirsa	Moderate	108	PM ₁₀	1
135	Siwan	Poor	250	PM _{2.5}	1
136	Solapur	Satisfactory	92	со	1
137	Sonipat	Poor	230	PM ₁₀	1
138	Srinagar	Good	24	PM ₁₀	1
139	Thane	Moderate	151	PM ₁₀	1
140	Thoothukudi	Satisfactory	81	PM ₁₀	1
141	Tirupati	Moderate	103	PM _{2.5}	1
142	Udaipur	Moderate	150	PM _{2.5}	1
143	Ujjain	Moderate	144	PM ₁₀	1
144	Varanasi	Moderate	128	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Moderate	152	PM ₁₀	1
146	Vijayapura	Good	50	PM ₁₀	1
147	Visakhapatnam	Moderate	104	PM ₁₀	1
148	Vrindavan	Moderate	116	PM ₁₀	1
149	Yadgir	Satisfactory	65	PM ₁₀	1
150	Yamunanagar	Poor	238	PM _{2.5}	1

Possible Health Impacts

Good	od Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Bidar, Fatehabad, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Maihar, Motihari, Nandesari, Panchkula, Puducherry, Purnia, Raichur, Sagar, Talcher, Thiruvananthapuram, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.