

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	48	PM ₁₀	1
2	Agra	Good	46	PM ₁₀ , NO ₂	6
3	Ahmedabad	Satisfactory	77	CO, PM ₁₀	6
4	Aizawl	Good	15	PM ₁₀	1
5	Ajmer	Satisfactory	59	PM ₁₀	1
6	Akola	Satisfactory	53	PM ₁₀	1
7	Alwar	Satisfactory	88	PM _{2.5}	1
8	Amaravati	Good	35	PM ₁₀	1
9	Ambala	Satisfactory	86	со	1
10	Amravati	Good	45	PM ₁₀	2
11	Amritsar	Satisfactory	56	PM _{2.5}	1
12	Anantapur	Good	45	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

rnakulam, Cadag, Cummidipoondi, Haveri, Imphal

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Moderate	123	03	1
14	Araria	Good	48	со	1
15	Ariyalur	Good	32	NO ₂	1
16	Arrah	Moderate	132	PM _{2.5}	1
17	Aurangabad (Maharashtra)	Satisfactory	56	PM ₁₀	2
18	Baddi	Good	40	PM _{2.5}	1
19	Badlapur	Satisfactory	98	PM ₁₀	1
20	Bagalkot	Good	46	PM ₁₀	1
21	Bahadurgarh	Good	46	СО	1
22	Ballabgarh	Good	48	PM ₁₀	1
23	Banswara	Good	47	O ₃	1
24	Baran	Satisfactory	70 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

rnakulam, Cadag, Cummidipoondi, Haveri, Imphal

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	42	PM _{2.5} , O ₃	2
26	Baripada	Satisfactory	61	03	1
27	Barmer	Satisfactory	92	PM ₁₀	1
28	Bathinda	Good	49	PM ₁₀	1
29	Begusarai	Moderate	137	NO ₂	1
30	Belapur	Good	44	PM ₁₀	1
31	Bengaluru	Good	40	PM ₁₀	9
32	Bhagalpur	Moderate	116	PM ₁₀	2
33	Bharatpur	Good	50	O ₃	1
34	Bhilai	Good	42	PM ₁₀	2
35	Bhiwadi	Satisfactory	56	NO ₂	1
36	Bhiwandi	Moderate	190 * AC	PM _{2.5} I is not calculated for today's bullet	1 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

Iloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Imphal, Jora

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Good	47	со	1
38	Bhopal	Good	48	PM ₁₀ , O ₃	3
39	Bikaner	Satisfactory	67	PM ₁₀	1
40	Bileipada	Moderate	112	PM ₁₀	1
41	Bulandshahr	Good	31	со	1
42	Bundi	Moderate	125	PM ₁₀	1
43	Byrnihat	Moderate	164	PM _{2.5}	1
44	Chamarajanagar	Good	36	PM ₁₀	1
45	Chandigarh	Good	33	со	3
46	Chandrapur	Satisfactory	71	PM ₁₀	1
47	Charkhi Dadri	Satisfactory	60	со	1
48	Chennai	Good	48 * AC	PM ₁₀ , NO ₂ I is not calculated for today's bullet	6 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

rnakulam, Cadag, Cummidipoondi, Haveri, Imphal

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhal	Good	50	PM ₁₀	1
50	Chhapra	Moderate	117	СО	1
51	Chikkaballapur	Good	28	03	1
52	Chikkamagaluru	Satisfactory	57	со	1
53	Chittoor	Good	29	03	1
54	Churu	Good	47	O ₃	1
55	Cuddalore	Moderate	169	NO ₂	1
56	Damoh	Good	20	СО	1
57	Dausa	Satisfactory	54	PM ₁₀	1
58	Davanagere	Good	21	PM _{2.5}	1
59	Delhi	Satisfactory	65	CO, PM ₁₀	24
60	Dewas	Satisfactory	58 * AC	CO I is not calculated for today's bullet	1 n for Ahmednagar, Asansol,

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

rnakulam, Cadag, Cummidipoondi, Haveri, Imphal

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Notes: Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharuhera	Good	37	PM ₁₀	1
62	Dhule	Good	46	PM _{2.5}	1
63	Durgapur	Satisfactory	68	PM _{2.5}	1
64	Faridabad	Satisfactory	82	PM ₁₀ , CO	3
65	Fatehabad	Moderate	125	03	1
66	Firozabad	Good	26	PM ₁₀	2
67	Gandhinagar	Satisfactory	64	PM _{2.5} , PM ₁₀	2
68	Gangtok	Satisfactory	52	SO ₂	1
69	Gaya	Satisfactory	75	O ₃	3
70	Ghaziabad	Good	50	со	4
71	Gorakhpur	Satisfactory	72	PM _{2.5}	1
72	Greater Noida	Satisfactory	52 * AC	O ₃ I is not calculated for today's bullet	2 n for Ahmednagar, Asansol,

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

rnakulam, Cadag, Cummidipoondi, Haveri, Imphal

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri,

Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Satisfactory	78	PM ₁₀ , CO	3
74	Guwahati	Satisfactory	59	PM _{2.5} , SO ₂	4
75	Gwalior	Good	36	O ₃ , CO	2
76	Hajipur	Satisfactory	74	PM ₁₀	1
77	Haldia	Good	44	03	1
78	Hanumangarh	Poor	204	PM ₁₀	1
79	Hapur	Good	31	PM ₁₀	1
80	Hassan	Satisfactory	58	PM ₁₀	1
81	Hisar	Satisfactory	69	03	1
82	Hosur	Good	36	PM ₁₀	1
83	Howrah	Good	50	NO ₂	2
84	Hubballi	Satisfactory	70 * AC	PM ₁₀ , CO I is not calculated for today's bullet	2 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

akulam, Gadag, Gummidipoondi, Haveri, Imphal

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hyderabad	Satisfactory	60	PM ₁₀ , PM _{2.5}	12
86	Indore	Good	48	PM ₁₀	1
87	Jabalpur	Good	42	03	3
88	Jaipur	Very Poor	364	PM _{2.5}	5
89	Jaisalmer	Moderate	119	PM ₁₀	1
90	Jalandhar	Satisfactory	53	PM ₁₀	1
91	Jalgaon	Good	17	PM _{2.5}	1
92	Jalna	Moderate	106	PM ₁₀	1
93	Jhalawar	Good	47	O ₃	1
94	Jhansi	Satisfactory	54	PM ₁₀	1
95	Jhunjhunu	Satisfactory	71	O ₃	1
96	Jind	Satisfactory	67 * AC	CO I is not calculated for today's bullet	1 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

Eloor, Ernakulam, Cadag, Cummidipoondi, Haveri, Imphal, Je

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,
- website(http://cpcb.nic.in) website may be referred.

 * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Satisfactory	71	PM ₁₀ , O ₃	4
98	Kadapa	Good	29	PM _{2.5}	1
99	Kaithal	Good	28	PM _{2.5}	1
100	Kalyan	Satisfactory	70	со	1
101	Kanpur	Good	46	со	3
102	Karauli	Satisfactory	64	PM ₁₀	1
103	Karnal	Good	32	PM _{2.5}	1
104	Kashipur	Good	38	PM ₁₀	1
105	Katihar	Satisfactory	94	PM ₁₀	1
106	Katni	Good	46	PM ₁₀	1
107	Khanna	Satisfactory	74	PM ₁₀	1
108	Khurja	Satisfactory	74	SO ₂ I is not calculated for today's bullet	1 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

Eloor, Ernakulam, Cadag, Cummidipoondi, Haveri, Imphal, Jor

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kishanganj	Good	42	СО	1
110	Kochi	Satisfactory	66	со	1
111	Kohima	Good	45	SO ₂	1
112	Kolar	Good	33	PM ₁₀	1
113	Kolkata	Good	46	PM ₁₀	7
114	Kollam	Satisfactory	66	PM ₁₀	1
115	Koppal	Good	26	SO ₂	1
116	Korba	Good	38	СО	1
117	Kota	Good	40	PM ₁₀	3
118	Kunjemura	Moderate	101	PM ₁₀	1
119	Kurukshetra	Good	43	O ₃	1
120	Latur	Satisfactory	66 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

akulam, Gadag, Gummidipoondi, Haveri, Imphal

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Lucknow	Good	44	PM ₁₀ , CO	6
122	Ludhiana	Good	34	со	1
123	Mahad	Satisfactory	52	PM ₁₀	1
124	Maihar	Good	24	со	1
125	Mandikhera	Good	30	PM ₁₀	1
126	Manesar	Good	42	PM ₁₀	1
127	Mangalore	Satisfactory	66	PM ₁₀	1
128	Manguraha	Good	44	03	1
129	Meerut	Satisfactory	61	CO, NO ₂	2
130	Moradabad	Satisfactory	77	PM _{2.5}	4
131	Motihari	Satisfactory	60	со	1
132	Mumbai	Satisfactory	65 * AC	CO, PM	20 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

rnakulam, Cadag, Cummidipoondi, Haveri, Imphal,

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Moderate	163	PM ₁₀	1
134	Muzaffarpur	Satisfactory	86	со	3
135	Mysuru	Satisfactory	56	PM ₁₀	1
136	Nagaon	Good	39	PM ₁₀	1
137	Nagaur	Satisfactory	57	03	1
138	Nagpur	Satisfactory	56	PM ₁₀	4
139	Nalbari	Good	39	PM ₁₀	1
140	Nanded	Satisfactory	54	PM ₁₀	1
141	Narnaul	Moderate	192	PM _{2.5}	1
142	Nashik	Good	35	PM ₁₀	4
143	Navi Mumbai	Satisfactory	69	CO, NO ₂	5
144	Noida	Satisfactory	64 * AC	CO I is not calculated for today's bullet	4 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

rnakulam, Cadag, Cummidipoondi, Haveri, Imphal

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ooty	Good	50	SO ₂	1
146	Pali	Moderate	111	PM ₁₀	1
147	Palkalaiperur	Satisfactory	65	SO ₂	1
148	Palwal	Moderate	171	03	1
149	Panipat	Moderate	121	PM _{2.5}	1
150	Parbhani	Satisfactory	68	PM ₁₀	1
151	Patiala	Good	34	NO ₂	1
152	Patna	Satisfactory	74	PM ₁₀ , PM _{2.5}	5
153	Pimpri Chinchwad	Good	47	PM ₁₀	3
154	Pithampur	Good	49	PM ₁₀	1
155	Pratapgarh	Satisfactory	51	03	1
156	Prayagraj	Satisfactory	53 * AG	PM _{2.5} , PM ₁₀ I is not calculated for today's bullet	3 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

Eloor, Ernakulam, Gadag, Cummidipoondi, Haveri, Imphal,

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations,
- to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Puducherry	Good	49	со	1
158	Pune	Satisfactory	98	NO ₂ , PM _{2.5}	4
159	Purnia	Satisfactory	95	PM ₁₀	1
160	Raichur	Satisfactory	74	SO ₂	1
161	Raipur	Satisfactory	70	PM ₁₀ , NO ₂	3
162	Rairangpur	Satisfactory	57	PM ₁₀	1
163	Rajamahendravaram	Good	37	PM ₁₀	1
164	Rajgir	Moderate	108	PM ₁₀	1
165	Rajsamand	Satisfactory	97	PM _{2.5}	1
166	Ramanagara	Good	45	NO ₂	1
167	Ramanathapuram	Satisfactory	53	со	1
168	Ratlam	Good	26 * AC	SO ₂ I is not calculated for today's bullet	1 n for Ahmednagar, Asansol,

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

rnakulam, Cadag, Cummidipoondi, Haveri, Imphal

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rishikesh	Good	23	PM ₁₀	1
170	Rohtak	Good	39	O ₃	1
171	Rourkela	Satisfactory	80	PM ₁₀	1
172	Sagar	Good	28	со	1
173	Samastipur	Satisfactory	76	PM ₁₀	1
174	Sangli	Good	32	PM ₁₀	1
175	Satna	Satisfactory	62	PM ₁₀	1
176	Shillong	Good	21	SO ₂	1
177	Shivamogga	Good	48	PM ₁₀	1
178	Sikar	Good	50	O ₃	1
179	Silchar	Good	43	СО	1
180	Siliguri	Good	33 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

rnakulam, Cadag, Cummidipoondi, Haveri, Imphal,

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Singrauli	Satisfactory	92	NO ₂	1
182	Sivasagar	Good	13	PM ₁₀	1
183	Siwan	Moderate	152	03	1
184	Solapur	Satisfactory	78	PM ₁₀	3
185	Sonipat	Satisfactory	62	PM ₁₀	1
186	Surat	Good	41	PM _{2.5}	1
187	Talcher	Satisfactory	76	СО	1
188	Tensa	Good	43	PM ₁₀	1
189	Thane	Satisfactory	56	PM ₁₀	3
190	Thiruvananthapuram	Good	38	PM ₁₀ , CO	2
191	Thoothukudi	Good	47	PM ₁₀	1
192	Thrissur	Satisfactory	53 * AC	PM 10 I is not calculated for today's bullet	1 n for Ahmednagar, Asansol,

Notes:

Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

rnakulam, Cadag, Cummidipoondi, Haveri, Imphal

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tirupati	Good	46	NO ₂	1
194	Tirupur	Good	37	со	1
195	Tumidih	Good	41	PM ₁₀	1
196	Udaipur	Good	36	со	1
197	Vapi	Satisfactory	56	со	1
198	Varanasi	Good	32	O ₃ , PM ₁₀	4
199	Vatva	Satisfactory	71	PM _{2.5}	1
200	Vijayapura	Good	49	PM ₁₀	1
201	Vrindavan	Moderate	178	PM ₁₀	1
202	Yadgir	Good	34	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Asansol, Aurangabad (Bihar), Baghpat, Belgaum, Bettiah, Bhilwara, Bidar, Bihar Sharif, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore, Darbhanga, Dehradun, Dhanbad, Dharwad, Dholpur, Dindigul,

Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Imphal, Jorapokhar,

Kalaburgi, Kanchipuram, Kannur, Keonjhar, Kolhapur, Kozhikode, Madikeri, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Panchkula, Rupnagar, Saharsa, Salem, Sasaram, Sawai Madhopur, Sirohi, Sirsa, Sri Ganganagar, Srinagar, Suakati, Tonk, Tumakuru, Udupi, Ujjain, Vijayawada, Visakhapatnam, Yamunanagar, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.