

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	28	PM _{2.5} , PM ₁₀	2
2	Agra	Good	37	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	72	PM ₁₀	2
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	78	PM ₁₀	1
6	Alwar	Satisfactory	67	PM _{2.5}	1
7	Amaravati	Good	23	со	1
8	Ambala	Satisfactory	97	PM ₁₀	1
9	Amritsar	Satisfactory	84	03	1
10	Ankleshwar	Moderate	110	PM _{2.5}	1
11	Arrah	Satisfactory	75	03	1
12	Asansol	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Araria, Notes: Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Dehradun, Fatehabad, Gadag, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kannur, Katihar, Kolar, Naharlagun, Nandesari, Nashik, Pune, Purnia, Saharsa, Samastipur, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	118	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Satisfactory	83	PM ₁₀	1
15	Baddi	Moderate	115	PM ₁₀	1
16	Bagalkot	Good	42	PM ₁₀	1
17	Baghpat	Moderate	102	PM ₁₀	1
18	Bahadurgarh	Satisfactory	93	PM ₁₀	1
19	Ballabgarh	Satisfactory	88	PM ₁₀	1
20	Bareilly	Satisfactory	84	PM _{2.5} , PM ₁₀	2
21	Bathinda	Satisfactory	66	СО	1
22	Belgaum	Good	46	со	1
23	Bengaluru	Satisfactory	70	PM ₁₀	5
24	Bhagalpur	Satisfactory	66	NO ₂ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Dehradun, Fatehabad, Gadag, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kannur, Katihar, Kolar, Naharlagun, Nandesari, Nashik, Pune, Purnia, Saharsa, Samastipur, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	172	NO ₂	1
26	Bhiwani	Satisfactory	55	PM _{2.5}	1
27	Bhopal	Satisfactory	55	PM ₁₀	1
28	Bihar Sharif	Good	45	PM ₁₀	1
29	Bilaspur	Satisfactory	62	PM ₁₀	1
30	Bulandshahr	Moderate	101	PM ₁₀	1
31	Chamarajanagar	Good	32	PM ₁₀	1
32	Chandigarh	Satisfactory	67	PM ₁₀	3
33	Chandrapur	Satisfactory	54	PM ₁₀	2
34	Charkhi Dadri	Satisfactory	82	PM ₁₀	1
35	Chengalpattu	Satisfactory	57	SO ₂	1
36	Chennai	Satisfactory	58	CO, PM ₁₀	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	48	PM ₁₀	1
38	Chikkamagaluru	Good	35	03	1
39	Coimbatore	Good	26	PM _{2.5}	1
40	Damoh	Good	28	PM _{2.5}	1
41	Darbhanga	Good	46	со	1
42	Davanagere	Good	19	PM ₁₀	1
43	Delhi	Moderate	119	PM ₁₀ , O ₃ , PM _{2.5}	36
44	Dewas	Satisfactory	60	PM _{2.5}	1
45	Dharuhera	Moderate	106	PM ₁₀	1
46	Durgapur	Satisfactory	100	PM ₁₀	1
47	Eloor	Satisfactory	51	PM ₁₀	1
48	Ernakulam	Good	38	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Moderate	129	PM _{2.5} , PM ₁₀ , O ₃	4
50	Firozabad	Moderate	155	O ₃	1
51	Gandhinagar	Satisfactory	66	PM ₁₀	1
52	Gangtok	Good	15	O ₃	1
53	Gaya	Satisfactory	78	PM ₁₀ , CO	3
54	Ghaziabad	Moderate	140	PM ₁₀	4
55	Gorakhpur	Satisfactory	59	PM _{2.5}	1
56	Greater Noida	Moderate	110	PM ₁₀	2
57	Gurugram	Moderate	110	PM ₁₀	3
58	Guwahati	Satisfactory	73	PM ₁₀ , PM _{2.5}	2
59	Gwalior	Good	50	O ₃	1
60	Hajipur	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Satisfactory	82	PM _{2.5}	1
62	Hassan	Good	30	NO ₂	1
63	Haveri	Satisfactory	58	со	1
64	Hisar	Satisfactory	78	PM ₁₀	1
65	Howrah	Satisfactory	51	PM ₁₀ , CO	3
66	Hubballi	Satisfactory	56	со	1
67	Hyderabad	Good	48	CO, PM _{2.5} , PM ₁₀	13
68	Imphal	Satisfactory	78	O ₃ , SO ₂	2
69	Indore	Satisfactory	91	PM ₁₀	1
70	Jabalpur	Satisfactory	71	PM ₁₀	1
71	Jaipur	Satisfactory	60	PM ₁₀	3
72	Jalandhar	Good	43	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria, Notes: Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Dehradun, Fatehabad, Gadag, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kannur, Katihar, Kolar, Naharlagun, Nandesari, Nashik, Pune, Purnia, Saharsa, Samastipur, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Satisfactory	69	PM ₁₀	1
74	Jodhpur	Satisfactory	96	PM ₁₀	1
75	Kaithal	Satisfactory	71	PM ₁₀	1
76	Kalaburgi	Good	27	SO ₂	1
77	Kalyan	Satisfactory	66	PM ₁₀	1
78	Kanpur	Good	44	PM ₁₀ , CO	4
79	Karnal	Satisfactory	82	PM ₁₀	1
80	Katni	Satisfactory	76	PM ₁₀	1
81	Khanna	Good	37	PM ₁₀	1
82	Khurja	Satisfactory	98	PM _{2.5}	1
83	Kishanganj	Satisfactory	62	NO ₂	1
84	Kochi	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Dehradun, Fatehabad, Gadag, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kannur, Katihar, Kolar, Naharlagun, Nandesari, Nashik, Pune, Purnia, Saharsa, Samastipur, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	54	PM ₁₀	1
86	Kolkata	Good	40	PM ₁₀ , O ₃	7
87	Kollam	Good	43	PM _{2.5}	1
88	Koppal	Moderate	125	O ₃	1
89	Kota	Satisfactory	69	PM ₁₀	1
90	Kozhikode	Satisfactory	70	PM ₁₀	1
91	Kurukshetra	Satisfactory	78	PM ₁₀	1
92	Lucknow	Satisfactory	59	CO, PM ₁₀	5
93	Ludhiana	Satisfactory	85	PM ₁₀	1
94	Madikeri	Good	19	03	1
95	Maihar	Good	30	со	1
96	Mandi Gobindgarh	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Satisfactory	53	O ₃	1
98	Mandikhera	Good	44	PM ₁₀	1
99	Manesar	Moderate	104	PM _{2.5}	1
100	Manglore	Satisfactory	51	со	1
101	Manguraha	Good	33	PM ₁₀	1
102	Meerut	Moderate	133	PM ₁₀	2
103	Moradabad	Satisfactory	77	PM ₁₀ , CO, PM _{2.5}	5
104	Motihari	Good	49	03	1
105	Mumbai	Satisfactory	79	PM _{2.5} , CO, PM ₁₀	12
106	Munger	Satisfactory	68	PM ₁₀	1
107	Muzaffarnagar	Moderate	106	PM ₁₀	1
108	Muzaffarpur	Satisfactory	65	O ₃ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Good	44	PM ₁₀	1
110	Nagpur	Satisfactory	85	со	1
111	Narnaul	Good	39	PM _{2.5}	1
112	Navi Mumbai	Moderate	108	PM _{2.5} , PM ₁₀	2
113	Noida	Moderate	117	PM ₁₀	3
114	Ooty	Satisfactory	64	со	1
115	Pali	Satisfactory	78	PM ₁₀	1
116	Palwal	Satisfactory	88	PM ₁₀	1
117	Panchkula	Good	37	PM _{2.5}	1
118	Panipat	Good	44	PM ₁₀	1
119	Patiala	Satisfactory	66	PM ₁₀	1
120	Patna	Satisfactory	82	PM ₁₀	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Satisfactory	92	PM ₁₀	1
122	Prayagraj	Satisfactory	63	SO ₂ , PM _{2.5} , PM ₁₀	3
123	Puducherry	Good	40	03	1
124	Raichur	Satisfactory	70	со	1
125	Rajamahendravaram	Good	19	PM ₁₀	1
126	Rajgir	Moderate	103	со	1
127	Ramanagara	Good	45	03	1
128	Ramanathapuram	Good	29	PM ₁₀	1
129	Ratlam	Satisfactory	63	PM ₁₀	1
130	Rohtak	Good	40	NO ₂	1
131	Rupnagar	Satisfactory	91	PM ₁₀	1
132	Sagar	Satisfactory	63	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria, Notes: Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Salem	Satisfactory	97	SO ₂	1
134	Sasaram	Satisfactory	63	NO ₂	1
135	Satna	Good	35	PM ₁₀	1
136	Shillong	Good	24	PM ₁₀ , SO ₂	2
137	Shivamogga	Good	43	PM ₁₀	1
138	Singrauli	Satisfactory	91	NO ₂	1
139	Sirsa	Satisfactory	71	PM ₁₀	1
140	Solapur	Satisfactory	84	PM ₁₀	1
141	Sonipat	Moderate	108	PM ₁₀	1
142	Srinagar	Good	45	PM ₁₀	1
143	Talcher	Satisfactory	54	со	1
144	Thiruvananthapuram	Good	32	CO, NO ₂	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Good	25	PM ₁₀	1
146	Tirupati	Satisfactory	55	PM _{2.5}	1
147	Tiruppur	Moderate	104	PM ₁₀	1
148	Udaipur	Satisfactory	84	PM ₁₀	1
149	Varanasi	Satisfactory	55	O ₃ , PM ₁₀	4
150	Vatva	Moderate	110	PM _{2.5}	1
151	Vijayapura	Good	40	PM ₁₀	1
152	Visakhapatnam	Good	35	PM ₁₀	1
153	Vrindavan	Satisfactory	68	PM ₁₀	1
154	Yadgir	Good	31	со	1
155	Yamunanagar	Moderate	173	PM _{2.5}	1
156	vellore	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Araria, Notes: Begusarai, Bettiah, Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Dehradun, Fatehabad, Gadag, Gummidipoondi, Haldia, Hosur, Jhansi, Jorapokhar, Kannur, Katihar, Kolar, Naharlagun, Nandesari, Nashik, Pune, Purnia, Saharsa, Samastipur, Siliguri, Siwan, Thane, Thrissur, Udupi, Ujjain, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.