

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	201	PM _{2.5}	1
2	Ahmedabad	Moderate	116	PM _{2.5}	1
3	Ajmer	Moderate	110	PM _{2.5}	1
4	Alwar	Satisfactory	83	PM ₁₀	1
5	Amaravati	Moderate	187	PM _{2.5}	1
6	Ambala	Poor	251	PM _{2.5}	1
7	Amritsar	Moderate	106	PM _{2.5}	1
8	Ankleshwar	Moderate	164	PM _{2.5}	1
9	Asanol	Moderate	155	PM _{2.5}	1
10	Aurangabad	Satisfactory	91	PM ₁₀	1
11	Baghpat	Very Poor	375	PM _{2.5}	1
12	Bahadurgarh	Very Poor	303	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Faridabad, Haldia, Karnal, Maihar, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	396	PM ₁₀	1
14	Bathinda	Poor	230	PM ₁₀	1
15	Bengaluru	Moderate	107	PM _{2.5} , PM ₁₀	9
16	Bhiwadi	Very Poor	349	PM _{2.5}	1
17	Bhiwani	Very Poor	357	PM _{2.5}	1
18	Bhopal	Moderate	117	PM ₁₀	1
19	Brajrajnagar	Moderate	122	PM ₁₀	1
20	Bulandshahr	Poor	298	PM _{2.5}	1
21	Chandigarh	Moderate	186	PM _{2.5}	1
22	Chandrapur	Satisfactory	91	PM _{2.5}	1
23	Chennai	Satisfactory	96	PM _{2.5}	2
24	Chikkaballapur	Moderate	114	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Faridabad, Haldia, Karnal, Maihar, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Moderate	121	PM _{2.5}	1
26	Damoh	Moderate	147	PM _{2.5}	1
27	Delhi	Severe	404	PM _{2.5}	35
28	Dewas	Moderate	119	O ₃	1
29	Dharuhera	Very Poor	319	PM _{2.5}	1
30	Eloor	Satisfactory	68	PM ₁₀	1
31	Fatehabad	Moderate	182	PM ₁₀	1
32	GandhiNagar	Satisfactory	73	PM ₁₀	1
33	Gaya	Very Poor	318	PM _{2.5}	1
34	Ghaziabad	Severe	419	PM _{2.5}	4
35	Greater_Noida	Severe	406	PM _{2.5}	2
36	Gurugram	Very Poor	386	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Faridabad, Haldia, Karnal, Maihar, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Moderate	159	PM _{2.5}	1
38	Hapur	Poor	280	PM ₁₀	1
39	Hisar	Very Poor	330	PM _{2.5}	1
40	Howrah	Poor	238	PM _{2.5}	3
41	Hubballi	Moderate	107	PM ₁₀	1
42	Hyderabad	Moderate	180	PM _{2.5}	6
43	Indore	Moderate	102	PM ₁₀	1
44	Jabalpur	Poor	230	PM _{2.5}	1
45	Jaipur	Moderate	145	PM _{2.5} , PM ₁₀	3
46	Jalandhar	Poor	278	PM _{2.5}	1
47	Jind	Very Poor	343	PM _{2.5}	1
48	Jodhpur	Moderate	164	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Faridabad, Haldia, Karnal, Maihar, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Poor	206	PM _{2.5}	1
50	Kaithal	Poor	204	PM _{2.5}	1
51	Kalaburagi	Moderate	195	PM _{2.5}	1
52	Kalyan	Moderate	151	PM ₁₀	1
53	Kanpur	Very Poor	353	PM _{2.5}	1
54	Katni	Poor	283	PM _{2.5}	1
55	Khanna	Moderate	151	PM ₁₀	1
56	Kolkata	Moderate	177	PM _{2.5} , PM ₁₀	5
57	Kota	Moderate	143	PM _{2.5}	1
58	Kurukshetra	Poor	293	PM _{2.5}	1
59	Lucknow	Very Poor	354	PM _{2.5}	4
60	Ludhiana	Poor	202	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Faridabad, Haldia, Karnal, Maihar, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandi Gobindgarh	Moderate	187	PM _{2.5}	1
62	Mandideep	Moderate	135	PM ₁₀	1
63	Mandikhera	Poor	270	PM _{2.5}	1
64	Manesar	Very Poor	333	PM _{2.5}	1
65	Meerut	Very Poor	302	PM _{2.5}	3
66	Moradabad	Poor	277	PM _{2.5}	1
67	Mumbai	Moderate	199	PM _{2.5}	9
68	Muzaffarpur	Very Poor	350	PM _{2.5}	1
69	Mysuru	Satisfactory	81	PM ₁₀	1
70	Nagpur	Satisfactory	78	O ₃	1
71	Narnaul	Poor	261	PM _{2.5}	1
72	Nashik	Satisfactory	92	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Faridabad, Haldia, Karnal, Maihar, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Moderate	169	PM _{2.5} , CO	3
74	Noida	Severe	413	PM _{2.5}	3
75	Pali	Moderate	111	PM _{2.5}	1
76	Palwal	Very Poor	387	PM _{2.5}	1
77	Panchkula	Satisfactory	82	PM _{2.5}	1
78	Panipat	Very Poor	378	PM ₁₀	1
79	Patiala	Poor	235	PM _{2.5}	1
80	Patna	Severe	411	PM _{2.5}	1
81	Pithampur	Moderate	113	PM ₁₀	1
82	Pune	Poor	215	PM _{2.5}	1
83	Rajamahendravaram	Moderate	161	PM _{2.5}	1
84	Ramanagara	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Faridabad, Haldia, Karnal, Maihar, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ratlam	Moderate	120	PM ₁₀	1
86	Rohtak	Very Poor	337	PM _{2.5}	1
87	Rupnagar	Moderate	161	PM _{2.5}	1
88	Satna	Moderate	124	PM ₁₀	1
89	Siliguri	Moderate	131	PM ₁₀	1
90	Singrauli	Very Poor	307	PM _{2.5}	1
91	Sirsa	Poor	249	PM _{2.5}	1
92	Solapur	Moderate	138	PM _{2.5}	1
93	Sonipat	Satisfactory	91	PM ₁₀	1
94	Talcher	Poor	258	PM ₁₀	1
95	Thane	Satisfactory	94	PM ₁₀	1
96	Thiruvananthapuram	Satisfactory	66	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Faridabad, Haldia, Karnal, Maihar, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Tirupati	Satisfactory	86	PM _{2.5}	1
98	Udaipur	Satisfactory	98	PM ₁₀	1
99	Ujjain	Moderate	157	O ₃	1
100	Vapi	Poor	255	PM _{2.5}	1
101	Varanasi	Very Poor	352	PM _{2.5}	1
102	Vatva	Moderate	145	PM ₁₀	1
103	Visakhapatnam	Moderate	113	PM _{2.5}	1
104	Yadgir	Moderate	148	PM _{2.5}	1
105	Yamunanagar	Poor	272	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Faridabad, Haldia, Karnal, Maihar, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.