

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	87	PM _{2.5}	1
2	Agra	Satisfactory	86	PM ₁₀	6
3	Ahmedabad	Satisfactory	95	PM ₁₀ , PM _{2.5}	6
4	Ajmer	Satisfactory	68	PM ₁₀	1
5	Alwar	Satisfactory	70	PM ₁₀	1
6	Amaravati	Satisfactory	82	03	1
7	Ambala	Moderate	127	PM ₁₀	1
8	Amritsar	Moderate	104	PM ₁₀	1
9	Ankleshwar	Satisfactory	60	со	1
10	Araria	Satisfactory	57	PM ₁₀	1
11	Ariyalur	Good	45	NO ₂	1
12	Arrah	Moderate	128	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	128	PM ₁₀	1
14	Aurangabad (Maharashtra)	Satisfactory	83	PM ₁₀	1
15	Baddi	Poor	262	O ₃	1
16	Bagalkot	Satisfactory	56	03	1
17	Baghpat	Poor	295	PM ₁₀	1
18	Bahadurgarh	Moderate	164	PM ₁₀	1
19	Ballabgarh	Moderate	124	PM ₁₀	1
20	Banswara	Moderate	104	PM ₁₀	1
21	Bareilly	Moderate	104	PM ₁₀	2
22	Baripada	Moderate	157	O ₃	1
23	Barmer	Satisfactory	75	PM ₁₀	1
24	Bathinda	Moderate	103	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Moderate	190	PM _{2.5}	1
26	Bengaluru	Satisfactory	52	O ₃ , PM _{2.5}	9
27	Bhagalpur	Moderate	109	PM ₁₀	2
28	Bharatpur	Moderate	125	PM ₁₀	1
29	Bhilai	Good	46	PM ₁₀	2
30	Bhilwara	Satisfactory	80	PM ₁₀	1
31	Bhiwadi	Moderate	150	PM ₁₀	1
32	Bhiwani	Moderate	119	PM _{2.5}	1
33	Bhopal	Satisfactory	77	PM ₁₀	3
34	Bidar	Good	38	NH ₃	1
35	Bihar Sharif	Moderate	127	PM ₁₀	1
36	Bikaner	Moderate	139	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ol, Baran, Belgaum, Bettiah, Brajrajnagar, Buxar, Ch

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	62	PM _{2.5}	1
38	Bileipada	Moderate	113	PM ₁₀	1
39	Bulandshahr	Moderate	145	PM ₁₀	1
40	Bundi	Moderate	158	со	1
41	Byrnihat	Moderate	154	PM ₁₀	1
42	Chamarajanagar	Good	46	PM ₁₀	1
43	Chandigarh	Poor	204	O ₃ , PM ₁₀	3
44	Chandrapur	Moderate	115	PM ₁₀	1
45	Charkhi Dadri	Poor	273	PM _{2.5}	1
46	Chennai	Satisfactory	75	PM ₁₀ , CO	7
47	Chhal	Satisfactory	57	PM ₁₀	1
48	Chhapra	Moderate	167	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ol, Baran, Belgaum, Bettiah, Brajrajnagar, Buxar, Ch

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Good	39	PM _{2.5}	1
50	Chikkamagaluru	Good	49	PM ₁₀	1
51	Chittorgarh	Satisfactory	83	03	1
52	Coimbatore	Very Poor	310	PM _{2.5}	1
53	Cuddalore	Good	29	PM _{2.5}	2
54	Damoh	Good	14	СО	1
55	Dausa	Moderate	142	PM ₁₀	1
56	Davanagere	Good	43	PM _{2.5}	1
57	Dehradun	Moderate	117	PM ₁₀	1
58	Delhi	Moderate	198	PM ₁₀ , PM _{2.5}	37
59	Dewas	Moderate	108	PM ₁₀	1
60	Dharwad	Satisfactory	68	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Satisfactory	63	03	1
62	Durgapur	Moderate	109	PM ₁₀	1
63	Eloor	Satisfactory	62	PM ₁₀	1
64	Faridabad	Moderate	104	PM ₁₀ , PM _{2.5}	4
65	Fatehabad	Moderate	151	03	1
66	Firozabad	Moderate	106	PM ₁₀	2
67	Gadag	Severe	460	PM ₁₀	1
68	Gandhinagar	Satisfactory	68	PM _{2.5} , PM ₁₀	3
69	Gaya	Satisfactory	99	PM ₁₀ , PM _{2.5}	3
70	Ghaziabad	Moderate	197	PM ₁₀	4
71	Gorakhpur	Satisfactory	89	PM ₁₀	1
72	Greater Noida	Poor	202	PM ₁₀	2

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

ol, Baran, Belgaum, Bettiah, Brajrajnagar, Buxar, Ch

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Poor	208	PM _{2.5}	4
74	Guwahati	Satisfactory	60	PM ₁₀	3
75	Hajipur	Satisfactory	74	PM ₁₀	1
76	Hanumangarh	Poor	255	PM ₁₀	1
77	Hapur	Satisfactory	88	PM ₁₀	1
78	Hassan	Satisfactory	60	PM ₁₀	1
79	Haveri	Good	43	PM ₁₀	1
80	Hisar	Moderate	176	PM _{2.5}	1
81	Howrah	Satisfactory	65	PM ₁₀	3
82	Hubballi	Satisfactory	63	PM ₁₀ , CO	2
83	Hyderabad	Satisfactory	91	PM _{2.5} , PM ₁₀	8
84	Indore	Satisfactory	75	PM ₁₀	2

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jabalpur	Satisfactory	93	PM ₁₀	1
86	Jaipur	Moderate	102	NO ₂	5
87	Jaisalmer	Moderate	119	PM ₁₀	1
88	Jalandhar	Moderate	151	PM ₁₀	1
89	Jhalawar	Satisfactory	66	PM ₁₀	1
90	Jhansi	Satisfactory	58	PM _{2.5}	1
91	Jind	Moderate	192	PM _{2.5}	1
92	Jodhpur	Satisfactory	85	PM ₁₀ , O ₃	3
93	Jorapokhar	Moderate	125	PM ₁₀	1
94	Kadapa	Satisfactory	75	O ₃	1
95	Kaithal	Moderate	155	PM ₁₀	1
96	Kalaburgi	Satisfactory	71	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Satisfactory	99	PM ₁₀	1
98	Kanpur	Satisfactory	92	со	4
99	Karauli	Satisfactory	71	03	1
100	Katihar	Satisfactory	95	со	1
101	Katni	Satisfactory	99	PM ₁₀	1
102	Keonjhar	Satisfactory	75	PM ₁₀	1
103	Khanna	Moderate	106	PM ₁₀	1
104	Khurja	Satisfactory	80	PM _{2.5}	1
105	Kishanganj	Satisfactory	62	PM ₁₀	1
106	Kochi	Satisfactory	69	со	1
107	Kohima	Satisfactory	68	PM ₁₀	1
108	Kolhapur	Poor	225	O ₃	2

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ol, Baran, Belgaum, Bettiah, Brajrajnagar, Buxar, Ch

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolkata	Satisfactory	94	O ₃ , PM ₁₀	7
110	Koppal	Satisfactory	84	03	1
111	Korba	Satisfactory	98	PM _{2.5} , PM ₁₀	2
112	Kota	Moderate	109	03	3
113	Kunjemura	Satisfactory	90	PM ₁₀	1
114	Kurukshetra	Poor	228	PM _{2.5}	1
115	Latur	Satisfactory	76	O ₃	1
116	Lucknow	Moderate	136	PM _{2.5} , PM ₁₀	6
117	Ludhiana	Moderate	158	PM ₁₀	1
118	Madikeri	Good	33	O ₃	1
119	Mandi Gobindgarh	Moderate	128	PM ₁₀	1
120	Mandideep	Satisfactory	94	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ol, Baran, Belgaum, Bettiah, Brajrajnagar, Buxar, Ch

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Satisfactory	77	PM ₁₀	1
122	Mangalore	Satisfactory	59	PM ₁₀	1
123	Meerut	Poor	250	PM ₁₀	3
124	Milupara	Satisfactory	71	PM ₁₀	1
125	Moradabad	Moderate	113	PM ₁₀	5
126	Mumbai	Satisfactory	79	PM ₁₀	17
127	Munger	Moderate	140	PM ₁₀	1
128	Muzaffarnagar	Poor	243	PM ₁₀	1
129	Muzaffarpur	Moderate	171	O ₃	3
130	Mysuru	Satisfactory	74	03	1
131	Nagaon	Satisfactory	77	03	1
132	Nagpur	Moderate	105	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nalbari	Moderate	110	PM ₁₀	1
134	Nandesari	Good	25	со	1
135	Narnaul	Moderate	104	PM ₁₀	1
136	Nashik	Satisfactory	54	O ₃ , PM ₁₀	2
137	Navi Mumbai	Satisfactory	92	PM ₁₀	2
138	Nayagarh	Satisfactory	58	03	1
139	Noida	Moderate	193	PM ₁₀	4
140	Ooty	Moderate	109	PM ₁₀	1
141	Pali	Moderate	109	PM ₁₀	1
142	Palkalaiperur	Satisfactory	62	SO ₂	1
143	Palwal	Satisfactory	85	PM ₁₀	1
144	Panchkula	Poor	215	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Asansol, Baran, Belgaum, Bettiah, Brajrajnagar, Buxar, Chenge

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Panipat	Moderate	178	PM ₁₀	1
146	Patiala	Moderate	131	PM ₁₀	1
147	Patna	Moderate	148	PM _{2.5}	6
148	Pimpri Chinchwad	Moderate	114	PM _{2.5}	2
149	Pithampur	Satisfactory	91	PM ₁₀	1
150	Pratapgarh	Moderate	105	PM ₁₀	1
151	Prayagraj	Satisfactory	91	PM ₁₀	3
152	Puducherry	Satisfactory	54	03	1
153	Pune	Satisfactory	97	NO ₂ , PM _{2.5}	4
154	Purnia	Satisfactory	97	PM ₁₀	1
155	Raichur	Good	44	SO ₂	1
156	Raipur	Satisfactory	66	PM ₁₀ , NO ₂	4

* AQI is not calculated for today's bulletin for Aizawl, Anantapur, ol, Baran, Belgaum, Bettiah, Brajrajnagar, Buxar, Ch

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rairangpur	Satisfactory	79	O ₃	1
158	Rajamahendravaram	Satisfactory	57	PM ₁₀	1
159	Rajgir	Satisfactory	100	PM ₁₀	1
160	Ramanagara	Satisfactory	84	03	1
161	Ratlam	Satisfactory	94	PM ₁₀	1
162	Rishikesh	Satisfactory	82	PM ₁₀	1
163	Rohtak	Moderate	147	PM _{2.5}	1
164	Rourkela	Moderate	111	PM ₁₀	2
165	Rupnagar	Moderate	177	PM ₁₀	1
166	Sagar	Satisfactory	74	O ₃	1
167	Saharsa	Moderate	102	PM ₁₀	1
168	Samastipur	Poor	256	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Asansol, Baran, Belgaum, Bettiah, Brajrajnagar, Buxar, Chengalp

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sasaram	Moderate	101	PM _{2.5}	1
170	Satna	Satisfactory	79	PM ₁₀	1
171	Shillong	Satisfactory	72	PM _{2.5}	1
172	Shivamogga	Satisfactory	57	PM ₁₀	1
173	Sikar	Moderate	115	PM ₁₀	1
174	Silchar	Satisfactory	62	со	1
175	Siliguri	Satisfactory	61	PM ₁₀	1
176	Singrauli	Moderate	125	PM ₁₀	1
177	Sirsa	Poor	222	PM ₁₀	1
178	Sivasagar	Good	25	PM ₁₀	1
179	Siwan	Moderate	134	PM ₁₀	1
180	Solapur	Moderate	115	PM ₁₀	2

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sonipat	Poor	268	PM ₁₀	1
182	Sri Ganganagar	Poor	217	PM ₁₀	1
183	Srinagar	Satisfactory	87	PM ₁₀	1
184	Suakati	Satisfactory	85	PM ₁₀	1
185	Surat	Moderate	194	PM ₁₀	1
186	Talcher	Satisfactory	99	PM _{2.5}	1
187	Thiruvananthapuram	Good	35	со	2
188	Thoothukudi	Good	48	03	1
189	Thrissur	Satisfactory	66	PM ₁₀	1
190	Tirupati	Satisfactory	80	PM _{2.5} , PM ₁₀	2
191	Tonk	Moderate	124	PM ₁₀	1
192	Tumidih	Moderate	106	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udaipur	Moderate	105	PM ₁₀	1
194	Ujjain	Moderate	105	PM _{2.5}	1
195	Vapi	Satisfactory	62	PM ₁₀	1
196	Varanasi	Satisfactory	68	PM ₁₀ , O ₃	4
197	Vatva	Moderate	103	PM ₁₀	1
198	Vijayapura	Good	50	PM ₁₀	1
199	Vijayawada	Satisfactory	82	PM ₁₀	1
200	Visakhapatnam	Satisfactory	93	PM ₁₀	1
201	Vrindavan	Moderate	178	PM ₁₀	1
202	Yadgir	Satisfactory	66	PM ₁₀	1
203	Yamunanagar	Poor	214	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Anantapur,

ol, Baran, Belgaum, Bettiah, Brajrajnagar, Buxar, Ch Chittoor, Churu, Darbhanga, Dhanbad, Dharuhera, Dindigul, Ernakulam, Notes: Gangtok, Gummidipoondi, Gwalior, Haldia, Hosur, Imphal, Jhunjhunu, Kanchipuram, Kannur, Karnal, Kashipur, Kolar, Kollam, Kozhikode, Maihar,

Manesar, Manguraha, Motihari, Nagaur, Naharlagun, Rajsamand, Ramanathapuram, Salem, Sawai Madhopur, Sirohi, Tensa, Thane, Tirupur,

Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.