

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	337	PM _{2.5}	1
2	Agra	Poor	216	PM _{2.5}	1
3	Ahmedabad	Moderate	139	PM _{2.5}	1
4	Ajmer	Satisfactory	66	03	1
5	Alwar	Satisfactory	75	PM ₁₀	1
6	Amaravati	Satisfactory	88	PM _{2.5}	1
7	Ambala	Satisfactory	77	PM ₁₀	1
8	Amritsar	Satisfactory	87	PM ₁₀	1
9	Ankleshwar	Moderate	200	PM _{2.5}	1
10	Asansol	Poor	244	PM _{2.5}	1
11	Aurangabad	Satisfactory	79	PM ₁₀	1
12	Bagalkot	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Brajrajnagar, Chamarajanagar, Gummidipoondi, Haldia, Kochi, Kollam, Maihar, Nagpur, Narnaul, Panchkula, Panipat, Ramanagara, Satna, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	228	PM _{2.5}	1
14	Bahadurgarh	Moderate	170	PM _{2.5}	1
15	Ballabgarh	Moderate	117	PM ₁₀	1
16	Bathinda	Satisfactory	100	PM _{2.5}	1
17	Bengaluru	Satisfactory	64	NO ₂ , PM ₁₀ , PM _{2.5}	9
18	Bhiwadi	Moderate	168	PM ₁₀	1
19	Bhiwani	Moderate	119	PM ₁₀	1
20	Bhopal	Poor	226	PM _{2.5}	1
21	Bidar	Satisfactory	63	PM _{2.5}	1
22	Bulandshahr	Poor	295	PM _{2.5}	1
23	Chandigarh	Satisfactory	64	PM ₁₀	1
24	Chandrapur	Moderate	140	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Brajrajnagar, Chamarajanagar, Gummidipoondi, Haldia, Kochi, Kollam, Maihar, Nagpur, Narnaul, Panchkula, Panipat, Ramanagara, Satna, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	146	PM ₁₀	1
26	Chennai	Satisfactory	92	PM _{2.5} , CO, PM ₁₀	7
27	Chikkaballapur	Good	48	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	52	PM _{2.5}	1
29	Coimbatore	Satisfactory	61	PM _{2.5}	1
30	Damoh	Moderate	171	PM _{2.5}	1
31	Delhi	Poor	243	PM _{2.5}	36
32	Dewas	Moderate	147	PM _{2.5}	1
33	Dharuhera	Moderate	166	PM _{2.5}	1
34	Durgapur	Poor	261	PM _{2.5}	1
35	Eloor	Satisfactory	85	PM ₁₀	1
36	Ernakulam	Satisfactory	59	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Brajrajnagar, Chamarajanagar, Gummidipoondi, Haldia, Kochi, Kollam, Maihar, Nagpur, Narnaul, Panchkula, Panipat, Ramanagara, Satna, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	235	PM _{2.5} , PM ₁₀	2
38	Fatehabad	Moderate	199	PM _{2.5}	1
39	Gadag	Good	37	PM _{2.5}	1
40	Gandhinagar	Satisfactory	77	PM ₁₀	1
41	Gaya	Satisfactory	86	CO, PM _{2.5}	2
42	Ghaziabad	Poor	283	PM _{2.5}	4
43	Greater Noida	Poor	283	PM _{2.5}	2
44	Gurugram	Moderate	200	PM _{2.5}	4
45	Guwahati	Very Poor	333	PM _{2.5}	2
46	Gwalior	Poor	248	PM _{2.5}	1
47	Hajipur	Moderate	151	PM ₁₀	1
48	Hapur	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Brajrajnagar, Chamarajanagar, Gummidipoondi, Haldia, Kochi, Kollam, Maihar, Nagpur, Narnaul, Panchkula, Panipat, Ramanagara, Satna, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Poor	235	PM _{2.5}	1
50	Howrah	Poor	237	PM _{2.5} , PM ₁₀	3
51	Hubballi	Satisfactory	70	PM ₁₀	1
52	Hyderabad	Moderate	144	PM _{2.5} , PM ₁₀	4
53	Indore	Moderate	152	PM _{2.5}	1
54	Jabalpur	Poor	206	PM _{2.5}	1
55	Jaipur	Satisfactory	92	PM _{2.5} , PM ₁₀ , O ₃	3
56	Jalandhar	Satisfactory	70	PM ₁₀	1
57	Jind	Moderate	196	PM _{2.5}	1
58	Jodhpur	Moderate	103	PM ₁₀	1
59	Jorapokhar	Satisfactory	76	PM ₁₀	1
60	Kaithal	Satisfactory	92	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Brajrajnagar, Chamarajanagar, Gummidipoondi, Haldia, Kochi, Kollam, Maihar, Nagpur, Narnaul, Panchkula, Panipat, Ramanagara, Satna, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	73	PM ₁₀	1
62	Kalyan	Poor	261	PM _{2.5}	1
63	Kannur	Satisfactory	58	PM ₁₀	1
64	Kanpur	Moderate	164	PM _{2.5}	2
65	Karnal	Moderate	127	PM _{2.5}	1
66	Katni	Poor	229	PM _{2.5}	1
67	Khanna	Satisfactory	75	PM ₁₀	1
68	Kohima	Moderate	192	PM _{2.5}	1
69	Kolkata	Poor	207	PM _{2.5}	7
70	Koppal	Satisfactory	54	PM ₁₀	1
71	Kota	Moderate	180	PM _{2.5}	1
72	Kozhikode	Satisfactory	82	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Brajrajnagar, Chamarajanagar, Gummidipoondi, Haldia, Kochi, Kollam, Maihar, Nagpur, Narnaul, Panchkula, Panipat, Ramanagara, Satna, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	158	PM _{2.5}	1
74	Lucknow	Moderate	192	PM _{2.5}	4
75	Ludhiana	Satisfactory	56	PM ₁₀	1
76	Mandi Gobindgarh	Satisfactory	78	PM ₁₀	1
77	Mandideep	Moderate	140	PM _{2.5}	1
78	Mandikhera	Satisfactory	65	PM _{2.5}	1
79	Manesar	Moderate	149	PM _{2.5}	1
80	Manglore	Satisfactory	55	PM _{2.5}	1
81	Medikeri	Satisfactory	60	03	1
82	Meerut	Poor	203	NO ₂ , PM _{2.5}	3
83	Moradabad	Moderate	185	PM _{2.5}	1
84	Mumbai	Poor	214	PM _{2.5} , O ₃	18

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Brajrajnagar, Chamarajanagar, Gummidipoondi, Haldia, Kochi, Kollam, Maihar, Nagpur, Narnaul, Panchkula, Panipat, Ramanagara, Satna, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Moderate	183	PM _{2.5}	1
86	Muzaffarpur	Very Poor	335	PM _{2.5}	1
87	Mysuru	Satisfactory	53	PM ₁₀	1
88	Nandesari	Satisfactory	56	PM _{2.5}	1
89	Nashik	Satisfactory	86	PM _{2.5}	1
90	Navi Mumbai	Poor	254	PM _{2.5}	3
91	Noida	Poor	264	PM _{2.5}	4
92	Pali	Satisfactory	77	PM ₁₀	1
93	Palwal	Moderate	116	СО	1
94	Patiala	Satisfactory	96	PM ₁₀	1
95	Patna	Moderate	172	PM _{2.5} , PM ₁₀	6
96	Pithampur	Moderate	189	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Brajrajnagar, Chamarajanagar, Gummidipoondi, Haldia, Kochi, Kollam, Maihar, Nagpur, Narnaul, Panchkula, Panipat, Ramanagara, Satna, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	102	PM _{2.5}	3
98	Raichur	Moderate	111	PM ₁₀	1
99	Rajamahendravaram	Moderate	113	PM ₁₀	1
100	Ratlam	Moderate	118	PM _{2.5}	1
101	Rohtak	Poor	234	PM _{2.5}	1
102	Rupnagar	Good	43	PM ₁₀	1
103	Sagar	Good	50	PM _{2.5}	1
104	Shivamogga	Satisfactory	54	PM ₁₀	1
105	Siliguri	Very Poor	374	PM _{2.5}	1
106	Singrauli	Moderate	192	PM _{2.5}	1
107	Sonipat	Moderate	113	PM ₁₀	1
108	Talcher	Moderate	162	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Brajrajnagar, Chamarajanagar, Gummidipoondi, Haldia, Kochi, Kollam, Maihar, Nagpur, Narnaul, Panchkula, Panipat, Ramanagara, Satna, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Moderate	182	PM ₁₀	1
110	Thiruvananthapuram	Satisfactory	56	CO, PM ₁₀	2
111	Thoothukudi	Satisfactory	53	03	1
112	Thrissur	Satisfactory	81	PM _{2.5}	1
113	Tirupati	Satisfactory	60	PM _{2.5}	1
114	Udaipur	Moderate	197	PM _{2.5}	1
115	Ujjain	Poor	215	PM _{2.5}	1
116	Vapi	Poor	235	PM _{2.5}	1
117	Varanasi	Moderate	180	03	1
118	Vatva	Moderate	141	PM ₁₀	1
119	Vijayapura	Satisfactory	58	со	1
120	Visakhapatnam	Poor	209	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Brajrajnagar, Chamarajanagar, Gummidipoondi, Haldia, Kochi, Kollam, Maihar, Nagpur, Narnaul, Panchkula, Panipat, Ramanagara, Satna, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yadgir	Satisfactory	75	O ₃	1
122	Yamunanagar	Moderate	118	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Brajrajnagar, Chamarajanagar, Gummidipoondi, Haldia, Kochi, Kollam, Maihar, Nagpur, Narnaul, Panchkula, Panipat, Ramanagara, Satna, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.