

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	219	PM _{2.5}	2
2	Agra	Moderate	105	PM _{2.5}	6
3	Ahmedabad	Satisfactory	89	PM ₁₀	1
4	Aizawl	Good	35	PM ₁₀	1
5	Ajmer	Moderate	148	PM _{2.5}	1
6	Alwar	Satisfactory	98	PM _{2.5}	1
7	Amaravati	Satisfactory	93	PM ₁₀	1
8	Ambala	Poor	248	PM _{2.5}	1
9	Amritsar	Moderate	182	PM _{2.5}	1
10	Anantapur	Satisfactory	51	O ₃	1
11	Ankleshwar	Poor	247	PM _{2.5}	1
12	Araria	Very Poor	357	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	330	PM _{2.5}	1
14	Asansol	Poor	289	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	358	PM _{2.5}	1
16	Baddi	Poor	234	O ₃	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Baghpat	Poor	201	PM _{2.5}	1
19	Bahadurgarh	Poor	244	PM _{2.5}	1
20	Ballabgarh	Very Poor	317	PM _{2.5}	1
21	Bareilly	Moderate	174	PM ₁₀	2
22	Baripada	Poor	241	PM _{2.5}	1
23	Bathinda	Poor	254	PM ₁₀	1
24	Begusarai	Severe	406	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	62	PM ₁₀	1
26	Bengaluru	Satisfactory	93	PM _{2.5} , PM ₁₀	9
27	Bettiah	Very Poor	375	PM _{2.5}	1
28	Bhagalpur	Very Poor	302	PM _{2.5}	2
29	Bhiwadi	Poor	273	PM ₁₀	1
30	Bhiwani	Poor	278	PM _{2.5}	1
31	Bhopal	Poor	234	PM _{2.5}	2
32	Bidar	Satisfactory	66	PM ₁₀	1
33	Bihar Sharif	Very Poor	354	PM _{2.5}	1
34	Bilaspur	Moderate	109	PM ₁₀	1
35	Bileipada	Moderate	169	PM _{2.5}	1
36	Brajrajnagar	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Poor	276	PM _{2.5}	1
38	Chamarajanagar	Good	44	PM ₁₀	1
39	Chandigarh	Moderate	179	PM _{2.5} , PM ₁₀	3
40	Chandrapur	Very Poor	314	PM _{2.5}	1
41	Charkhi Dadri	Poor	283	PM _{2.5}	1
42	Chennai	Satisfactory	77	O ₃ , PM _{2.5}	7
43	Chhapra	Very Poor	350	PM _{2.5}	1
44	Chikkaballapur	Satisfactory	99	PM ₁₀	1
45	Chikkamagaluru	Good	44	PM ₁₀	1
46	Chittoor	Good	48	PM ₁₀	1
47	Damoh	Moderate	143	PM _{2.5}	1
48	Darbhanga	Very Poor	360	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Davanagere	Satisfactory	84	PM ₁₀	1
50	Delhi	Very Poor	352	PM _{2.5}	37
51	Dewas	Moderate	134	PM ₁₀	1
52	Dharwad	Moderate	180	PM _{2.5}	1
53	Durgapur	Moderate	150	PM ₁₀	1
54	Eloor	Satisfactory	67	PM ₁₀	1
55	Faridabad	Very Poor	346	PM ₁₀ , PM _{2.5}	4
56	Fatehabad	Poor	226	PM _{2.5}	1
57	Firozabad	Moderate	103	NO ₂ , PM _{2.5}	2
58	Gadag	Satisfactory	63	PM ₁₀	1
59	Gandhinagar	Satisfactory	81	PM ₁₀	1
60	Gangtok	Good	31	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Very Poor	320	PM _{2.5}	3
62	Ghaziabad	Very Poor	308	PM _{2.5}	4
63	Gorakhpur	Moderate	106	PM ₁₀	1
64	Greater Noida	Very Poor	374	PM ₁₀ , PM _{2.5}	2
65	Gurugram	Very Poor	311	PM _{2.5}	4
66	Guwahati	Moderate	160	PM _{2.5}	3
67	Gwalior	Very Poor	330	PM _{2.5}	2
68	Hajipur	Poor	282	PM _{2.5}	1
69	Haldia	Moderate	118	PM ₁₀	1
70	Hapur	Poor	212	PM _{2.5}	1
71	Hassan	Satisfactory	63	PM _{2.5}	1
72	Haveri	Moderate	120	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Poor	276	PM _{2.5}	1
74	Hosur	Satisfactory	89	СО	1
75	Howrah	Poor	237	PM _{2.5}	3
76	Hubballi	Moderate	150	PM _{2.5}	1
77	Hyderabad	Moderate	119	PM _{2.5}	14
78	Imphal	Satisfactory	72	SO ₂	2
79	Indore	Moderate	130	PM ₁₀	1
80	Jabalpur	Poor	284	PM _{2.5}	1
81	Jaipur	Moderate	188	PM ₁₀	2
82	Jalandhar	Moderate	163	PM _{2.5}	1
83	Jhansi	Poor	237	PM _{2.5}	1
84	Jind	Very Poor	324	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Poor	212	PM _{2.5}	1
86	Kaithal	Poor	276	PM _{2.5}	1
87	Kalaburgi	Moderate	184	PM _{2.5}	1
88	Kalyan	Very Poor	394	NO ₂	1
89	Kanchipuram	Satisfactory	56	SO ₂	1
90	Kannur	Satisfactory	65	PM ₁₀	1
91	Kanpur	Poor	229	PM _{2.5}	3
92	Karnal	Poor	238	PM _{2.5}	1
93	Katihar	Very Poor	358	PM _{2.5}	1
94	Katni	Poor	262	PM _{2.5}	1
95	Keonjhar	Moderate	191	PM _{2.5}	1
96	Khanna	Moderate	165	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khurja	Satisfactory	80	PM ₁₀	1
98	Kishanganj	Poor	213	PM _{2.5}	1
99	Kochi	Poor	284	PM _{2.5}	1
100	Kohima	Satisfactory	53	PM ₁₀	1
101	Kolar	Satisfactory	81	PM ₁₀	1
102	Kolkata	Poor	230	PM _{2.5}	7
103	Kollam	Moderate	136	PM ₁₀	1
104	Koppal	Satisfactory	78	со	1
105	Kota	Moderate	190	PM ₁₀	1
106	Kozhikode	Good	46	со	1
107	Kurukshetra	Poor	290	PM _{2.5}	1
108	Lucknow	Poor	235	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ludhiana	Poor	261	PM _{2.5}	1
110	Madikeri	Good	25	O ₃	1
111	Maihar	Satisfactory	90	PM ₁₀	1
112	Mandi Gobindgarh	Moderate	164	PM _{2.5}	1
113	Mandideep	Moderate	135	PM ₁₀	1
114	Mandikhera	Moderate	146	PM ₁₀	1
115	Manesar	Very Poor	305	PM _{2.5}	1
116	Mangalore	Moderate	140	PM _{2.5}	1
117	Manguraha	Satisfactory	75	PM _{2.5}	1
118	Meerut	Poor	280	PM _{2.5}	3
119	Moradabad	Moderate	150	PM _{2.5}	6
120	Motihari	Very Poor	316	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Poor	216	PM _{2.5} , PM ₁₀	19
122	Munger	Poor	276	PM _{2.5}	1
123	Muzaffarnagar	Very Poor	325	PM _{2.5}	1
124	Muzaffarpur	Poor	227	PM _{2.5}	2
125	Mysuru	Good	44	PM ₁₀	1
126	Nagpur	Very Poor	324	PM _{2.5}	1
127	Naharlagun	Good	28	PM _{2.5}	1
128	Nalbari	Moderate	152	PM ₁₀	1
129	Narnaul	Poor	219	PM _{2.5}	1
130	Navi Mumbai	Poor	248	PM _{2.5}	2
131	Nayagarh	Poor	205	PM _{2.5}	1
132	Noida	Very Poor	316	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ooty	Good	49	SO ₂	1
134	Pali	Moderate	102	PM _{2.5}	1
135	Palwal	Satisfactory	62	PM ₁₀	1
136	Panchkula	Moderate	106	PM _{2.5}	1
137	Patiala	Moderate	196	PM _{2.5}	1
138	Patna	Very Poor	347	PM ₁₀ , PM _{2.5}	6
139	Pithampur	Moderate	199	PM _{2.5}	1
140	Prayagraj	Moderate	109	PM ₁₀	3
141	Puducherry	Good	41	PM ₁₀	1
142	Purnia	Very Poor	386	PM _{2.5}	1
143	Raichur	Moderate	152	PM ₁₀	1
144	Rairangpur	Moderate	181	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rajamahendravaram	Satisfactory	78	PM ₁₀	1
146	Rajgir	Very Poor	331	PM _{2.5}	1
147	Ramanagara	Satisfactory	74	PM ₁₀	1
148	Ramanathapuram	Good	33	PM ₁₀	1
149	Ratlam	Moderate	102	PM ₁₀	1
150	Rohtak	Poor	240	PM _{2.5}	1
151	Rourkela	Poor	269	PM ₁₀	1
152	Rupnagar	Moderate	126	PM ₁₀	1
153	Sagar	Moderate	128	PM _{2.5} , CO	2
154	Saharsa	Very Poor	317	PM _{2.5}	1
155	Samastipur	Very Poor	305	PM _{2.5}	1
156	Sasaram	Very Poor	358	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Satna	Satisfactory	60	O ₃	1
158	Shillong	Good	42	PM _{2.5}	1
159	Shivamogga	Satisfactory	56	PM ₁₀	1
160	Siliguri	Moderate	119	PM ₁₀	1
161	Singrauli	Very Poor	371	PM _{2.5}	1
162	Sivasagar	Satisfactory	62	PM ₁₀	1
163	Siwan	Very Poor	373	PM _{2.5}	1
164	Sonipat	Poor	233	PM _{2.5}	1
165	Srinagar	Moderate	175	PM _{2.5}	1
166	Suakati	Poor	220	PM _{2.5}	1
167	Surat	Poor	243	PM _{2.5}	1
168	Talcher	Moderate	147	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tensa	Moderate	185	PM _{2.5}	1
170	Thane	Poor	233	03	1
171	Thiruvananthapuram	Satisfactory	92	PM _{2.5}	2
172	Thoothukudi	Satisfactory	59	PM ₁₀	1
173	Thrissur	Satisfactory	67	PM _{2.5}	1
174	Tirupati	Satisfactory	82	NO ₂ , PM _{2.5}	2
175	Tirupur	Satisfactory	95	PM ₁₀	1
176	Udaipur	Moderate	164	PM _{2.5}	1
177	Ujjain	Moderate	190	PM _{2.5}	1
178	Vapi	Very Poor	323	PM _{2.5}	1
179	Varanasi	Moderate	102	PM ₁₀ , PM _{2.5}	4
180	Vatva	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vijayapura	Satisfactory	77	PM ₁₀	1
182	Visakhapatnam	Moderate	116	PM _{2.5}	1
183	Vrindavan	Moderate	152	PM ₁₀	1
184	Yadgir	Moderate	102	PM _{2.5}	1
185	Yamunanagar	Poor	254	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Korba, Nandesari, Nashik, Panipat, Pune, Raipur, Salem, Sirsa, Solapur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.