



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	27	PM <sub>10</sub> , PM <sub>2.5</sub>	6
2	Ahmedabad	Satisfactory	62	PM <sub>10</sub>	2
3	Aizawl	Good	25	PM <sub>10</sub>	1
4	Ajmer	Satisfactory	85	PM <sub>10</sub>	1
5	Alwar	Satisfactory	59	PM <sub>10</sub>	1
6	Amaravati	Good	27	O <sub>3</sub>	1
7	Ambala	Poor	202	PM <sub>2.5</sub>	1
8	Amritsar	Satisfactory	72	O <sub>3</sub>	1
9	Ankleshwar	Satisfactory	55	PM <sub>10</sub>	1
10	Araria	Satisfactory	96	PM <sub>10</sub>	1
11	Arrah	Satisfactory	74	O <sub>3</sub>	1
12	Asansol	Satisfactory	62	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Satisfactory	67	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	88	PM <sub>10</sub>	1
15	Baddi	Satisfactory	78	O <sub>3</sub>	1
16	Bagalkot	Good	43	PM <sub>10</sub>	1
17	Baghpat	Satisfactory	84	PM <sub>10</sub>	1
18	Bahadurgarh	Satisfactory	78	PM <sub>10</sub>	1
19	Ballabgarh	Moderate	114	PM <sub>10</sub>	1
20	Bareilly	Satisfactory	54	PM <sub>10</sub>	2
21	Bathinda	Satisfactory	51	PM <sub>10</sub>	1
22	Begusarai	Good	43	PM <sub>10</sub>	1
23	Belgaum	Good	48	CO	1
24	Bengaluru	Good	43	PM <sub>10</sub> , SO <sub>2</sub> , NO <sub>2</sub>	7

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Satisfactory	54	PM <sub>10</sub>	1
26	Bhagalpur	Satisfactory	82	NO <sub>2</sub> , CO	2
27	Bhiwadi	Moderate	185	PM <sub>10</sub>	1
28	Bhiwani	Satisfactory	81	PM <sub>10</sub>	1
29	Bhopal	Good	46	O <sub>3</sub>	1
30	Bulandshahr	Satisfactory	98	PM <sub>10</sub>	1
31	Chamarajanagar	Good	35	PM <sub>10</sub>	1
32	Chandigarh	Satisfactory	67	O <sub>3</sub> , PM <sub>10</sub>	3
33	Chandrapur	Good	49	NO <sub>2</sub>	1
34	Charkhi Dadri	Satisfactory	72	PM <sub>10</sub>	1
35	Chennai	Good	43	CO, PM <sub>10</sub> , SO <sub>2</sub>	8
36	Chhapra	Satisfactory	75	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	28	PM <sub>10</sub>	1
38	Damoh	Good	23	CO	1
39	Darbhanga	Satisfactory	93	PM <sub>10</sub>	1
40	Davanagere	Good	12	CO	1
41	Dehradun	Good	40	O <sub>3</sub>	1
42	Delhi	Moderate	104	PM <sub>10</sub> , PM <sub>2.5</sub>	35
43	Dewas	Satisfactory	51	PM <sub>10</sub>	1
44	Dharuhera	Moderate	140	PM <sub>10</sub>	1
45	Eloor	Satisfactory	64	PM <sub>10</sub>	1
46	Ernakulam	Good	44	CO	1
47	Faridabad	Moderate	131	PM <sub>2.5</sub> , PM <sub>10</sub>	3
48	Fatehabad	Satisfactory	81	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	62	O <sub>3</sub> , PM <sub>10</sub>	2
50	Gadag	Good	35	PM <sub>2.5</sub>	1
51	Gandhinagar	Good	46	PM <sub>10</sub>	1
52	Gaya	Moderate	116	PM <sub>10</sub>	1
53	Ghaziabad	Moderate	107	PM <sub>10</sub>	4
54	Gorakhpur	Satisfactory	52	PM <sub>2.5</sub>	1
55	Greater Noida	Moderate	111	PM <sub>10</sub>	1
56	Gummidipoondi	Good	15	PM <sub>10</sub>	1
57	Gurugram	Moderate	102	PM <sub>10</sub>	3
58	Guwahati	Good	48	PM <sub>10</sub> , O <sub>3</sub>	2
59	Gwalior	Good	42	PM <sub>10</sub>	2
60	Hajipur	Good	36	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Satisfactory	88	PM <sub>10</sub>	1
62	Haveri	Satisfactory	54	CO	1
63	Hisar	Satisfactory	81	PM <sub>10</sub>	1
64	Hosur	Satisfactory	67	CO	1
65	Howrah	Satisfactory	57	PM <sub>2.5</sub> , PM <sub>10</sub>	3
66	Hubballi	Satisfactory	55	CO	1
67	Hyderabad	Satisfactory	54	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	10
68	Imphal	Satisfactory	67	O <sub>3</sub> , PM <sub>10</sub>	2
69	Indore	Satisfactory	69	PM <sub>10</sub>	1
70	Jabalpur	Good	48	CO	1
71	Jaipur	Satisfactory	54	PM <sub>2.5</sub>	2
72	Jalandhar	Satisfactory	66	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Satisfactory	77	PM <sub>10</sub>	1
74	Jodhpur	Moderate	112	PM <sub>10</sub>	1
75	Kaithal	Moderate	197	O <sub>3</sub>	1
76	Kalaburgi	Good	27	SO <sub>2</sub>	1
77	Kalyan	Satisfactory	61	PM <sub>10</sub>	1
78	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1
79	Kanpur	Good	39	PM <sub>10</sub>	2
80	Karnal	Satisfactory	60	PM <sub>10</sub>	1
81	Katihar	Satisfactory	98	PM <sub>10</sub>	1
82	Katni	Good	22	O <sub>3</sub>	1
83	Khanna	Satisfactory	76	PM <sub>10</sub>	1
84	Khurja	Moderate	137	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Satisfactory	78	PM <sub>10</sub>	1
86	Kochi	Satisfactory	68	PM <sub>2.5</sub>	1
87	Kolkata	Satisfactory	54	O <sub>3</sub> , NO <sub>2</sub> , PM <sub>10</sub>	6
88	Koppal	Satisfactory	90	O <sub>3</sub>	1
89	Kota	Good	45	PM <sub>2.5</sub>	1
90	Kozhikode	Satisfactory	64	PM <sub>10</sub>	1
91	Kurukshetra	Satisfactory	86	PM <sub>10</sub>	1
92	Lucknow	Good	46	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	6
93	Ludhiana	Moderate	104	PM <sub>10</sub>	1
94	Madikeri	Good	22	SO <sub>2</sub>	1
95	Maihar	Good	42	CO	1
96	Mandi Gobindgarh	Moderate	165	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Good	29	PM <sub>10</sub>	1
98	Mandikhera	Good	45	PM <sub>10</sub>	1
99	Manesar	Satisfactory	96	PM <sub>10</sub>	1
100	Manglore	Good	50	CO	1
101	Meerut	Moderate	119	PM <sub>10</sub>	3
102	Moradabad	Satisfactory	70	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6
103	Motihari	Satisfactory	70	O <sub>3</sub>	1
104	Mumbai	Satisfactory	58	PM <sub>10</sub> , CO, NO <sub>2</sub>	17
105	Munger	Satisfactory	79	PM <sub>10</sub>	1
106	Muzaffarnagar	Satisfactory	97	PM <sub>10</sub>	1
107	Muzaffarpur	Satisfactory	68	O <sub>3</sub> , PM <sub>10</sub> , CO	3
108	Mysuru	Good	44	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Good	50	CO	1
110	Narnaul	Good	33	PM <sub>2.5</sub>	1
111	Navi Mumbai	Satisfactory	51	CO, PM <sub>10</sub>	3
112	Noida	Moderate	102	PM <sub>10</sub>	3
113	Pali	Satisfactory	77	PM <sub>10</sub>	1
114	Palwal	Satisfactory	96	PM <sub>10</sub>	1
115	Panchkula	Good	43	PM <sub>2.5</sub>	1
116	Panipat	Satisfactory	92	PM <sub>10</sub>	1
117	Patiala	Satisfactory	92	PM <sub>10</sub>	1
118	Patna	Satisfactory	73	PM <sub>10</sub> , O <sub>3</sub>	5
119	Pithampur	Satisfactory	79	PM <sub>10</sub>	1
120	Prayagraj	Satisfactory	77	PM <sub>10</sub> , SO <sub>2</sub> , O <sub>3</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Good	32	CO	1
122	Purnia	Moderate	108	PM <sub>10</sub>	1
123	Raichur	Satisfactory	62	CO	1
124	Rajamahendravaram	Good	41	PM <sub>10</sub>	1
125	Rajgir	Moderate	102	CO	1
126	Ramanathapuram	Moderate	143	CO	1
127	Ratlam	Satisfactory	55	PM <sub>10</sub>	1
128	Rupnagar	Satisfactory	91	PM <sub>10</sub>	1
129	Saharsa	Moderate	123	PM <sub>10</sub>	1
130	Sasaram	Satisfactory	56	NO <sub>2</sub>	1
131	Satna	Good	15	O <sub>3</sub>	1
132	Shillong	Good	21	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Good	46	PM <sub>10</sub>	1
134	Singrauli	Satisfactory	98	NO <sub>2</sub>	1
135	Sirsa	Satisfactory	82	O <sub>3</sub>	1
136	Solapur	Good	48	PM <sub>10</sub>	1
137	Sonipat	Moderate	107	PM <sub>10</sub>	1
138	Srinagar	Good	39	SO <sub>2</sub>	1
139	Talcher	Satisfactory	80	CO	1
140	Thane	Satisfactory	61	O <sub>3</sub>	1
141	Thiruvananthapuram	Good	34	CO	1
142	Thrissur	Good	35	PM <sub>2.5</sub>	1
143	Tirupati	Good	38	CO	1
144	Ujjain	Satisfactory	68	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Good	49	PM <sub>10</sub> , SO <sub>2</sub>	3
146	Vatva	Satisfactory	68	PM <sub>10</sub>	1
147	Vijayapura	Good	39	PM <sub>10</sub>	1
148	Visakhapatnam	Moderate	111	PM <sub>10</sub>	1
149	Vrindavan	Satisfactory	62	O <sub>3</sub>	1
150	Yadgir	Good	31	CO	1
151	Yamunanagar	Satisfactory	74	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Agartala, Anantapur, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Chikkaballapur, Coimbatore, Durgapur, Gangtok, Haldia, Hassan, Jhansi, Jorapokhar, Kohima, Kolar, Kollam, Manguraha, Naharlagun, Nandesari, Nashik, Pune, Ramanagara, Rohtak, Sagar, Samastipur, Siliguri, Siwan, Thoothukudi, Udaipur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.