

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	124	PM _{2.5}	1
2	Agra	Moderate	104	PM _{2.5}	1
3	Ahmedabad	Moderate	125	PM ₁₀	1
4	Aizawl	Satisfactory	51	PM ₁₀	1
5	Ajmer	Satisfactory	83	PM ₁₀	1
6	Alwar	Satisfactory	85	PM ₁₀	1
7	Amaravati	Satisfactory	92	PM ₁₀	1
8	Ambala	Satisfactory	92	PM ₁₀	1
9	Amritsar	Moderate	117	PM _{2.5}	1
10	Ankleshwar	Moderate	164	PM _{2.5}	1
11	Asansol	Moderate	110	PM ₁₀	1
12	Bagalkot	Good	36	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bidar, Coimbatore, Davanagere, Dewas, Jorapokhar, Kochi, Kolar, Muzaffarnagar, Panipat, Raichur, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	168	PM _{2.5}	1
14	Ballabgarh	Poor	214	PM _{2.5}	1
15	Bathinda	Moderate	110	PM ₁₀	1
16	Bengaluru	Satisfactory	86	NO ₂ , PM ₁₀ , PM _{2.5}	8
17	Bhiwadi	Poor	240	PM _{2.5}	1
18	Bhiwani	Moderate	107	PM ₁₀	1
19	Bhopal	Moderate	115	PM ₁₀	1
20	Brajrajnagar	Satisfactory	90	PM _{2.5}	1
21	Bulandshahr	Moderate	196	PM _{2.5}	1
22	Chamarajanagar	Satisfactory	98	PM _{2.5}	1
23	Chandigarh	Satisfactory	77	PM ₁₀	1
24	Chandrapur	Moderate	115	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bidar, Coimbatore, Davanagere, Dewas, Jorapokhar, Kochi, Kolar, Muzaffarnagar, Panipat, Raichur, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	143	PM _{2.5}	1
26	Chennai	Moderate	110	PM _{2.5} , PM ₁₀	7
27	Chikkaballapur	Satisfactory	99	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	73	PM _{2.5}	1
29	Damoh	Satisfactory	69	PM ₁₀	1
30	Delhi	Poor	232	PM _{2.5}	37
31	Dharuhera	Moderate	173	PM ₁₀	1
32	Durgapur	Moderate	177	PM ₁₀	1
33	Eloor	Satisfactory	51	PM ₁₀	1
34	Ernakulam	Moderate	139	PM _{2.5}	1
35	Faridabad	Poor	216	PM _{2.5}	1
36	Fatehabad	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bidar, Coimbatore, Davanagere, Dewas, Jorapokhar, Kochi, Kolar, Muzaffarnagar, Panipat, Raichur, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Satisfactory	74	O ₃	1
38	Gandhinagar	Satisfactory	85	PM ₁₀	1
39	Gaya	Moderate	129	PM _{2.5}	1
40	Ghaziabad	Poor	251	PM _{2.5}	4
41	Greater Noida	Poor	224	PM _{2.5}	1
42	Gummidipoondi	Moderate	143	PM _{2.5}	1
43	Gurugram	Poor	209	PM _{2.5}	4
44	Guwahati	Moderate	189	PM _{2.5}	2
45	Gwalior	Moderate	122	PM _{2.5}	2
46	Hajipur	Moderate	121	PM ₁₀	1
47	Haldia	Moderate	101	PM ₁₀	1
48	Hapur	Satisfactory	98	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bidar, Coimbatore, Davanagere, Dewas, Jorapokhar, Kochi, Kolar, Muzaffarnagar, Panipat, Raichur, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	199	PM _{2.5}	1
50	Howrah	Moderate	117	PM ₁₀ , PM _{2.5}	3
51	Hubballi	Moderate	102	PM ₁₀	1
52	Hyderabad	Moderate	149	PM _{2.5} , PM ₁₀	6
53	Indore	Satisfactory	91	PM ₁₀	1
54	Jabalpur	Moderate	120	PM ₁₀	1
55	Jaipur	Moderate	104	PM _{2.5} , PM ₁₀	3
56	Jalandhar	Moderate	135	PM ₁₀	1
57	Jind	Moderate	160	PM _{2.5}	1
58	Jodhpur	Moderate	150	PM _{2.5}	1
59	Kaithal	Satisfactory	71	PM ₁₀	1
60	Kalaburgi	Moderate	150	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bidar, Coimbatore, Davanagere, Dewas, Jorapokhar, Kochi, Kolar, Muzaffarnagar, Panipat, Raichur, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	151	PM _{2.5}	1
62	Kannur	Moderate	122	PM _{2.5}	1
63	Kanpur	Moderate	166	PM _{2.5}	2
64	Karnal	Satisfactory	97	PM _{2.5}	1
65	Katni	Moderate	138	PM _{2.5}	1
66	Khanna	Satisfactory	82	PM _{2.5}	1
67	Kohima	Satisfactory	99	PM ₁₀	1
68	Kolkata	Moderate	125	PM _{2.5} , PM ₁₀	7
69	Kollam	Moderate	158	PM _{2.5}	1
70	Koppal	Satisfactory	78	PM ₁₀	1
71	Kota	Moderate	120	PM _{2.5}	1
72	Kozhikode	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bidar, Coimbatore, Davanagere, Dewas, Jorapokhar, Kochi, Kolar, Muzaffarnagar, Panipat, Raichur, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	127	PM _{2.5}	1
74	Lucknow	Moderate	164	PM _{2.5} , PM ₁₀	4
75	Ludhiana	Satisfactory	95	PM ₁₀	1
76	Maihar	Good	48	PM ₁₀	1
77	Mandi Gobindgarh	Moderate	184	PM _{2.5}	1
78	Mandideep	Moderate	118	PM ₁₀	1
79	Mandikhera	Satisfactory	59	PM ₁₀	1
80	Manesar	Moderate	109	PM ₁₀	1
81	Manglore	Satisfactory	85	PM _{2.5}	1
82	Medikeri	Satisfactory	80	PM ₁₀	1
83	Meerut	Moderate	178	PM _{2.5}	2
84	Moradabad	Moderate	197	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bidar, Coimbatore, Davanagere, Dewas, Jorapokhar, Kochi, Kolar, Muzaffarnagar, Panipat, Raichur, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Moderate	151	PM _{2.5} , O ₃	21
86	Muzaffarpur	Moderate	196	PM _{2.5} , PM ₁₀	2
87	Mysuru	Moderate	170	O ₃	1
88	Nagpur	Satisfactory	60	PM _{2.5}	1
89	Nandesari	Moderate	105	со	1
90	Narnaul	Moderate	125	PM ₁₀	1
91	Nashik	Satisfactory	79	PM ₁₀	1
92	Navi Mumbai	Moderate	127	PM ₁₀ , PM _{2.5}	3
93	Noida	Poor	238	PM _{2.5}	4
94	Pali	Satisfactory	85	PM ₁₀	1
95	Palwal	Satisfactory	86	со	1
96	Panchkula	Satisfactory	60	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bidar, Coimbatore, Davanagere, Dewas, Jorapokhar, Kochi, Kolar, Muzaffarnagar, Panipat, Raichur, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	104	PM ₁₀	1
98	Patna	Moderate	196	PM _{2.5} , PM ₁₀	6
99	Pithampur	Moderate	129	PM _{2.5}	1
100	Puducherry	Satisfactory	74	03	1
101	Pune	Moderate	104	PM _{2.5} , PM ₁₀	7
102	Rajamahendravaram	Moderate	112	PM ₁₀	1
103	Ramanagara	Satisfactory	99	O ₃	1
104	Ratlam	Moderate	112	PM ₁₀	1
105	Rohtak	Poor	211	PM _{2.5}	1
106	Sagar	Good	38	PM _{2.5}	1
107	Satna	Satisfactory	82	PM ₁₀	1
108	Shivamogga	Moderate	107	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bidar, Coimbatore, Davanagere, Dewas, Jorapokhar, Kochi, Kolar, Muzaffarnagar, Panipat, Raichur, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Poor	261	PM _{2.5}	1
110	Singrauli	Moderate	164	PM _{2.5}	1
111	Sirsa	Moderate	103	PM ₁₀	1
112	Sonipat	Moderate	114	PM ₁₀	1
113	Talcher	Moderate	133	PM ₁₀	1
114	Thane	Poor	206	PM ₁₀	1
115	Thiruvananthapuram	Moderate	102	PM _{2.5} , PM ₁₀	2
116	Thoothukudi	Satisfactory	65	PM ₁₀	1
117	Thrissur	Moderate	177	O ₃	1
118	Tirupati	Satisfactory	65	PM ₁₀	1
119	Udaipur	Moderate	139	PM _{2.5}	1
120	Ujjain	Moderate	118	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bidar, Coimbatore, Davanagere, Dewas, Jorapokhar, Kochi, Kolar, Muzaffarnagar, Panipat, Raichur, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Moderate	139	PM ₁₀	1
122	Varanasi	Moderate	189	O ₃	1
123	Vatva	Moderate	155	PM ₁₀	1
124	Visakhapatnam	Moderate	192	PM ₁₀	1
125	Yadgir	Satisfactory	93	PM ₁₀	1
126	Yamunanagar	Moderate	107	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bidar, Coimbatore, Davanagere, Dewas, Jorapokhar, Kochi, Kolar, Muzaffarnagar, Panipat, Raichur, Rupnagar, Shillong, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.